R3850 - 1.1 thru 14

Length of Stay by Diagnosis, United States, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



*Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

1,431 Hospitals, United States, January–December 1982

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	899371	3.4	10	1	1	3	4	5	7	13
20-34	502935	4.1	25	<1	1	3	4	7	11	28
35-49	208030	5.8	39	1	1	4	7	12	17	31
50-64	178926	6.3	40	1	1	5	8	13	17	32
65+	180181	7.2	49	1	2	5	9	14	19	36
B. *Operated*										
0-19 YRS	327936	2.9	10	<1	1	2	3	5	8	15
20-34	615241	3.6	11	<1	1	3	5	7	9	16
35-49	312382	4.8	22	<1	1	3	6	10	13	22
50-64	295581	5.7	32	1	1	4	8	12	16	27
65+	289352	6.8	51	1	2	4	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	610891	4.6	30	1	1	3	5	8	11	30
20-34	460196	5.3	39	1	1	3	6	11	16	32
35-49	390293	6.9	46	1	2	5	8	14	19	34
50-64	645797	7.8	51	1	2	6	10	15	20	37
65+	1239094	9.6	75	2	3	7	12	19	25	48
B. *Operated*										
0-19 YRS	244520	5.2	67	1	1	3	5	10	17	49
20-34	690877	5.4	36	1	2	4	6	9	14	32
35-49	434564	7.4	61	1	2	6	9	15	21	43
50-64	533356	9.8	101	2	2	7	12	21	28	56
65+	737065	13.0	153	2	2	10	17	28	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1969443	4.4	25	1	1	3	5	8	12	27
B. *Operated*	1840492	4.5	24	<1	1	3	5	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	3346271	7.4	58	1	2	5	9	15	21	40
B. *Operated*	2640382	8.7	99	1	2	6	11	19	28	56
1. SINGLE DX	3809935	4.5	25	1	1	3	5	9	13	25
2. MULTIPLE DX	5986653	8.0	76	1	2	5	10	17	24	47
A. NOT OPERATED	5315714	6.3	48	1	2	4	8	13	18	35
B. OPERATED	4480874	7.0	72	1	1	4	8	16	22	46
TOTAL 0-19 YRS	2082718	3.9	23	1	1	3	4	6	9	25
20-34	2269249	4.6	28	1	1	3	5	8	12	28
35-49	1345269	6.4	45	1	1	5	8	13	18	34
50-64	1653660	7.9	65	1	2	6	10	16	22	42
65+	2445692	10.1	98	2	2	7	13	21	29	55
GRAND TOTAL	**9796588**	**6.6**	**59**	**1**	**1**	**4**	**8**	**14**	**20**	**40**

1,431 Hospitals, United States, January–December 1982

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	351713	3.8	23	1	1	3	4	7	9	24
20-34	502935	4.1	25	<1	1	3	4	7	11	28
35-49	208030	5.8	39	1	1	4	7	12	17	31
50-64	178926	6.3	40	1	1	5	8	13	17	32
65+	180181	7.2	49	1	2	5	9	14	19	36
B. *Operated*										
0-19 YRS	327606	2.9	10	<1	1	2	3	5	8	15
20-34	615241	3.6	11	<1	1	3	5	7	9	16
35-49	312382	4.8	22	<1	1	3	6	10	13	22
50-64	295581	5.7	32	1	1	4	8	12	16	27
65+	289352	6.8	51	1	2	4	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	354545	4.5	34	1	1	3	5	8	12	32
20-34	460196	5.3	39	1	1	3	6	11	16	32
35-49	390293	6.9	46	1	2	5	8	14	19	34
50-64	645797	7.8	51	1	2	6	10	15	20	37
65+	1239094	9.6	75	2	3	7	12	19	25	48
B. *Operated*										
0-19 YRS	235082	4.6	45	<1	1	3	5	9	14	37
20-34	690877	5.4	36	1	2	4	6	9	14	32
35-49	434564	7.4	61	1	2	6	9	15	21	43
50-64	533356	9.8	101	2	2	7	12	21	28	56
65+	737065	13.0	153	2	2	10	17	28	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1421785	4.9	33	1	1	3	6	10	14	30
B. *Operated*	1840162	4.5	24	<1	1	3	5	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	3089925	7.7	60	1	2	5	10	16	21	40
B. *Operated*	2630944	8.7	97	1	2	6	11	19	27	55
1. SINGLE DX	3261947	4.7	28	1	1	3	6	10	14	27
2. MULTIPLE DX	5720869	8.1	77	1	2	5	10	17	24	48
A. NOT OPERATED	4511710	6.8	53	1	1	5	8	14	20	37
B. OPERATED	4471106	7.0	71	1	1	4	8	16	22	45
TOTAL 0-19 YRS	1268946	3.9	27	<1	1	3	4	7	10	27
20-34	2269249	4.6	28	1	1	3	5	8	12	28
35-49	1345269	6.4	45	1	1	5	8	13	18	34
50-64	1653660	7.9	65	1	2	6	10	16	22	42
65+	2445692	10.1	98	2	2	7	13	21	29	55
GRAND TOTAL	**8982816**	**6.9**	**62**	**1**	**1**	**4**	**8**	**15**	**21**	**41**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9074	3.3	5	1	1	3	4	6	7	12
20-34	3903	3.4	6	1	1	3	4	6	8	12
35-49	1494	3.7	8	1	1	3	5	7	9	15
50-64	1005	3.9	7	1	1	3	5	7	9	13
65+	859	4.5	11	1	1	4	6	9	11	17
B. *Operated*										
0-19 YRS	127	5.7	17	2	2	5	7	9	12	26
20-34	212	5.8	15	2	2	5	7	9	12	24
35-49	92	7.3	31	2	3	6	9	17	22	27
50-64	44	8.5	64	3	4	7	9	14	17	54
65+	29	8.8	31	1	4	7	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8900	3.9	8	1	2	3	5	7	9	15
20-34	3566	3.9	9	1	1	3	5	7	9	15
35-49	2154	4.8	13	1	2	4	6	9	11	20
50-64	2558	5.1	13	1	2	4	6	9	12	18
65+	4251	6.6	35	2	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	189	9.5	182	2	3	6	9	17	24	96
20-34	280	7.4	25	3	3	6	9	13	19	27
35-49	218	10.0	83	2	3	7	12	18	24	54
50-64	234	10.6	60	3	4	8	13	20	25	49
65+	322	14.0	129	4	4	11	17	25	33	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16335	3.5	6	1	1	3	4	6	8	13
B. *Operated*	504	6.5	24	2	3	5	8	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	21429	4.7	16	1	2	4	6	9	11	20
B. *Operated*	1243	10.4	98	3	3	8	13	20	25	57
1. SINGLE DX	16839	3.5	7	1	1	3	4	6	8	13
2. MULTIPLE DX	22672	5.0	22	1	2	4	6	9	12	22
A. NOT OPERATED	37764	4.2	12	1	1	3	5	8	10	17
B. OPERATED	1747	9.3	80	2	3	7	11	18	24	52
TOTAL 0-19 YRS	18290	3.7	9	1	1	3	4	6	8	14
20-34	7961	3.8	9	1	1	3	5	7	9	15
35-49	3958	4.7	17	1	1	4	6	9	11	21
50-64	3841	5.2	17	1	2	4	6	9	12	21
65+	5461	6.7	40	2	2	5	8	13	17	31
GRAND TOTAL	**39511**	**4.4**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	6.8	26	1	2	5	9	14	18	24
20-34	166	12.8	82	2	4	11	17	22	35	56
35-49	128	13.3	155	2	3	10	17	28	32	68
50-64	131	12.4	124	2	3	10	16	22	33	60
65+	116	12.4	82	1	2	11	17	22	32	44
B. *Operated*										
0-19 YRS	15	9.3	53	1	1	6	15	22	23	23
20-34	96	10.6	59	1	2	10	15	20	22	40
35-49	74	13.6	112	2	3	11	18	22	35	57
50-64	123	13.5	107	3	4	11	17	23	30	66
65+	88	13.7	95	2	4	11	21	25	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	10.7	143	3	3	5	15	25	37	60
20-34	157	15.6	158	4	5	12	19	30	40	83
35-49	258	16.9	222	3	4	13	21	40	57	99+
50-64	333	16.2	221	2	4	12	20	36	47	76
65+	501	16.3	149	3	5	13	21	32	42	77
B. *Operated*										
0-19 YRS	13	12.7	89	1	2	12	20	25	27	27
20-34	79	18.5	212	3	7	15	23	33	53	74
35-49	168	20.6	255	4	5	16	26	47	62	94
50-64	268	16.7	154	4	5	14	21	33	49	99+
65+	426	21.2	251	4	6	17	28	41	54	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	12.1	103	2	3	10	16	22	32	51
B. *Operated*	396	12.7	93	2	3	11	17	22	28	52
2. MULTIPLE DX										
A. *Not Operated*	1296	16.1	183	3	4	13	21	33	44	89
B. *Operated*	954	19.5	222	4	6	16	25	38	54	99
1. SINGLE DX	1009	12.3	99	2	3	10	16	22	30	51
2. MULTIPLE DX	2250	17.5	203	3	5	14	22	36	49	93
A. NOT OPERATED	1909	14.8	161	2	4	12	19	30	41	78
B. OPERATED	1350	17.5	194	3	4	14	22	35	50	88
TOTAL 0-19 YRS	147	8.9	75	1	2	6	12	18	24	48
20-34	498	14.2	128	2	4	12	18	28	36	71
35-49	628	16.7	211	2	4	13	21	37	54	99+
50-64	855	15.4	171	3	4	12	19	31	43	77
65+	1131	17.5	185	3	5	14	23	34	45	91
GRAND TOTAL	**3259**	**15.9**	**176**	**3**	**4**	**13**	**20**	**32**	**44**	**85**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	10.3	78	1	2	8	13	25	31	32
20-34	12	12.6	160	2	2	6	26	32	33	33
35-49	10	6.0	18	1	1	5	10	12	13	13
50-64	16	12.1	412	1	2	6	9	30	68	83
65+	14	11.7	95	1	2	11	15	19	35	40
B. *Operated*										
0-19 YRS	38	6.1	67	<1	1	3	7	18	30	31
20-34	40	8.9	85	1	2	6	12	20	29	43
35-49	30	14.6	185	2	2	10	22	34	38	57
50-64	24	10.8	95	<1	1	7	18	29	49	99+
65+	38	11.7	94	1	2	10	15	27	34	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.4	123	3	3	8	18	31	34	34
20-34	26	15.8	203	2	3	10	23	44	49	51
35-49	40	13.5	144	2	3	11	16	29	34	63
50-64	50	11.3	108	2	3	9	14	26	30	48
65+	83	13.7	113	3	4	11	17	29	40	47
B. *Operated*										
0-19 YRS	27	18.6	400	1	2	11	28	48	60	73
20-34	60	14.9	272	1	2	10	22	37	45	99+
35-49	58	18.3	285	4	5	13	26	37	69	99
50-64	86	19.5	263	2	3	16	28	50	72	99+
65+	95	26.5	438	4	8	21	36	48	77	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	10.8	156	1	2	7	13	30	32	73
B. *Operated*	170	10.2	108	1	1	6	15	28	33	54
2. MULTIPLE DX										
A. *Not Operated*	207	13.3	129	2	3	10	17	28	39	49
B. *Operated*	326	20.4	344	2	3	15	29	45	65	99+
1. SINGLE DX	243	10.3	122	1	2	7	14	28	32	59
2. MULTIPLE DX	533	17.6	272	2	3	12	24	40	51	99
A. NOT OPERATED	280	12.6	136	2	3	9	16	29	35	50
B. OPERATED	496	16.9	286	1	2	12	25	38	53	99+
TOTAL 0-19 YRS	94	11.2	191	1	1	5	15	30	42	66
20-34	138	13.1	199	1	2	8	19	32	41	99
35-49	138	15.2	211	2	3	11	21	34	41	88
50-64	176	15.3	223	1	3	10	23	36	52	99+
65+	230	18.5	286	2	3	13	24	40	47	92
GRAND TOTAL	**776**	**15.3**	**236**	**2**	**2**	**10**	**22**	**36**	**46**	**94**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1047	2.9	3	1	1	3	4	5	6	8
20-34	427	3.0	2	<1	1	3	4	5	6	8
35-49	113	3.7	3	2	2	3	4	5	7	11
50-64	50	3.7	3	1	2	4	4	6	6	10
65+	17	4.2	4	1	1	4	6	6	7	8
B. *Operated*										
0-19 YRS	106	1.9	1	<1	1	2	2	3	4	6
20-34	36	2.1	1	1	1	2	2	3	3	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1658	3.3	4	1	1	3	4	6	7	10
20-34	574	3.8	5	1	2	3	4	6	8	12
35-49	212	4.3	6	1	2	4	5	7	9	13
50-64	150	5.1	8	2	2	5	6	9	10	15
65+	87	7.9	36	2	3	6	11	15	20	31
B. *Operated*										
0-19 YRS	80	3.3	13	1	1	2	3	7	10	20
20-34	24	6.0	29	1	2	4	8	12	19	24
35-49	10	6.1	20	1	1	5	8	13	14	14
50-64	8	9.0	37	2	2	8	13	18	19	19
65+	5	9.8	12	5	5	10	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1654	3.0	3	1	1	3	4	5	6	8
B. *Operated*	145	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	2681	3.7	6	1	2	3	5	6	8	13
B. *Operated*	127	4.6	21	1	1	3	6	11	15	22
1. SINGLE DX	1799	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	2808	3.8	7	1	2	3	5	6	8	14
A. NOT OPERATED	4335	3.5	5	1	1	3	4	6	7	12
B. OPERATED	272	3.2	12	1	1	2	3	7	11	19
TOTAL 0-19 YRS	2891	3.1	4	1	1	3	4	5	6	9
20-34	1061	3.5	5	1	1	3	4	6	7	11
35-49	338	4.1	5	1	2	4	5	7	8	13
50-64	208	5.0	9	2	2	4	6	8	10	16
65+	109	7.4	32	2	3	6	10	13	19	30
GRAND TOTAL	**4607**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1088	5.5	14	2	2	4	7	10	12	18
20-34	127	7.2	42	2	3	5	9	12	19	35
35-49	69	9.6	91	2	2	7	12	18	24	60
50-64	101	8.6	44	2	3	7	10	16	19	41
65+	308	10.7	47	3	4	9	13	19	25	36
B. *Operated*										
0-19 YRS	34	8.3	24	3	3	7	11	13	20	23
20-34	12	11.3	81	<1	3	9	15	23	33	35
35-49	6	17.0	118	8	8	13	21	35	37	37
50-64	9	18.4	185	3	5	15	27	39	47	47
65+	25	18.6	144	5	6	17	27	40	56	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1331	7.0	37	2	2	5	9	13	16	26
20-34	460	10.6	86	2	3	8	14	20	30	44
35-49	540	10.7	60	3	4	9	13	20	30	44
50-64	1262	12.4	80	4	5	10	15	22	30	49
65+	4922	14.6	107	5	6	12	17	27	34	62
B. *Operated*										
0-19 YRS	121	13.9	137	3	4	11	16	28	39	91
20-34	174	20.4	232	3	5	16	31	46	59	99+
35-49	206	18.7	247	4	5	13	24	45	56	99+
50-64	437	22.0	251	6	7	17	31	47	72	99+
65+	1261	24.6	283	7	9	20	31	49	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1693	6.9	31	2	2	5	9	13	16	30
B. *Operated*	86	13.4	108	3	4	10	17	30	39	80
2. MULTIPLE DX										
A. *Not Operated*	8515	12.6	95	3	4	10	15	23	31	55
B. *Operated*	2199	22.6	269	5	7	18	30	47	63	99+
1. SINGLE DX	1779	7.3	37	2	2	6	9	14	18	32
2. MULTIPLE DX	10714	14.7	147	3	4	11	18	29	40	78
A. NOT OPERATED	10208	11.7	89	3	3	10	14	22	30	53
B. OPERATED	2285	22.3	266	5	7	18	29	47	63	99+
TOTAL 0-19 YRS	2574	6.7	34	2	2	5	8	12	16	28
20-34	773	12.2	132	2	3	9	15	29	37	63
35-49	821	12.7	122	3	4	9	15	26	37	68
50-64	1809	14.6	138	4	5	11	18	30	40	89
65+	6516	16.4	155	5	6	13	20	31	42	80
GRAND TOTAL	**12493**	**13.6**	**138**	**3**	**4**	**11**	**17**	**28**	**37**	**73**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2).	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	863	6.8	22	2	2	6	10	13	14	21
20-34	233	6.5	35	2	2	5	9	12	15	21
35-49	159	6.6	34	2	2	5	8	13	16	31
50-64	124	7.0	61	2	3	5	7	13	18	47
65+	104	8.3	41	2	2	7	10	17	21	34
B. *Operated*										
0-19 YRS	50	9.2	53	1	2	8	12	16	22	38
20-34	26	11.4	95	1	2	9	14	29	30	35
35-49	36	13.1	147	3	4	9	14	32	42	57
50-64	26	15.7	126	4	5	11	22	34	37	44
65+	24	16.7	209	2	3	13	19	45	48	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	774	7.4	29	2	2	6	10	13	16	23
20-34	290	6.9	25	1	2	6	9	13	15	25
35-49	258	8.1	30	2	3	6	11	16	19	28
50-64	388	9.5	60	3	4	7	11	19	24	48
65+	641	10.9	62	3	4	9	13	20	27	42
B. *Operated*										
0-19 YRS	91	14.7	172	2	4	13	17	23	35	82
20-34	77	13.7	157	3	4	10	17	30	32	72
35-49	88	19.5	307	3	5	14	25	42	56	90
50-64	132	20.6	287	4	6	15	27	50	60	86
65+	176	22.6	297	4	6	19	30	45	65	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1483	6.9	30	2	2	5	9	13	15	24
B. *Operated*	162	12.5	121	2	3	10	15	29	35	53
2. MULTIPLE DX										
A. *Not Operated*	2351	8.7	45	2	3	7	11	16	21	35
B. *Operated*	564	19.2	267	3	5	14	24	42	57	88
1. SINGLE DX	1645	7.4	42	2	2	6	10	14	17	34
2. MULTIPLE DX	2915	10.7	105	2	3	8	13	21	30	59
A. NOT OPERATED	3834	8.0	40	2	2	6	10	15	19	32
B. OPERATED	726	17.7	241	3	4	13	22	40	52	83
TOTAL 0-19 YRS	1778	7.5	36	2	2	6	10	14	16	26
20-34	626	7.8	53	2	2	6	10	14	20	33
35-49	541	9.8	104	2	3	7	12	19	28	56
50-64	670	11.5	130	3	3	8	14	24	35	66
65+	945	12.9	130	3	4	9	16	26	36	66
GRAND TOTAL	**4560**	**9.5**	**85**	**2**	**3**	**7**	**12**	**18**	**25**	**52**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2735	3.8	5	1	2	3	5	7	9	12
20-34	1559	4.4	8	1	2	4	6	8	10	14
35-49	316	5.3	11	2	2	5	7	9	12	15
50-64	74	6.5	22	1	2	5	8	12	18	21
65+	13	6.1	40	2	2	4	6	15	23	25
B. *Operated*										
0-19 YRS	42	5.0	7	2	2	4	6	8	10	16
20-34	18	7.9	23	2	2	8	10	14	17	19
35-49	11	10.0	32	2	3	10	14	18	21	21
50-64	5	6.8	36	1	1	7	10	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	979	4.6	10	1	2	4	6	8	11	16
20-34	669	5.0	11	1	2	4	6	9	11	16
35-49	199	6.7	23	2	2	6	8	13	16	26
50-64	90	9.2	129	2	3	6	10	14	29	74
65+	59	14.0	123	3	4	11	17	26	36	61
B. *Operated*										
0-19 YRS	32	6.9	22	2	3	6	9	14	22	99+
20-34	33	12.3	138	3	3	9	15	20	39	62
35-49	19	14.9	311	4	5	11	15	23	58	84
50-64	17	17.4	140	6	7	12	27	31	42	48
65+	8	30.3	575	2	7	30	54	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4697	4.2	7	1	2	3	5	7	9	14
B. *Operated*	76	6.6	19	2	2	5	9	13	16	20
2. MULTIPLE DX										
A. *Not Operated*	1996	5.5	24	2	2	4	7	10	13	23
B. *Operated*	109	13.3	194	3	3	9	16	30	48	99+
1. SINGLE DX	4773	4.2	8	1	2	3	5	8	10	14
2. MULTIPLE DX	2105	5.9	35	2	2	4	7	11	14	29
A. NOT OPERATED	6693	4.5	13	1	2	4	6	8	10	16
B. OPERATED	185	10.5	133	2	3	7	12	21	32	94
TOTAL 0-19 YRS	3788	4.1	7	1	2	3	5	7	9	14
20-34	2279	4.7	12	1	2	4	6	9	11	16
35-49	545	6.2	29	2	2	5	7	12	14	25
50-64	186	8.8	93	2	2	6	10	17	27	63
65+	80	14.4	184	2	3	11	18	31	47	94
GRAND TOTAL	**6878**	**4.7**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1526	3.3	10	1	1	3	4	6	7	12
20-34	343	4.5	8	1	2	4	6	8	9	17
35-49	158	5.4	15	<1	2	4	7	11	13	21
50-64	321	6.2	31	1	2	5	8	11	14	31
65+	693	7.4	40	2	2	6	9	14	19	31
B. *Operated*										
0-19 YRS	11	7.0	37	2	2	4	9	17	22	22
20-34	25	4.0	12	<1	1	3	5	9	12	15
35-49	20	6.0	23	<1	1	5	9	43	99+	99+
50-64	32	7.2	46	1	2	5	9	14	21	33
65+	56	7.8	41	1	2	6	11	18	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2040	3.9	7	1	2	3	5	7	9	14
20-34	447	5.4	20	2	2	5	7	9	12	19
35-49	237	6.9	23	2	3	6	9	11	14	26
50-64	803	7.9	39	2	3	6	10	15	19	36
65+	3072	10.4	79	3	3	8	13	20	28	48
B. *Operated*										
0-19 YRS	58	9.9	103	2	3	7	11	20	37	47
20-34	42	13.1	241	2	2	8	15	28	67	99+
35-49	51	15.0	208	2	3	10	17	41	46	68
50-64	97	14.9	172	2	3	11	19	35	45	85
65+	326	18.1	195	3	5	14	24	40	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3041	4.8	22	1	1	4	6	9	12	24
B. *Operated*	144	6.7	35	1	2	5	9	16	21	99+
2. MULTIPLE DX										
A. *Not Operated*	6599	7.6	54	2	2	5	9	15	21	39
B. *Operated*	574	16.1	192	2	4	12	21	37	47	96
1. SINGLE DX	3185	4.9	23	1	1	4	6	9	13	25
2. MULTIPLE DX	7173	8.3	70	2	2	6	10	17	24	45
A. NOT OPERATED	9640	6.7	46	1	2	5	8	13	19	36
B. OPERATED	718	14.2	175	2	3	10	19	33	45	99+
TOTAL 0-19 YRS	3635	3.8	11	1	1	3	4	6	8	15
20-34	857	5.4	29	1	2	4	7	9	12	27
35-49	466	7.2	48	1	2	6	9	13	19	46
50-64	1253	8.0	52	2	2	6	10	15	20	41
65+	4147	10.5	87	2	3	8	13	21	29	51
GRAND TOTAL	**10358**	**7.2**	**58**	**1**	**2**	**5**	**9**	**15**	**21**	**42**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	721	5.9	13	2	2	5	7	11	13	18
20-34	1813	7.3	22	2	3	6	9	13	15	25
35-49	566	8.5	30	2	3	7	11	16	20	29
50-64	286	8.3	34	2	3	7	10	15	21	31
65+	115	10.1	51	3	4	9	13	17	25	38
B. *Operated*										
0-19 YRS	8	12.0	61	4	5	10	16	25	27	27
20-34	100	7.4	44	1	1	6	11	15	20	30
35-49	59	8.2	31	1	2	7	12	17	18	21
50-64	31	7.9	50	1	1	7	12	15	25	28
65+	21	10.9	24	2	3	12	14	16	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	6.9	24	2	2	6	9	12	14	26
20-34	913	7.9	24	2	3	7	10	14	17	26
35-49	432	9.0	40	2	3	8	11	16	21	31
50-64	426	10.4	72	3	3	9	13	19	25	44
65+	358	12.1	99	3	4	10	15	22	33	68
B. *Operated*										
0-19 YRS	13	9.3	46	1	1	9	14	19	20	20
20-34	123	11.0	68	2	3	9	15	19	26	42
35-49	76	11.5	63	2	3	9	15	22	26	41
50-64	101	12.4	101	2	2	9	16	29	37	73
65+	89	16.9	142	4	6	14	20	34	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3501	7.4	25	2	3	6	9	13	16	27
B. *Operated*	219	8.2	41	1	1	8	12	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	2390	9.0	49	2	3	7	11	16	21	37
B. *Operated*	402	12.7	96	2	3	11	16	24	33	50
1. SINGLE DX	3720	7.4	26	2	3	6	9	13	16	28
2. MULTIPLE DX	2792	9.6	58	2	3	8	12	18	22	41
A. NOT OPERATED	5891	8.1	35	2	3	7	10	14	19	31
B. OPERATED	621	11.1	81	1	2	9	15	21	29	47
TOTAL 0-19 YRS	1003	6.3	17	2	2	5	8	11	14	20
20-34	2949	7.6	26	2	3	7	10	14	16	28
35-49	1133	8.9	37	2	3	7	11	17	21	30
50-64	844	9.8	64	2	3	8	12	19	25	41
65+	583	12.4	97	3	4	10	15	22	33	63
GRAND TOTAL	**6512**	**8.3**	**40**	**2**	**3**	**7**	**10**	**15**	**20**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2091	4.2	5	1	2	4	5	7	9	12
20-34	656	4.8	9	2	2	4	6	8	10	15
35-49	120	5.7	13	2	2	5	7	10	13	18
50-64	32	6.2	11	1	2	6	8	11	13	14
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	25	6.0	21	1	1	4	10	13	14	16
20-34	16	7.3	11	3	4	7	9	13	13	13
35-49	7	8.3	10	4	5	8	10	13	14	14
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2459	4.7	8	2	2	4	6	8	10	15
20-34	829	5.6	12	2	2	5	7	10	12	16
35-49	160	6.7	14	2	3	6	9	12	14	19
50-64	45	7.5	14	2	3	7	9	13	15	18
65+	11	11.5	64	3	4	9	14	26	27	27
B. *Operated*										
0-19 YRS	50	7.9	50	2	2	6	10	12	25	42
20-34	46	10.2	48	4	4	9	13	16	23	36
35-49	16	11.1	32	3	4	10	14	21	21	21
50-64	14	10.1	61	1	1	8	15	22	25	26
65+	5	11.8	25	5	5	11	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2900	4.4	7	1	2	4	6	8	9	13
B. *Operated*	50	6.7	16	1	2	7	9	13	14	16
2. MULTIPLE DX										
A. *Not Operated*	3504	5.1	10	2	2	4	6	9	11	16
B. *Operated*	131	9.5	48	2	3	8	12	17	22	37
1. SINGLE DX	2950	4.5	7	1	2	4	6	8	9	14
2. MULTIPLE DX	3635	5.2	12	2	2	4	7	9	11	17
A. NOT OPERATED	6404	4.8	8	2	2	4	6	8	10	15
B. OPERATED	181	8.7	40	2	3	7	11	16	20	36
TOTAL 0-19 YRS	4625	4.5	8	2	2	4	6	8	9	14
20-34	1547	5.4	12	2	2	5	7	10	12	16
35-49	303	6.6	15	2	3	6	8	12	14	20
50-64	93	7.4	21	2	2	7	9	13	15	24
65+	17	11.4	46	3	4	9	15	24	26	27
GRAND TOTAL	**6585**	**4.9**	**10**	**2**	**2**	**4**	**6**	**9**	**11**	**16**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.8	2	<1	<1	1	2	3	6	7
20-34	38	1.5	1	<1	<1	<1	1	3	4	4
35-49	10	1.5	1	<1	<1	1	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	926	1.9	2	<1	<1	2	2	3	4	6
20-34	2372	2.2	4	<1	<1	2	3	4	5	8
35-49	585	2.5	4	<1	<1	2	3	4	6	11
50-64	168	2.5	3	<1	1	2	3	4	5	11
65+	49	3.3	10	<1	<1	2	4	7	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	26	<1	<1	1	4	7	15	23
20-34	38	3.0	10	<1	<1	1	4	6	11	14
35-49	15	4.8	51	<1	1	2	6	8	24	29
50-64	6	10.3	119	2	2	7	9	30	32	32
65+	7	3.4	11	<1	<1	3	5	9	10	10
B. *Operated*										
0-19 YRS	197	3.2	26	<1	1	2	3	5	7	28
20-34	697	3.1	5	<1	1	2	4	6	8	13
35-49	337	4.2	31	1	1	3	4	7	11	23
50-64	155	5.2	33	1	1	3	6	11	19	27
65+	67	6.1	48	<1	1	4	7	13	18	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	1.6	1	<1	<1	1	2	3	4	7
B. *Operated*	4100	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	86	4.0	30	<1	<1	2	5	8	14	31
B. *Operated*	1453	3.7	20	1	1	3	4	7	9	22
1. SINGLE DX	4167	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1539	3.8	20	<1	1	3	4	7	9	23
A. NOT OPERATED	153	2.9	19	<1	<1	1	3	6	8	29
B. OPERATED	5553	2.6	8	<1	<1	2	3	5	6	13
TOTAL 0-19 YRS	1160	2.1	6	<1	<1	2	2	4	5	8
20-34	3145	2.4	4	<1	<1	2	3	4	6	9
35-49	947	3.1	15	<1	<1	2	3	6	8	15
50-64	330	3.9	21	<1	1	2	4	8	11	25
65+	124	4.9	32	<1	1	3	6	9	14	34
GRAND TOTAL	**5706**	**2.6**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6420	3.0	4	1	1	3	4	5	6	9
20-34	1815	3.4	6	<1	1	3	4	6	8	12
35-49	777	4.0	9	1	1	3	5	8	10	14
50-64	436	4.4	11	1	2	3	5	9	10	16
65+	404	4.7	20	1	1	4	5	9	11	26
B. *Operated*										
0-19 YRS	172	4.3	28	1	1	3	5	8	10	38
20-34	105	5.2	21	1	2	4	6	11	14	61
35-49	34	8.3	62	1	2	6	10	15	25	40
50-64	30	9.0	66	<1	1	7	14	18	29	33
65+	9	13.2	159	3	3	6	25	33	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6015	3.4	6	1	1	3	4	6	7	12
20-34	2398	4.3	11	1	1	3	5	8	10	17
35-49	1478	4.7	12	1	2	4	6	8	11	18
50-64	1662	5.6	23	2	2	4	7	10	13	21
65+	2516	6.3	26	2	2	5	8	12	14	25
B. *Operated*										
0-19 YRS	191	6.5	70	1	2	4	7	11	20	42
20-34	182	8.3	55	2	2	6	10	16	23	44
35-49	121	9.7	66	2	3	8	11	17	26	48
50-64	147	11.7	118	2	3	8	14	25	37	59
65+	165	14.4	138	4	5	11	17	29	40	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9852	3.3	6	1	1	3	4	6	7	11
B. *Operated*	350	5.6	39	1	1	4	6	11	18	40
2. MULTIPLE DX										
A. *Not Operated*	14069	4.5	15	1	2	4	5	8	11	18
B. *Operated*	806	9.9	96	2	2	7	12	21	29	53
1. SINGLE DX	10202	3.3	7	1	1	3	4	6	7	13
2. MULTIPLE DX	14875	4.7	21	1	2	4	6	9	12	22
A. NOT OPERATED	23921	4.0	11	1	1	3	5	7	9	16
B. OPERATED	1156	8.6	83	1	2	6	10	18	26	51
TOTAL 0-19 YRS	12798	3.2	6	1	1	3	4	5	7	11
20-34	4500	4.1	12	1	1	3	5	8	10	18
35-49	2410	4.8	16	1	2	4	6	9	11	19
50-64	2275	5.8	30	1	2	4	7	11	14	27
65+	3094	6.6	36	2	2	5	8	12	16	32
GRAND TOTAL	**25077**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	4.4	7	2	2	4	5	8	10	15
20-34	188	4.6	7	2	2	4	6	8	9	14
35-49	80	4.7	17	1	2	4	5	9	15	20
50-64	45	5.8	9	2	2	5	7	10	12	14
65+	23	6.4	23	2	2	5	8	11	16	24
B. *Operated*										
0-19 YRS	9	4.2	6	2	2	4	6	8	8	8
20-34	4	7.5	49	4	4	4	11	18	18	18
35-49	4	9.0	21	3	3	9	12	14	14	14
50-64	6	12.5	68	2	2	12	19	23	24	24
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	4.9	8	1	2	4	6	9	11	14
20-34	108	5.8	16	2	2	5	7	10	11	25
35-49	58	6.9	128	1	2	4	7	10	16	74
50-64	54	7.0	16	3	3	6	9	13	14	21
65+	42	10.9	114	2	3	8	14	19	25	66
B. *Operated*										
0-19 YRS	6	4.8	19	<1	<1	3	6	12	13	13
20-34	6	11.2	73	4	4	9	15	25	26	26
35-49	8	14.4	69	4	5	14	20	26	28	28
50-64	8	14.1	66	4	5	13	15	27	32	32
65+	10	15.4	62	4	5	15	19	26	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	4.7	9	2	2	4	6	8	11	16
B. *Operated*	25	7.5	37	2	2	5	10	18	20	24
2. MULTIPLE DX										
A. *Not Operated*	362	6.5	46	1	2	5	8	11	15	33
B. *Operated*	38	12.6	66	2	4	13	16	24	30	33
1. SINGLE DX	642	4.8	11	2	2	4	6	8	11	18
2. MULTIPLE DX	400	7.1	51	2	2	5	8	13	18	33
A. NOT OPERATED	979	5.3	24	2	2	4	6	9	12	20
B. OPERATED	63	10.6	60	2	2	9	15	20	27	33
TOTAL 0-19 YRS	396	4.5	8	1	2	4	6	8	10	15
20-34	306	5.2	13	2	2	4	6	9	12	18
35-49	150	6.2	67	1	2	4	7	13	19	49
50-64	113	7.3	24	2	3	6	9	13	16	27
65+	77	10.0	84	2	3	7	13	19	23	57
GRAND TOTAL	**1042**	**5.7**	**27**	**2**	**2**	**4**	**7**	**10**	**14**	**24**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360	5.1	11	1	2	4	7	9	11	16
20-34	645	4.8	9	<1	2	4	6	8	10	15
35-49	111	4.9	17	1	1	4	6	10	12	22
50-64	46	5.1	25	<1	<1	3	7	13	18	20
65+	36	4.1	25	<1	1	3	5	7	14	27
B. *Operated*										
0-19 YRS	83	3.8	14	<1	1	2	4	8	11	22
20-34	267	2.8	9	<1	<1	2	3	5	8	14
35-49	76	3.1	7	<1	<1	2	3	8	9	12
50-64	42	4.6	16	1	2	3	6	11	14	18
65+	16	3.9	6	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	250	6.1	19	2	2	5	7	11	14	22
20-34	470	5.7	11	2	3	5	7	10	12	18
35-49	110	7.2	31	1	2	6	9	15	19	27
50-64	90	9.9	90	1	1	8	12	21	28	50
65+	129	9.3	50	2	2	8	13	18	25	37
B. *Operated*										
0-19 YRS	72	6.0	20	1	2	5	7	12	15	23
20-34	190	6.9	84	1	1	5	8	12	20	55
35-49	88	6.6	41	1	1	4	9	15	23	28
50-64	54	11.5	245	1	2	6	13	27	31	90
65+	48	14.8	143	1	2	13	22	27	43	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1198	4.9	11	1	2	4	6	9	11	18
B. *Operated*	484	3.2	10	<1	<1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	1049	6.8	29	2	2	5	8	13	16	28
B. *Operated*	452	8.1	98	1	2	5	10	18	26	53
1. SINGLE DX	1682	4.4	12	<1	1	4	6	8	11	18
2. MULTIPLE DX	1501	7.2	50	1	2	5	9	14	19	35
A. NOT OPERATED	2247	5.8	20	1	2	5	7	11	14	25
B. OPERATED	936	5.6	58	<1	1	3	7	12	19	43
TOTAL 0-19 YRS	765	5.4	15	1	2	4	7	10	12	20
20-34	1572	5.0	20	<1	1	4	6	9	11	20
35-49	385	5.6	27	1	1	4	7	11	16	26
50-64	232	8.4	107	1	1	5	11	18	26	53
65+	229	9.3	74	1	2	7	13	22	26	44
GRAND TOTAL	**3183**	**5.7**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	4.2	13	<1	<1	3	6	9	12	16
20-34	111	4.0	17	<1	<1	2	5	9	12	20
35-49	74	5.2	48	<1	1	3	6	10	17	44
50-64	46	5.5	81	<1	<1	3	7	11	11	61
65+	54	6.2	22	2	2	4	8	13	17	20
B. *Operated*										
0-19 YRS	33	6.2	85	<1	1	3	7	12	17	52
20-34	74	7.7	97	1	2	5	9	15	20	65
35-49	99	6.5	21	1	2	6	9	13	15	63
50-64	116	7.3	53	1	1	6	10	13	17	46
65+	89	8.9	81	1	2	7	11	17	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	5.3	39	1	1	4	6	9	13	32
20-34	163	8.1	93	1	2	5	8	16	24	59
35-49	151	9.0	128	1	2	6	9	16	35	58
50-64	235	8.4	110	<1	<1	6	10	20	24	68
65+	321	12.0	153	2	3	9	14	22	31	66
B. *Operated*										
0-19 YRS	38	12.6	88	<1	1	11	19	32	67	99+
20-34	79	11.9	139	1	2	10	16	32	76	99+
35-49	140	15.7	292	1	2	9	21	44	59	99+
50-64	223	14.3	269	2	3	9	16	37	62	99+
65+	186	17.1	409	2	3	9	21	44	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	4.7	29	<1	<1	3	6	11	13	20
B. *Operated*	411	7.4	62	1	2	6	10	15	19	48
2. MULTIPLE DX										
A. *Not Operated*	1143	8.7	111	1	2	6	10	17	25	61
B. *Operated*	666	15.0	289	2	2	9	19	41	65	99+
1. SINGLE DX	839	6.0	47	<1	<1	4	8	13	17	45
2. MULTIPLE DX	1809	11.0	185	1	2	7	13	24	43	96
A. NOT OPERATED	1571	7.6	92	<1	1	5	9	15	22	59
B. OPERATED	1077	12.1	215	1	2	8	14	28	52	99+
TOTAL 0-19 YRS	487	5.6	43	<1	1	4	7	11	17	45
20-34	427	7.7	89	<1	<1	5	9	17	23	82
35-49	464	9.9	158	1	1	6	11	22	39	80
50-64	620	10.1	164	<1	1	7	12	21	38	88
65+	650	12.5	216	2	2	8	15	25	44	95
GRAND TOTAL	**2648**	**9.4**	**147**	**<1**	**1**	**6**	**11**	**20**	**32**	**86**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.8	14	<1	<1	2	5	8	14	17
20-34	29	4.2	11	<1	<1	4	5	9	12	15
35-49	14	5.9	19	<1	1	5	9	12	16	17
50-64	9	5.0	31	1	1	4	5	14	19	19
65+	7	6.7	86	<1	<1	3	7	23	27	27
B. *Operated*										
0-19 YRS	42	4.5	14	1	2	4	5	7	9	25
20-34	23	6.2	31	<1	<1	5	8	14	20	21
35-49	14	7.1	19	<1	2	6	10	12	16	17
50-64	3	7.0	3	6	6	6	8	9	9	9
65+	5	7.0	41	3	3	4	10	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.4	11	1	2	4	5	7	11	17
20-34	38	6.4	23	2	2	5	8	12	16	25
35-49	32	7.4	24	2	3	5	10	15	18	19
50-64	20	9.9	100	1	2	6	13	21	34	43
65+	22	9.0	34	3	4	7	10	18	22	25
B. *Operated*										
0-19 YRS	36	4.7	5	2	2	4	6	8	9	10
20-34	51	10.9	168	1	3	7	15	23	33	99+
35-49	32	11.9	103	1	1	9	19	26	34	37
50-64	14	12.7	74	5	5	10	17	27	32	33
65+	17	14.1	169	2	3	11	15	25	46	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	4.5	19	<1	1	3	5	10	15	22
B. *Operated*	87	5.6	21	<1	1	4	6	11	17	24
2. MULTIPLE DX										
A. *Not Operated*	186	6.5	31	2	2	5	8	15	17	25
B. *Operated*	150	10.2	114	1	2	7	13	23	32	84
1. SINGLE DX	201	5.0	20	<1	1	4	6	10	15	23
2. MULTIPLE DX	336	8.1	71	2	2	5	10	17	25	45
A. NOT OPERATED	300	5.7	27	1	1	4	7	12	17	25
B. OPERATED	237	8.5	84	1	2	6	10	20	25	61
TOTAL 0-19 YRS	207	4.3	11	1	1	4	5	7	11	17
20-34	141	7.5	80	<1	1	5	9	16	22	85
35-49	92	8.7	55	1	2	7	10	18	24	36
50-64	46	9.6	77	1	2	6	13	20	27	43
65+	51	10.2	90	2	3	8	13	22	25	58
GRAND TOTAL	**537**	**6.9**	**54**	**1**	**2**	**5**	**8**	**16**	**21**	**35**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.9	8	<1	1	3	5	7	9	15
20-34	185	3.9	12	<1	<1	3	5	8	10	16
35-49	113	5.2	14	1	1	4	7	10	13	17
50-64	32	5.8	42	1	2	4	5	11	14	37
65+	14	6.3	7	3	3	6	8	10	12	12
B. *Operated*										
0-19 YRS	39	6.2	62	<1	1	2	9	17	19	41
20-34	474	5.7	31	1	2	4	7	12	16	28
35-49	269	5.8	27	1	1	5	8	12	14	30
50-64	114	5.9	26	1	2	4	8	14	16	25
65+	32	6.3	57	2	2	3	8	13	18	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	6.4	21	1	2	6	9	11	16	22
20-34	410	6.9	49	1	2	5	8	13	18	34
35-49	350	8.7	50	2	3	7	11	17	22	35
50-64	227	10.0	69	2	3	8	12	18	24	50
65+	197	10.2	54	3	4	8	13	20	24	36
B. *Operated*										
0-19 YRS	48	9.0	52	1	2	8	13	15	19	43
20-34	682	9.0	81	2	2	6	11	17	24	52
35-49	466	9.9	82	2	2	8	13	21	26	46
50-64	268	11.4	93	2	2	9	16	22	27	72
65+	112	15.4	126	3	3	14	21	31	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	4.5	14	<1	<1	4	6	9	11	17
B. *Operated*	928	5.8	31	1	2	4	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	1418	8.2	51	2	2	6	10	16	21	35
B. *Operated*	1576	10.1	88	2	2	8	14	21	26	53
1. SINGLE DX	1376	5.4	26	<1	1	4	7	11	14	28
2. MULTIPLE DX	2994	9.2	71	2	2	7	12	19	24	46
A. NOT OPERATED	1866	7.3	44	1	2	6	9	14	19	34
B. OPERATED	2504	8.5	71	1	2	6	11	18	23	46
TOTAL 0-19 YRS	425	6.1	27	1	2	4	8	12	16	22
20-34	1751	7.1	56	1	2	5	9	14	19	41
35-49	1198	8.2	57	1	2	6	10	16	22	39
50-64	641	9.7	74	2	2	7	13	19	24	54
65+	355	11.4	84	2	3	9	15	23	29	51
GRAND TOTAL	**4370**	**8.0**	**60**	**1**	**2**	**6**	**10**	**17**	**22**	**42**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	13	1	1	3	6	10	10	10
20-34	3	4.7	21	2	2	2	8	10	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	6.3	2	5	5	6	7	8	8	8
65+	4	5.0	10	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	4	3.0	8	1	1	2	5	7	7	7
20-34	3	18.7	444	6	6	7	34	43	43	43
35-49	5	6.8	10	4	4	6	9	11	11	11
50-64	3	12.0	169	4	4	5	21	27	27	27
65+	5	7.4	58	2	2	4	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	32	1	1	3	3	15	16	16
20-34	7	5.0	3	3	3	5	6	8	8	8
35-49	15	7.4	26	3	3	6	9	12	20	23
50-64	33	7.8	31	2	2	5	10	18	20	22
65+	40	12.2	266	2	3	8	11	33	41	92
B. *Operated*										
0-19 YRS	6	5.2	15	1	1	5	9	10	10	10
20-34	16	9.8	67	2	3	8	13	32	77	99+
35-49	16	7.8	107	2	2	4	9	14	35	44
50-64	26	12.5	270	2	2	8	13	50	77	99+
65+	14	12.0	133	2	2	9	16	47	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.9	9	1	1	4	7	10	10	10
B. *Operated*	20	8.8	106	1	1	5	9	23	35	43
2. MULTIPLE DX										
A. *Not Operated*	101	9.1	126	2	3	6	10	17	27	68
B. *Operated*	78	10.3	151	2	2	8	13	27	64	99+
1. SINGLE DX	36	7.0	65	1	1	5	8	11	25	43
2. MULTIPLE DX	179	9.6	136	2	2	7	10	20	39	99+
A. NOT OPERATED	117	8.5	112	2	2	6	10	16	23	61
B. OPERATED	98	10.0	141	2	2	7	11	24	51	99+
TOTAL 0-19 YRS	21	4.4	16	1	1	3	6	10	13	16
20-34	29	9.0	86	2	3	6	10	28	43	99+
35-49	37	7.4	56	2	3	5	9	12	20	44
50-64	65	9.8	132	2	2	7	11	21	33	96
65+	63	11.3	204	2	2	8	14	32	46	99
GRAND TOTAL	**215**	**9.2**	**125**	**2**	**2**	**6**	**10**	**19**	**35**	**99+**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	5	1	1	1	5	6	6	6
20-34	20	4.8	12	1	1	4	6	10	13	14
35-49	63	5.8	27	<1	1	4	7	14	16	25
50-64	230	6.5	64	1	1	5	8	13	17	34
65+	243	6.6	72	1	1	5	7	13	18	59
B. *Operated*										
0-19 YRS	33	5.6	14	2	2	4	6	11	13	16
20-34	96	5.2	18	1	2	4	7	9	15	23
35-49	326	6.6	55	1	2	4	9	14	21	47
50-64	1057	7.6	94	1	1	4	9	18	26	55
65+	1195	6.9	76	1	2	4	8	16	23	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.6	24	<1	1	5	10	12	18	19
20-34	30	8.3	82	1	2	5	8	24	29	38
35-49	152	8.4	96	1	2	6	9	19	28	51
50-64	630	8.6	92	1	2	6	10	18	27	47
65+	726	9.6	104	1	2	6	12	21	30	53
B. *Operated*										
0-19 YRS	13	8.5	120	1	1	3	11	22	37	40
20-34	67	12.5	217	1	2	7	17	28	48	70
35-49	391	14.8	232	2	2	10	21	35	49	77
50-64	1564	15.1	269	2	2	10	20	37	51	95
65+	1959	13.5	210	2	2	9	17	32	46	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	6.4	61	1	1	5	7	12	17	39
B. *Operated*	2707	7.1	78	1	2	4	9	16	23	48
2. MULTIPLE DX										
A. *Not Operated*	1551	9.0	97	1	2	6	11	20	29	51
B. *Operated*	3994	14.2	236	2	2	9	18	34	49	90
1. SINGLE DX	3270	6.9	75	1	1	4	8	15	22	47
2. MULTIPLE DX	5545	12.8	203	2	2	8	16	30	44	85
A. NOT OPERATED	2114	8.3	89	1	1	6	10	18	27	50
B. OPERATED	6701	11.3	184	1	2	7	14	27	41	81
TOTAL 0-19 YRS	66	6.1	37	1	1	4	8	12	17	37
20-34	213	7.9	99	1	2	5	8	18	26	56
35-49	932	10.3	149	1	2	6	13	25	38	61
50-64	3481	11.1	184	1	2	6	14	27	39	82
65+	4123	10.5	153	1	2	6	13	24	36	71
GRAND TOTAL	**8815**	**10.6**	**163**	**1**	**2**	**6**	**13**	**25**	**37**	**75**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	41	3	3	7	12	12	12	12
35-49	19	6.9	14	2	2	7	8	12	15	17
50-64	102	7.5	45	1	2	5	11	17	20	33
65+	138	8.8	102	1	2	6	11	17	30	57
B. *Operated*										
0-19 YRS										
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49	44	13.8	137	1	3	12	20	25	30	68
50-64	245	14.3	168	1	2	11	20	30	37	73
65+	308	12.9	168	2	2	9	18	30	39	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	4	2	2	5	6	7	7	7
35-49	46	9.6	50	2	2	8	14	22	26	28
50-64	317	9.4	79	1	2	7	12	20	28	44
65+	482	10.6	123	2	3	7	12	25	33	53
B. *Operated*										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	7	18.4	371	2	2	17	24	51	57	57
35-49	99	23.4	354	3	4	19	32	57	71	99+
50-64	659	19.8	269	3	4	16	25	43	60	95
65+	864	20.0	286	3	4	15	27	44	59	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	8.2	73	1	2	6	11	17	21	46
B. *Operated*	599	13.5	165	1	2	10	19	29	38	68
2. MULTIPLE DX										
A. *Not Operated*	849	10.1	102	2	2	7	12	23	30	48
B. *Operated*	1631	20.1	283	3	4	16	27	44	60	99
1. SINGLE DX	860	11.9	143	1	2	8	16	26	35	62
2. MULTIPLE DX	2480	16.7	244	2	3	12	23	39	53	84
A. NOT OPERATED	1110	9.6	96	1	2	7	12	21	29	47
B. OPERATED	2230	18.3	260	2	3	14	25	41	57	94
TOTAL 0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	15	12.1	204	2	2	6	16	25	49	57
35-49	208	16.8	251	2	3	12	24	42	58	87
50-64	1323	15.3	210	2	2	11	21	34	46	77
65+	1792	15.4	228	2	3	10	21	35	48	84
GRAND TOTAL	**3340**	**15.4**	**222**	**2**	**3**	**11**	**21**	**35**	**48**	**80**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	6.3	48	1	1	4	6	19	20	20
35-49	33	10.0	217	1	2	5	9	24	38	79
50-64	89	6.8	62	1	1	5	9	14	20	45
65+	195	8.5	67	1	2	6	11	17	25	45
B. *Operated*										
0-19 YRS	4	10.8	99	2	2	8	17	25	25	25
20-34	12	14.4	37	4	7	14	16	24	26	26
35-49	86	15.3	136	2	5	13	21	28	37	91
50-64	256	16.3	132	2	5	14	20	30	34	58
65+	514	17.3	121	3	5	15	22	30	36	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	6.2	18	1	2	5	7	14	16	17
35-49	101	7.5	48	1	1	5	10	17	26	29
50-64	431	8.0	64	1	2	5	10	18	24	42
65+	998	10.3	113	2	2	7	13	20	31	61
B. *Operated*										
0-19 YRS	5	19.4	67	9	9	21	27	27	27	27
20-34	49	16.2	139	3	4	14	20	30	39	64
35-49	242	18.3	161	3	6	15	22	34	43	67
50-64	998	19.7	198	4	7	16	25	36	47	76
65+	2319	21.4	198	5	8	18	27	39	49	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	8.1	81	1	1	5	10	17	25	46
B. *Operated*	872	16.7	125	2	5	15	21	30	36	58
2. MULTIPLE DX										
A. *Not Operated*	1553	9.4	95	1	2	6	12	19	29	52
B. *Operated*	3613	20.6	196	5	7	17	26	38	47	81
1. SINGLE DX	1195	14.4	127	2	3	12	19	28	34	57
2. MULTIPLE DX	5166	17.3	192	2	4	14	23	34	44	75
A. NOT OPERATED	1876	9.2	93	1	2	6	11	19	28	50
B. OPERATED	4485	19.9	184	4	7	17	25	36	46	77
TOTAL 0-19 YRS	9	15.6	91	2	4	13	25	27	27	27
20-34	90	12.7	107	2	3	11	16	26	31	55
35-49	462	14.8	155	2	3	12	20	29	40	70
50-64	1774	15.7	176	2	3	13	21	31	40	69
65+	4026	17.5	187	3	4	15	23	34	44	75
GRAND TOTAL	**6361**	**16.7**	**181**	**2**	**3**	**14**	**22**	**33**	**42**	**73**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	9.0	77	1	1	7	15	22	24	24
50-64	6	4.2	11	1	1	4	5	9	10	10
65+	6	8.2	13	2	3	8	10	13	13	13
B. *Operated*										
0-19 YRS	2	18.0	50	13	13	18	23	23	23	23
20-34	6	10.8	33	7	7	9	11	21	22	22
35-49	9	13.0	51	4	6	10	17	25	25	25
50-64	34	14.8	42	6	8	13	17	27	29	30
65+	40	19.8	88	8	9	18	23	34	39	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	9.3	47	3	3	8	15	17	17	17
35-49	17	5.8	55	<1	1	3	7	13	25	31
50-64	51	9.2	82	1	3	6	10	21	30	48
65+	76	11.0	189	2	3	7	11	22	38	76
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	11	18.3	107	9	10	15	21	36	42	43
35-49	67	19.1	151	7	8	16	23	36	48	61
50-64	167	20.3	179	8	8	17	25	43	54	94
65+	310	24.0	285	8	9	19	29	47	56	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	7.2	37	1	1	7	10	15	20	24
B. *Operated*	91	16.6	70	7	8	15	22	28	34	43
2. MULTIPLE DX										
A. *Not Operated*	148	9.8	134	1	2	6	11	20	31	70
B. *Operated*	556	22.2	236	8	9	17	27	44	55	86
1. SINGLE DX	110	15.0	76	2	6	13	20	26	31	42
2. MULTIPLE DX	704	19.6	240	4	5	16	25	40	52	83
A. NOT OPERATED	167	9.5	123	1	2	6	10	17	30	67
B. OPERATED	647	21.4	216	8	9	17	26	41	52	84
TOTAL 0-19 YRS	3	21.0	52	13	13	23	26	27	27	27
20-34	21	14.4	86	4	6	13	16	26	36	43
35-49	100	15.6	146	1	2	13	20	29	41	60
50-64	258	17.0	161	4	5	14	22	33	49	69
65+	432	21.1	271	4	6	17	26	42	54	84
GRAND TOTAL	**814**	**19.0**	**220**	**3**	**5**	**15**	**24**	**39**	**51**	**82**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.9	12	2	2	4	5	10	14	14
35-49	40	7.4	64	1	1	5	9	17	22	43
50-64	189	6.2	68	1	1	4	7	13	16	54
65+	354	7.1	47	1	2	5	8	14	21	38
B. *Operated*										
0-19 YRS	8	10.5	121	2	2	7	13	29	35	35
20-34	56	11.7	45	3	4	10	15	20	22	43
35-49	310	12.1	30	3	7	11	14	18	22	31
50-64	1372	12.6	37	3	7	12	15	19	23	34
65+	2715	14.9	62	3	8	13	18	24	28	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.0	33	1	1	7	14	15	15	15
20-34	55	8.2	80	1	2	5	10	15	21	55
35-49	237	8.5	69	2	2	6	10	17	26	41
50-64	1115	8.3	63	1	2	6	10	18	23	43
65+	2952	9.7	86	2	3	7	12	20	27	53
B. *Operated*										
0-19 YRS	11	19.3	176	6	9	17	25	68	95	99+
20-34	155	15.1	87	5	6	13	18	27	35	51
35-49	832	15.5	87	5	8	13	18	26	34	51
50-64	4352	16.7	98	6	8	15	20	27	35	56
65+	12761	20.4	150	8	10	17	25	35	45	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	6.8	54	1	2	5	8	14	20	44
B. *Operated*	4461	13.9	53	3	7	13	17	22	27	40
2. MULTIPLE DX										
A. *Not Operated*	4365	9.3	80	2	2	6	11	20	26	48
B. *Operated*	18111	19.3	137	7	9	16	23	33	42	71
1. SINGLE DX	5053	13.1	59	2	4	12	16	22	26	41
2. MULTIPLE DX	22476	17.3	142	3	5	15	22	31	40	67
A. NOT OPERATED	4957	9.0	77	2	2	6	11	19	26	47
B. OPERATED	22572	18.2	125	7	9	16	22	31	40	66
TOTAL 0-19 YRS	25	13.8	141	2	2	12	18	35	63	99+
20-34	275	12.7	83	3	4	11	16	22	31	49
35-49	1419	13.4	79	3	4	12	16	23	30	47
50-64	7028	14.3	92	3	4	12	18	25	31	52
65+	18782	17.7	144	3	5	15	22	32	41	69
GRAND TOTAL	**27529**	**16.5**	**129**	**3**	**5**	**14**	**21**	**30**	**38**	**63**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	5.3	27	<1	<1	4	6	14	17	17
35-49	39	5.3	16	1	1	4	7	9	12	21
50-64	154	6.8	49	1	1	5	7	18	22	34
65+	331	8.2	89	1	2	5	10	18	24	47
B. *Operated*										
0-19 YRS	4	11.0	23	4	4	13	14	14	14	14
20-34	47	10.8	46	2	3	10	16	21	22	25
35-49	279	12.7	48	2	3	12	16	22	25	37
50-64	1179	13.6	65	2	4	13	17	22	27	44
65+	2039	14.9	95	2	3	14	19	26	31	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.0	10	2	2	6	7	11	11	11
20-34	42	8.5	92	<1	1	6	10	17	32	45
35-49	133	7.6	50	1	2	5	10	16	20	37
50-64	697	8.3	60	1	2	6	11	18	22	44
65+	1621	10.7	119	2	2	7	13	23	32	57
B. *Operated*										
0-19 YRS	5	16.2	200	3	3	11	27	37	37	37
20-34	70	16.4	117	3	5	13	20	35	39	48
35-49	446	16.6	111	4	6	14	20	28	35	56
50-64	2699	17.7	126	4	6	16	22	31	39	61
65+	5964	20.4	171	4	7	18	26	36	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	7.5	72	1	2	5	9	17	23	42
B. *Operated*	3548	14.3	81	2	3	13	18	24	29	45
2. MULTIPLE DX										
A. *Not Operated*	2499	9.8	99	1	2	6	12	21	28	54
B. *Operated*	9184	19.4	156	4	7	17	24	35	44	71
1. SINGLE DX	4081	13.4	85	2	3	13	18	24	28	45
2. MULTIPLE DX	11683	17.3	159	3	4	15	23	33	42	68
A. NOT OPERATED	3032	9.4	95	1	2	6	12	20	27	52
B. OPERATED	12732	18.0	141	3	5	16	23	32	40	67
TOTAL 0-19 YRS	16	10.3	84	2	3	7	13	23	33	37
20-34	167	12.3	99	2	2	10	16	24	36	46
35-49	897	13.6	91	2	3	12	18	24	30	54
50-64	4729	14.9	111	2	4	13	19	27	35	55
65+	9955	17.3	161	3	4	15	23	32	41	69
GRAND TOTAL	**15764**	**16.3**	**143**	**2**	**4**	**14**	**21**	**31**	**39**	**64**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	12	<1	<1	3	6	10	11	11
20-34	15	7.1	21	2	2	6	9	16	17	17
35-49	33	5.2	53	<1	<1	2	7	13	18	36
50-64	81	7.3	52	1	1	5	10	16	22	37
65+	171	7.7	44	1	2	6	10	15	22	36
B. *Operated*										
0-19 YRS	19	8.0	25	2	2	7	11	15	17	18
20-34	25	12.3	98	2	3	10	14	26	35	42
35-49	74	12.5	57	2	2	13	16	22	28	37
50-64	203	14.7	122	2	5	12	18	29	35	62
65+	309	15.3	130	2	3	13	22	30	37	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.0	9	1	1	3	6	8	11	11
20-34	42	6.5	28	1	2	5	7	11	19	28
35-49	102	7.7	39	1	2	6	10	17	19	32
50-64	376	9.2	68	1	2	7	12	18	25	41
65+	716	10.6	93	2	2	8	14	21	29	48
B. *Operated*										
0-19 YRS	20	18.4	424	3	5	11	20	35	67	96
20-34	51	13.8	94	2	4	10	19	31	34	38
35-49	160	19.5	187	5	7	15	24	40	52	63
50-64	679	20.1	181	6	7	17	25	39	49	70
65+	1472	21.2	184	5	8	18	27	39	50	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	7.2	45	1	1	5	9	15	20	37
B. *Operated*	630	14.5	116	2	3	12	19	29	34	58
2. MULTIPLE DX										
A. *Not Operated*	1259	9.7	79	1	2	7	13	19	27	46
B. *Operated*	2382	20.6	185	5	7	17	26	39	49	74
1. SINGLE DX	941	12.1	104	1	2	9	16	26	31	51
2. MULTIPLE DX	3641	16.8	175	2	4	14	22	34	44	67
A. NOT OPERATED	1570	9.2	73	1	2	7	12	19	26	44
B. OPERATED	3012	19.3	176	4	6	16	25	36	47	69
TOTAL 0-19 YRS	73	9.0	159	1	1	6	11	18	26	83
20-34	133	10.5	76	2	3	7	13	23	32	39
35-49	369	13.5	138	1	2	11	17	28	38	58
50-64	1339	15.5	158	2	3	12	20	31	40	62
65+	2668	16.8	171	2	4	14	22	33	43	68
GRAND TOTAL	**4582**	**15.8**	**164**	**2**	**3**	**13**	**21**	**32**	**42**	**65**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	10.5	33	3	3	12	15	15	15	15
35-49	34	6.9	35	3	3	5	8	11	12	37
50-64	120	7.5	40	1	1	6	9	15	18	31
65+	212	9.2	97	1	2	6	11	19	29	56
B. *Operated*										
0-19 YRS										
20-34	7	11.7	70	2	2	11	19	22	22	22
35-49	48	17.3	240	2	3	15	23	32	45	92
50-64	185	17.1	107	4	6	15	22	30	38	56
65+	337	18.4	137	4	6	17	23	32	39	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	21	7.1	37	1	1	5	9	17	21	24
35-49	128	9.6	156	1	2	6	11	17	35	62
50-64	634	9.1	64	1	2	7	11	19	25	38
65+	1264	10.6	91	2	3	8	13	22	30	47
B. *Operated*										
0-19 YRS	3	14.3	136	4	4	12	23	27	27	27
20-34	32	19.3	148	3	7	16	27	33	47	50
35-49	171	19.8	167	5	7	17	25	38	46	62
50-64	1104	21.3	216	5	7	18	27	40	52	81
65+	2115	22.3	182	6	9	19	28	39	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	8.5	73	1	2	6	10	18	25	48
B. *Operated*	577	17.8	135	3	5	16	22	32	38	60
2. MULTIPLE DX										
A. *Not Operated*	2050	10.0	87	2	2	7	12	21	28	46
B. *Operated*	3425	21.9	192	6	8	19	28	39	50	76
1. SINGLE DX	947	14.2	131	2	3	12	19	27	35	54
2. MULTIPLE DX	5475	17.4	185	3	4	14	23	35	44	70
A. NOT OPERATED	2420	9.8	85	2	2	7	12	20	28	47
B. OPERATED	4002	21.3	186	5	8	18	27	38	48	76
TOTAL 0-19 YRS	6	9.2	88	2	2	5	12	25	27	27
20-34	64	14.0	124	2	2	11	19	31	33	50
35-49	381	14.9	187	2	3	11	19	33	43	62
50-64	2043	16.3	183	2	3	13	22	33	41	74
65+	3928	17.5	176	3	4	15	23	34	43	67
GRAND TOTAL	**6422**	**16.9**	**179**	**2**	**4**	**14**	**23**	**34**	**43**	**68**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	22	4.9	12	1	1	4	7	10	13	14
35-49	335	6.6	92	1	1	4	8	13	22	58
50-64	1355	6.6	58	1	1	4	8	15	20	40
65+	1558	7.7	70	1	1	5	10	17	24	41
B. *Operated*										
0-19 YRS	5	15.2	51	5	5	15	19	25	25	25
20-34	47	11.3	48	2	4	10	17	21	25	31
35-49	698	11.4	62	2	3	10	15	22	26	36
50-64	2994	11.5	71	2	2	10	15	22	26	40
65+	3472	11.7	89	2	2	10	16	23	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.9	26	1	1	5	7	13	19	19
20-34	57	7.9	50	1	1	6	11	16	23	32
35-49	1376	8.1	70	1	1	6	10	18	24	43
50-64	6886	9.1	80	1	2	6	12	20	26	44
65+	8863	10.4	91	2	2	8	13	22	29	47
B. *Operated*										
0-19 YRS	17	14.1	42	6	8	13	15	20	29	34
20-34	113	14.7	114	3	3	13	19	30	38	49
35-49	1634	14.5	124	3	4	12	18	28	35	59
50-64	9328	15.3	130	3	4	13	20	29	37	60
65+	11876	16.3	153	3	4	13	21	32	40	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3271	7.1	67	1	1	4	9	16	22	42
B. *Operated*	7216	11.6	79	2	2	10	16	22	27	43
2. MULTIPLE DX										
A. *Not Operated*	17192	9.7	85	1	2	7	13	21	28	46
B. *Operated*	22968	15.7	142	3	4	13	20	30	39	63
1. SINGLE DX	10487	10.2	79	1	2	8	14	21	26	43
2. MULTIPLE DX	40160	13.1	127	2	3	10	17	27	35	58
A. NOT OPERATED	20463	9.3	83	1	2	7	12	20	27	45
B. OPERATED	30184	14.8	130	2	4	12	19	28	37	60
TOTAL 0-19 YRS	33	11.7	50	2	4	12	15	20	24	34
20-34	239	11.5	88	1	2	9	16	24	32	45
35-49	4043	11.1	102	1	2	9	15	23	30	51
50-64	20563	12.1	110	2	2	10	16	25	32	53
65+	25769	13.1	127	2	3	10	17	27	35	58
GRAND TOTAL	**50647**	**12.5**	**118**	**2**	**2**	**10**	**17**	**26**	**33**	**55**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.4	3	2	2	5	6	6	6	6
20-34	16	4.9	8	1	2	5	6	7	12	14
35-49	35	5.7	103	1	1	2	5	9	21	58
50-64	132	5.5	39	1	1	4	7	10	15	38
65+	118	7.6	103	1	1	4	9	18	29	55
B. *Operated*										
0-19 YRS	20	14.8	149	<1	1	14	17	31	42	52
20-34	54	8.6	106	1	1	6	12	20	25	63
35-49	255	8.8	87	1	1	5	13	21	26	38
50-64	1098	7.7	76	1	1	3	12	19	23	42
65+	1018	7.3	83	1	1	3	11	19	26	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.2	88	1	1	4	7	21	32	35
20-34	31	5.5	9	1	2	5	8	10	11	12
35-49	94	6.9	52	1	1	5	9	16	20	36
50-64	329	8.3	84	1	2	5	10	17	27	43
65+	406	10.0	160	1	2	6	12	22	39	78
B. *Operated*										
0-19 YRS	14	10.4	58	2	4	8	13	19	29	32
20-34	46	12.0	68	3	4	10	15	25	30	43
35-49	217	14.3	178	2	2	12	19	30	41	70
50-64	1171	14.6	196	1	2	12	20	32	42	79
65+	1325	15.3	228	1	2	12	21	34	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	6.3	69	1	1	3	7	13	21	49
B. *Operated*	2445	7.7	82	1	1	3	12	19	24	43
2. MULTIPLE DX										
A. *Not Operated*	873	8.8	115	1	2	5	10	18	32	66
B. *Operated*	2773	14.9	207	2	2	12	20	32	45	80
1. SINGLE DX	2754	7.6	81	1	1	3	12	19	24	44
2. MULTIPLE DX	3646	13.4	192	1	2	10	18	30	42	77
A. NOT OPERATED	1182	8.1	104	1	1	5	9	17	28	60
B. OPERATED	5218	11.5	161	1	1	8	16	27	37	66
TOTAL 0-19 YRS	55	10.4	102	1	2	7	15	18	33	51
20-34	147	8.6	69	1	1	6	11	16	25	44
35-49	601	10.3	125	1	1	7	15	23	31	56
50-64	2730	10.6	139	1	1	7	15	24	33	61
65+	2867	11.4	176	1	2	7	16	27	39	72
GRAND TOTAL	**6400**	**10.9**	**152**	**1**	**1**	**7**	**15**	**25**	**35**	**65**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	3.0	8	<1	<1	2	4	5	7	18
20-34	48	6.5	76	<1	1	4	6	8	32	43
35-49	28	5.2	19	1	1	3	8	13	13	15
50-64	70	7.6	79	1	2	4	8	21	25	48
65+	89	8.4	65	<1	1	6	11	21	26	77
B. *Operated*										
0-19 YRS	197	7.6	52	1	2	6	10	16	21	40
20-34	220	8.2	56	1	2	5	10	18	21	37
35-49	196	8.2	78	1	1	5	10	18	25	48
50-64	329	9.0	77	1	2	6	12	22	28	35
65+	392	9.4	75	1	2	7	13	21	26	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	4.2	22	<1	1	3	5	8	14	27
20-34	121	6.5	46	1	1	4	8	14	18	34
35-49	84	7.5	68	1	1	4	8	20	26	38
50-64	200	7.9	69	1	2	5	9	17	25	45
65+	318	10.2	134	1	2	6	14	24	38	99+
B. *Operated*										
0-19 YRS	91	9.9	82	1	2	7	12	22	28	49
20-34	127	14.1	206	2	2	10	19	35	53	99+
35-49	137	12.6	170	1	3	9	16	26	35	63
50-64	386	16.9	251	2	3	12	21	38	55	88
65+	643	16.0	201	2	3	12	21	37	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	5.6	47	<1	1	4	6	12	21	40
B. *Operated*	1334	8.7	70	1	2	6	11	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	897	7.8	84	1	1	5	9	18	26	57
B. *Operated*	1384	15.3	208	2	3	11	20	35	49	92
1. SINGLE DX	1729	8.0	66	1	1	5	10	18	24	42
2. MULTIPLE DX	2281	12.4	173	1	2	8	16	28	40	79
A. NOT OPERATED	1292	7.1	74	1	1	4	8	17	25	53
B. OPERATED	2718	12.1	151	1	2	8	16	26	38	70
TOTAL 0-19 YRS	622	5.8	43	<1	1	4	7	13	18	34
20-34	516	9.1	101	1	2	6	11	21	30	55
35-49	445	9.2	106	1	1	6	12	22	29	50
50-64	985	11.8	160	1	2	8	15	26	37	68
65+	1442	12.5	154	1	2	9	17	28	40	80
GRAND TOTAL	**4010**	**10.5**	**132**	**1**	**2**	**7**	**14**	**24**	**34**	**66**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
20-34	27	5.9	40	<1	1	4	7	13	17	31
35-49	48	4.3	16	1	1	4	5	8	9	25
50-64	73	5.0	14	1	1	4	7	10	12	18
65+	49	5.4	23	1	1	5	6	9	18	27
B. *Operated*										
0-19 YRS	24	4.5	13	<1	1	3	6	11	13	13
20-34	371	5.1	16	1	1	4	7	10	12	20
35-49	509	5.4	20	1	1	4	7	10	12	18
50-64	665	6.1	21	1	2	5	8	12	15	21
65+	551	6.9	44	1	2	5	9	14	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.0	57	1	1	9	16	17	17	17
20-34	66	5.8	39	<1	1	4	7	12	17	37
35-49	100	6.0	44	1	1	4	7	12	19	39
50-64	190	7.2	51	1	2	5	9	15	21	41
65+	227	9.7	108	1	2	7	11	22	32	51
B. *Operated*										
0-19 YRS	8	7.5	49	2	2	6	9	19	23	23
20-34	158	8.3	65	1	2	6	10	16	24	42
35-49	266	8.3	39	2	2	7	12	16	20	32
50-64	487	9.7	74	2	2	7	12	20	25	44
65+	619	11.5	120	2	2	8	15	25	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	5.0	20	1	1	4	6	10	13	26
B. *Operated*	2120	5.9	26	1	2	4	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	588	7.8	73	1	2	5	9	17	25	48
B. *Operated*	1538	10.0	87	2	2	8	13	21	28	46
1. SINGLE DX	2321	5.9	26	1	1	4	8	12	15	25
2. MULTIPLE DX	2126	9.4	84	1	2	7	12	20	27	46
A. NOT OPERATED	789	7.1	61	1	1	5	8	15	22	45
B. OPERATED	3658	7.7	56	1	2	6	10	16	21	37
TOTAL 0-19 YRS	41	5.5	26	<1	1	4	8	13	16	23
20-34	622	6.0	33	1	1	5	8	12	15	30
35-49	923	6.2	30	1	1	5	8	12	16	29
50-64	1415	7.4	46	1	2	6	10	15	20	35
65+	1446	9.3	90	1	2	6	12	20	28	48
GRAND TOTAL	**4447**	**7.6**	**57**	**1**	**2**	**5**	**9**	**15**	**22**	**40**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	85	<1	<1	7	14	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	11	2.1	1	1	1	2	3	4	4	4
50-64	14	4.2	6	<1	1	4	7	7	8	8
65+	55	6.5	73	1	1	4	8	13	28	42
B. *Operated*										
0-19 YRS	26	3.2	24	<1	<1	2	2	7	14	24
20-34	143	3.5	16	<1	<1	2	4	7	10	27
35-49	487	3.2	15	<1	<1	2	3	7	10	19
50-64	1194	2.8	8	<1	<1	2	3	6	8	14
65+	2513	3.7	22	<1	1	2	4	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	12	8.3	28	2	2	8	12	16	18	18
35-49	24	7.1	38	1	2	6	10	16	19	24
50-64	64	7.7	51	1	1	5	10	18	25	33
65+	216	10.1	172	1	1	6	11	25	34	71
B. *Operated*										
0-19 YRS	4	3.5	14	<1	<1	2	6	9	9	9
20-34	90	8.3	127	<1	1	4	11	21	26	58
35-49	337	5.0	77	<1	1	2	5	11	16	41
50-64	1100	5.4	63	<1	1	3	6	12	18	35
65+	3054	6.9	72	1	1	4	9	16	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	5.5	53	<1	1	3	7	11	17	41
B. *Operated*	4363	3.4	17	<1	<1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	320	9.2	132	1	1	6	11	21	31	57
B. *Operated*	4585	6.5	72	1	1	3	8	15	22	44
1. SINGLE DX	4446	3.4	18	<1	<1	2	4	7	11	20
2. MULTIPLE DX	4905	6.6	76	1	1	3	8	15	23	45
A. NOT OPERATED	403	8.5	118	1	1	5	10	18	31	54
B. OPERATED	8948	4.9	48	<1	1	3	5	11	17	35
TOTAL 0-19 YRS	36	3.3	22	<1	<1	2	2	9	13	24
20-34	246	5.5	63	<1	<1	3	6	13	20	54
35-49	859	4.0	41	<1	<1	2	4	9	13	27
50-64	2372	4.2	37	<1	<1	2	4	9	14	26
65+	5838	5.6	57	<1	1	3	6	13	19	38
GRAND TOTAL	**9351**	**5.1**	**51**	**<1**	**1**	**3**	**5**	**12**	**17**	**36**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	36	4.8	40	1	1	3	6	10	17	34
35-49	213	4.8	26	1	1	3	6	10	15	27
50-64	348	5.5	43	1	1	4	6	12	16	30
65+	284	7.1	71	1	1	4	8	16	25	51
B. *Operated*										
0-19 YRS	23	4.9	15	1	2	3	8	10	12	16
20-34	652	6.1	11	1	2	6	8	10	12	16
35-49	3217	6.6	13	1	2	6	8	11	12	17
50-64	5160	7.3	16	2	3	7	9	11	14	20
65+	5334	8.0	19	2	3	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	19	1	1	6	9	12	12	12
20-34	127	8.0	71	1	1	6	10	19	27	43
35-49	825	8.2	89	1	1	5	10	19	27	49
50-64	2071	9.3	93	1	1	6	12	21	30	47
65+	2608	11.6	127	2	2	8	15	26	35	67
B. *Operated*										
0-19 YRS	12	8.9	11	2	5	9	11	13	14	14
20-34	494	8.6	54	2	3	7	10	13	16	39
35-49	3144	9.0	45	2	3	8	10	15	20	36
50-64	6403	10.3	64	3	4	9	12	17	24	46
65+	9194	11.8	82	3	5	10	14	21	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	883	5.8	49	1	1	4	7	12	18	35
B. *Operated*	14386	7.4	16	2	3	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	5636	10.2	109	1	2	7	13	23	31	58
B. *Operated*	19247	10.8	70	3	4	9	12	19	25	49
1. SINGLE DX	15269	7.3	18	2	2	7	9	12	14	21
2. MULTIPLE DX	24883	10.6	79	2	3	9	12	19	27	51
A. NOT OPERATED	6519	9.6	103	1	2	6	12	22	30	55
B. OPERATED	33633	9.3	50	2	3	8	11	16	21	40
TOTAL 0-19 YRS	42	6.0	17	<1	1	5	9	12	13	16
20-34	1309	7.2	35	1	2	6	9	12	14	29
35-49	7399	7.7	37	1	2	7	9	13	17	32
50-64	13982	9.0	52	2	3	8	10	15	21	40
65+	17420	10.5	72	2	4	9	12	19	26	49
GRAND TOTAL	**40152**	**9.3**	**59**	**2**	**3**	**8**	**11**	**16**	**22**	**43**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	108	3.4	5	<1	1	3	4	5	7	14
35-49	246	4.2	10	1	2	4	4	7	9	17
50-64	323	4.1	12	1	2	3	4	6	10	24
65+	288	4.9	22	2	2	4	5	8	13	29
B. *Operated*										
0-19 YRS	7	4.7	8	1	1	5	7	8	8	8
20-34	544	5.3	19	1	1	4	7	11	13	20
35-49	656	6.2	28	1	2	5	8	12	16	27
50-64	530	6.1	38	1	2	4	8	12	16	31
65+	386	7.2	92	2	2	4	8	14	20	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	86	5.7	27	1	1	4	7	12	20	23
35-49	271	7.0	49	1	1	5	9	17	21	33
50-64	381	7.4	81	1	2	4	8	17	23	42
65+	409	8.2	109	1	2	4	9	18	28	59
B. *Operated*										
0-19 YRS	6	8.7	63	2	2	6	12	22	23	23
20-34	407	8.5	64	1	2	7	11	17	21	43
35-49	683	10.5	114	2	2	7	12	23	32	54
50-64	760	12.2	131	2	2	9	16	25	34	61
65+	723	12.4	159	2	2	9	15	25	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	4.3	14	1	2	4	4	7	11	23
B. *Operated*	2123	6.1	40	1	2	4	8	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	1147	7.5	80	1	2	4	9	17	22	46
B. *Operated*	2579	11.2	125	2	2	8	14	23	33	59
1. SINGLE DX	3088	5.5	32	1	2	4	7	11	15	29
2. MULTIPLE DX	3726	10.1	114	2	2	7	12	21	30	56
A. NOT OPERATED	2112	6.0	52	1	2	4	6	12	19	37
B. OPERATED	4702	8.9	93	1	2	6	11	18	26	52
TOTAL 0-19 YRS	13	6.5	34	1	2	6	7	14	21	23
20-34	1145	6.3	37	1	1	5	8	13	17	26
35-49	1856	7.7	66	1	2	5	9	16	22	45
50-64	1994	8.3	88	2	2	5	10	19	25	47
65+	1806	9.1	119	2	2	5	11	19	29	58
GRAND TOTAL	**6814**	**8.0**	**82**	**1**	**2**	**5**	**10**	**17**	**24**	**49**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	4.6	6	<1	1	4	5	8	10	10
35-49	43	3.6	2	2	2	3	4	5	6	9
50-64	282	3.7	5	1	1	4	4	5	6	12
65+	333	4.6	32	1	1	3	4	7	11	33
B. *Operated*										
0-19 YRS	4	3.8	8	1	1	3	6	7	7	7
20-34	53	6.5	13	<1	1	6	9	10	13	17
35-49	265	6.0	13	1	1	6	8	10	11	19
50-64	1516	6.3	15	1	1	7	8	11	13	18
65+	1609	7.0	30	1	2	7	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	12.1	612	<1	1	4	9	35	82	90
35-49	68	4.7	32	1	1	4	4	8	15	37
50-64	381	6.4	62	1	1	4	7	14	19	44
65+	711	8.6	99	1	1	5	10	22	31	58
B. *Operated*										
0-19 YRS	11	11.2	28	3	5	9	16	18	20	20
20-34	101	8.4	38	1	2	7	11	15	21	68
35-49	632	8.1	30	1	2	7	9	14	18	28
50-64	2765	9.0	53	1	2	8	11	16	21	39
65+	3416	10.9	94	2	2	9	13	21	27	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	668	4.1	18	1	1	3	4	6	9	23
B. *Operated*	3447	6.6	22	1	2	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	1173	7.7	90	1	1	4	9	17	28	49
B. *Operated*	6925	9.9	72	2	2	8	12	18	24	50
1. SINGLE DX	4115	6.2	22	1	2	6	8	11	14	22
2. MULTIPLE DX	8098	9.5	75	1	2	8	11	18	25	50
A. NOT OPERATED	1841	6.4	67	1	1	4	6	14	23	43
B. OPERATED	10372	8.8	58	1	2	8	11	16	21	42
TOTAL 0-19 YRS	17	8.4	35	1	2	8	12	17	19	20
20-34	175	7.9	67	<1	2	7	9	13	18	77
35-49	1008	7.1	27	1	2	7	9	12	16	26
50-64	4944	7.7	42	1	2	7	9	14	17	32
65+	6069	9.3	79	1	2	8	11	18	25	51
GRAND TOTAL	**12213**	**8.4**	**60**	**1**	**2**	**7**	**10**	**16**	**21**	**42**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.3	6	<1	1	5	6	7	9	10
20-34	64	2.3	2	<1	1	2	3	5	5	6
35-49	316	2.6	8	<1	1	2	2	5	8	17
50-64	709	2.8	19	1	1	2	2	5	7	20
65+	551	3.4	23	1	1	2	3	7	11	27
B. *Operated*										
0-19 YRS	35	7.7	13	4	4	7	8	11	16	21
20-34	124	8.5	70	4	5	7	9	12	15	37
35-49	185	9.8	27	3	5	9	12	16	21	28
50-64	420	10.6	34	3	6	9	12	18	22	35
65+	285	13.4	66	4	6	11	16	24	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.6	23	2	2	5	6	8	18	22
20-34	71	3.6	9	<1	1	2	5	7	9	16
35-49	440	4.1	36	<1	1	2	4	8	14	35
50-64	1586	4.4	41	1	1	2	4	9	15	32
65+	1501	7.2	76	1	1	4	9	17	24	46
B. *Operated*										
0-19 YRS	17	10.8	39	5	5	9	12	19	26	30
20-34	159	9.7	32	4	5	8	11	17	22	32
35-49	574	12.0	74	5	6	9	14	21	29	52
50-64	1553	15.2	112	5	7	12	19	28	35	60
65+	1602	19.2	157	7	8	16	24	36	46	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1661	3.0	18	1	1	2	3	5	9	22
B. *Operated*	1049	10.9	48	4	5	9	13	19	23	37
2. MULTIPLE DX										
A. *Not Operated*	3614	5.5	56	1	1	3	6	13	20	39
B. *Operated*	3905	16.1	129	5	7	13	20	30	40	61
1. SINGLE DX	2710	6.0	44	1	1	3	9	14	18	31
2. MULTIPLE DX	7519	11.0	123	1	2	8	15	24	33	55
A. NOT OPERATED	5275	4.7	45	1	1	2	5	11	17	36
B. OPERATED	4954	15.0	117	5	6	12	18	28	37	59
TOTAL 0-19 YRS	89	7.1	23	2	2	6	8	12	17	27
20-34	418	7.2	44	1	1	6	9	13	16	31
35-49	1515	7.5	60	1	1	6	10	16	21	39
50-64	4268	8.7	91	1	1	6	12	20	27	48
65+	3939	12.0	141	1	2	9	17	27	36	57
GRAND TOTAL	**10229**	**9.7**	**107**	**1**	**1**	**7**	**13**	**22**	**30**	**51**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34	16	5.0	13	1	1	5	7	9	12	14
35-49	10	6.0	20	1	1	5	9	12	14	14
50-64	42	4.5	19	1	1	3	5	10	13	24
65+	76	5.3	57	1	1	4	5	12	16	50
B. *Operated*										
0-19 YRS	8	5.0	19	<1	<1	4	7	12	14	14
20-34	20	6.1	35	<1	1	3	9	16	19	20
35-49	59	7.6	61	1	2	5	11	17	19	48
50-64	123	7.4	40	1	2	6	10	16	22	27
65+	253	8.4	72	2	2	5	11	17	26	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	13	4.3	20	1	1	3	4	9	16	18
35-49	17	4.8	34	2	2	3	4	6	20	27
50-64	87	6.8	44	1	1	5	9	14	20	35
65+	149	10.9	107	1	2	8	15	22	32	52
B. *Operated*										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	26	8.4	27	2	2	7	13	16	17	18
35-49	80	10.1	67	2	2	8	14	21	24	42
50-64	201	14.4	167	2	3	11	19	31	42	73
65+	497	16.0	180	2	3	12	23	34	41	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	5.0	37	1	1	3	5	11	14	24
B. *Operated*	463	7.9	60	1	2	5	11	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	268	8.8	83	1	2	5	12	19	27	48
B. *Operated*	806	14.7	164	2	3	11	20	31	40	75
1. SINGLE DX	612	7.1	56	1	2	4	9	15	20	33
2. MULTIPLE DX	1074	13.3	151	2	3	10	18	29	38	69
A. NOT OPERATED	417	7.5	70	1	1	4	9	16	23	44
B. OPERATED	1269	12.2	137	2	2	9	17	28	35	65
TOTAL 0-19 YRS	17	4.8	22	<1	<1	3	7	14	14	14
20-34	75	6.3	26	1	1	5	9	15	17	20
35-49	166	8.4	62	1	2	6	12	18	22	43
50-64	453	10.1	110	1	2	7	13	23	31	58
65+	975	12.4	146	2	2	9	17	29	36	61
GRAND TOTAL	**1686**	**11.0**	**125**	**1**	**2**	**7**	**15**	**25**	**33**	**58**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	176	5.1	54	1	1	2	6	11	16	45
65+	637	6.8	58	1	1	5	8	14	22	36
B. *Operated*										
0-19 YRS	8	6.9	10	2	3	7	9	10	11	11
20-34	3	5.3	4	3	3	6	7	7	7	7
35-49	63	7.5	50	1	2	5	10	17	23	31
50-64	1778	7.3	32	1	2	6	10	15	18	28
65+	6205	7.6	33	2	2	6	10	14	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.3	123	2	2	5	15	29	32	32
20-34	3	5.0	13	1	1	6	7	8	8	8
35-49	38	6.8	38	1	2	4	9	15	20	26
50-64	804	8.2	58	1	2	6	11	18	22	37
65+	4584	10.1	93	2	2	7	13	21	28	48
B. *Operated*										
0-19 YRS	13	10.9	33	3	5	9	13	18	24	26
20-34	4	6.0	22	1	1	5	9	12	12	12
35-49	66	10.3	58	2	3	8	15	19	25	38
50-64	2621	10.4	74	2	3	8	13	20	27	44
65+	14571	11.5	82	2	4	9	14	22	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	819	6.4	57	1	1	4	7	14	21	37
B. *Operated*	8057	7.6	33	2	2	6	10	14	18	29
2. MULTIPLE DX										
A. *Not Operated*	5436	9.8	87	2	2	7	12	21	28	47
B. *Operated*	17275	11.3	81	2	3	9	14	22	28	48
1. SINGLE DX	8876	7.5	35	2	2	6	9	14	18	29
2. MULTIPLE DX	22711	10.9	83	2	3	8	14	21	28	48
A. NOT OPERATED	6255	9.4	85	1	2	7	12	20	27	47
B. OPERATED	25332	10.1	69	2	3	8	13	19	26	44
TOTAL 0-19 YRS	30	9.0	49	1	2	8	11	16	26	32
20-34	11	5.3	11	1	1	6	7	10	12	12
35-49	170	8.3	52	2	2	6	12	18	23	32
50-64	5379	8.9	59	2	2	7	11	18	23	38
65+	25997	10.2	75	2	3	8	13	20	26	46
GRAND TOTAL	**31587**	**10.0**	**72**	**2**	**3**	**8**	**12**	**20**	**26**	**45**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	5.5	11	1	2	5	7	9	13	16
20-34	86	4.9	14	1	1	5	6	10	13	18
35-49	23	3.7	7	<1	1	4	5	7	9	11
50-64	11	3.3	16	1	1	1	5	9	14	14
65+	7	6.0	81	1	1	3	5	22	26	26
B. *Operated*										
0-19 YRS	61	6.0	27	2	2	4	8	13	15	31
20-34	576	5.6	21	1	2	4	7	11	15	23
35-49	242	5.0	14	1	2	4	6	9	11	16
50-64	110	6.1	33	2	2	4	7	12	17	32
65+	123	8.4	94	2	2	5	11	18	23	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.6	13	1	2	5	6	9	11	23
20-34	186	5.8	24	1	2	5	7	10	13	31
35-49	60	6.4	29	1	2	5	7	12	18	28
50-64	29	5.6	15	1	1	5	6	12	14	15
65+	26	9.0	72	2	2	5	11	24	28	32
B. *Operated*										
0-19 YRS	29	11.1	67	3	4	11	13	18	21	46
20-34	263	10.0	91	2	3	8	13	20	25	41
35-49	139	9.3	80	1	2	7	13	19	22	47
50-64	99	9.7	100	2	3	7	11	19	33	56
65+	123	11.4	95	2	3	9	14	27	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.7	15	1	1	5	6	9	13	19
B. *Operated*	1112	5.8	30	1	2	4	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	342	6.1	27	1	2	5	7	11	15	28
B. *Operated*	653	10.1	90	2	3	8	13	20	28	53
1. SINGLE DX	1264	5.7	28	1	2	4	7	11	15	25
2. MULTIPLE DX	995	8.7	72	2	2	6	11	18	25	43
A. NOT OPERATED	494	5.7	24	1	1	5	6	11	14	27
B. OPERATED	1765	7.4	56	1	2	5	9	15	21	38
TOTAL 0-19 YRS	156	6.8	32	2	2	5	8	13	16	31
20-34	1111	6.6	41	1	2	5	8	13	18	29
35-49	464	6.4	39	1	2	5	8	13	16	32
50-64	249	7.3	60	1	2	5	9	14	19	43
65+	279	9.7	94	2	2	7	12	23	29	49
GRAND TOTAL	**2259**	**7.0**	**50**	**1**	**2**	**5**	**8**	**14**	**20**	**37**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	3	<1	<1	4	5	5	5	5
20-34	2	2.0		2	2	2	2	2	2	2
35-49	17	3.3	9	<1	<1	3	3	6	11	14
50-64	100	3.8	32	1	1	2	4	7	14	33
65+	277	6.1	61	1	1	4	7	14	23	42
B. *Operated*										
0-19 YRS	24	5.4	20	<1	1	4	8	12	14	18
20-34	115	4.4	17	1	1	3	5	9	14	22
35-49	572	4.6	18	1	1	3	6	9	14	23
50-64	3126	4.9	25	1	1	3	6	10	15	25
65+	6762	5.7	30	1	2	4	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	2	1	1	4	4	4	4	4
20-34	5	3.6	2	2	2	3	5	5	5	5
35-49	35	8.2	206	1	1	3	7	26	34	75
50-64	331	6.9	87	1	1	4	8	15	23	51
65+	1122	9.3	91	1	2	6	12	20	29	50
B. *Operated*										
0-19 YRS	16	13.3	253	2	3	6	18	56	86	99+
20-34	50	8.3	71	1	1	5	12	22	29	35
35-49	343	8.1	86	1	2	5	10	18	25	38
50-64	2884	8.7	91	1	2	5	11	20	27	46
65+	10157	10.0	101	2	2	7	13	22	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	5.4	51	1	1	3	6	12	19	37
B. *Operated*	10599	5.4	28	1	2	4	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	1501	8.7	93	1	2	6	11	20	27	50
B. *Operated*	13450	9.6	99	2	2	6	12	21	29	52
1. SINGLE DX	11000	5.4	29	1	2	4	6	11	16	26
2. MULTIPLE DX	14951	9.6	99	2	2	6	12	21	29	52
A. NOT OPERATED	1902	8.0	86	1	1	5	10	18	26	50
B. OPERATED	24049	7.8	72	1	2	5	9	17	24	44
TOTAL 0-19 YRS	53	7.2	99	1	1	4	7	17	38	98
20-34	172	5.5	36	1	1	3	6	13	16	30
35-49	967	5.9	52	1	1	4	7	13	18	33
50-64	6441	6.7	61	1	2	4	8	15	22	39
65+	18318	8.3	78	2	2	5	10	18	25	46
GRAND TOTAL	**25951**	**7.8**	**73**	**1**	**2**	**5**	**9**	**17**	**24**	**44**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.8	10	<1	<1	1	3	6	11	15
20-34	7	6.4	44	1	1	3	12	17	17	17
35-49	20	5.7	22	<1	1	5	8	11	15	20
50-64	64	5.0	34	1	1	3	6	8	13	39
65+	113	7.7	110	1	1	5	8	19	24	67
B. *Operated*										
0-19 YRS	49	9.9	16	3	5	10	13	15	17	18
20-34	35	11.2	23	3	7	10	14	17	20	25
35-49	196	11.2	29	2	3	11	14	18	22	29
50-64	601	11.5	47	2	4	11	15	19	21	29
65+	704	12.5	65	2	3	12	16	22	26	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.0	8	<1	1	2	3	7	11	11
20-34	38	6.1	29	1	1	5	7	13	20	24
35-49	91	8.0	61	1	1	5	10	19	26	33
50-64	444	9.3	86	1	2	6	12	21	27	45
65+	761	10.6	93	2	2	8	14	23	30	44
B. *Operated*										
0-19 YRS	45	12.8	57	6	7	12	15	19	23	50
20-34	53	13.2	80	3	5	11	16	25	33	44
35-49	315	14.4	77	4	5	12	18	25	34	48
50-64	1154	15.8	109	3	6	14	20	29	35	59
65+	1947	17.5	126	3	6	16	22	31	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	6.2	70	1	1	4	7	14	20	47
B. *Operated*	1585	11.9	52	2	3	11	15	20	23	37
2. MULTIPLE DX										
A. *Not Operated*	1360	9.7	87	1	2	7	13	22	29	44
B. *Operated*	3514	16.5	115	3	6	14	21	30	37	57
1. SINGLE DX	1816	11.1	58	2	2	10	15	19	23	37
2. MULTIPLE DX	4874	14.6	117	2	3	12	19	28	35	55
A. NOT OPERATED	1591	9.2	86	1	2	6	12	21	28	44
B. OPERATED	5099	15.1	100	3	5	13	19	26	34	54
TOTAL 0-19 YRS	147	8.2	43	<1	1	8	12	15	17	32
20-34	133	10.3	57	1	2	9	14	18	25	40
35-49	622	12.2	64	2	3	11	15	23	28	40
50-64	2263	13.1	95	2	3	11	17	24	31	52
65+	3525	14.7	116	2	3	13	19	28	35	55
GRAND TOTAL	**6690**	**13.7**	**103**	**2**	**3**	**12**	**18**	**25**	**33**	**53**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.8	1	<1	1	2	2	3	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	6.0	19	3	3	4	9	11	11	11
50-64	7	5.3	4	3	3	5	6	8	9	9
65+	5	14.2	86	6	6	11	18	30	30	30
B. *Operated*										
0-19 YRS	37	4.7	11	<1	1	4	7	9	11	14
20-34	13	4.1	4	2	2	4	5	7	7	7
35-49	33	3.3	3	1	1	3	4	5	7	8
50-64	61	3.5	5	1	1	3	4	7	9	10
65+	81	5.5	36	1	2	4	5	10	15	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.8	43	<1	1	2	4	13	21	28
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	7.5	58	1	1	5	11	20	21	21
50-64	18	4.2	4	1	1	4	5	7	8	8
65+	24	6.1	19	1	2	5	8	13	15	18
B. *Operated*										
0-19 YRS	12	10.8	333	<1	1	4	13	32	61	66
20-34	4	4.3	3	2	2	4	5	6	6	6
35-49	5	4.4	6	2	2	5	6	8	8	8
50-64	56	6.4	27	2	2	4	8	16	18	20
65+	81	8.3	97	1	2	5	10	17	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.0	32	1	1	3	6	11	14	30
B. *Operated*	225	4.4	17	1	2	3	5	8	10	27
2. MULTIPLE DX										
A. *Not Operated*	69	5.3	25	1	1	4	7	12	14	27
B. *Operated*	158	7.6	84	1	2	4	9	16	21	52
1. SINGLE DX	258	4.5	19	1	1	3	5	9	11	30
2. MULTIPLE DX	227	6.9	67	1	1	4	8	15	19	51
A. NOT OPERATED	102	5.2	27	1	1	4	6	11	14	29
B. OPERATED	383	5.7	47	1	2	4	6	12	16	38
TOTAL 0-19 YRS	86	5.0	64	<1	1	3	5	11	[illegible]	52
20-34	19	4.1	4	1	2	4	6	7	7	7
35-49	47	4.1	12	1	1	3	5	8	11	21
50-64	142	4.8	15	1	2	4	6	9	14	19
65+	191	7.0	63	1	2	4	8	14	24	46
GRAND TOTAL	**485**	**5.6**	**43**	**1**	**1**	**4**	**6**	**11**	**16**	**35**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	5.1	46	1	1	3	6	10	14	40
20-34	82	8.2	135	1	2	5	8	16	33	68
35-49	163	7.0	37	1	2	5	9	15	18	92
50-64	233	10.4	127	2	2	7	13	24	32	94
65+	191	12.9	232	2	3	7	14	30	44	78
B. *Operated*										
0-19 YRS	172	12.8	90	2	5	11	16	21	26	53
20-34	233	12.6	52	3	5	11	16	22	27	63
35-49	287	15.4	152	2	5	13	18	29	40	66
50-64	393	18.0	189	5	7	14	21	36	46	92
65+	272	19.8	205	4	6	16	24	39	49	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	6.7	78	1	1	4	7	15	21	64
20-34	122	7.6	57	1	2	5	10	17	21	40
35-49	221	10.8	163	2	2	7	13	23	36	91
50-64	468	12.3	164	2	2	9	16	29	43	99+
65+	430	15.0	196	3	3	10	19	35	45	89
B. *Operated*										
0-19 YRS	187	19.9	310	2	5	14	28	50	67	99+
20-34	151	19.4	284	3	5	16	24	42	72	99+
35-49	243	20.9	335	3	5	16	26	46	70	99+
50-64	413	27.0	370	7	9	20	37	61	71	99+
65+	392	28.2	362	7	9	24	40	62	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	9.3	130	1	2	6	11	20	31	76
B. *Operated*	1357	16.2	155	3	6	13	19	31	42	72
2. MULTIPLE DX										
A. *Not Operated*	1388	11.9	162	2	2	8	15	29	41	92
B. *Operated*	1386	24.5	357	5	7	19	32	57	72	99+
1. SINGLE DX	2140	13.7	157	2	3	11	17	28	39	72
2. MULTIPLE DX	2774	18.2	299	2	3	13	24	45	63	99+
A. NOT OPERATED	2171	11.0	152	1	2	7	13	26	39	86
B. OPERATED	2743	20.4	274	4	6	15	25	46	63	99+
TOTAL 0-19 YRS	620	12.1	179	1	2	9	15	29	46	95
20-34	588	12.7	143	2	2	10	17	24	37	92
35-49	914	14.3	207	2	3	10	18	31	43	90
50-64	1507	17.5	261	2	3	13	22	41	57	99+
65+	1285	19.7	290	3	4	15	26	46	61	98
GRAND TOTAL	**4914**	**16.2**	**242**	**2**	**3**	**12**	**21**	**38**	**54**	**98**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	1	1	3	4	5	5	5
20-34	8	6.5	52	1	2	4	6	19	24	24
35-49	3	11.0	49	6	6	8	16	19	19	19
50-64	3	11.0	156	1	1	7	20	25	25	25
65+	6	8.5	19	2	2	8	11	15	15	15
B. *Operated*										
0-19 YRS	14	16.1	148	1	3	14	18	28	46	51
20-34	16	13.9	62	2	5	15	18	26	28	28
35-49	16	14.1	178	3	4	12	16	25	47	57
50-64	28	17.9	240	6	7	15	18	31	56	79
65+	20	22.8	449	3	5	13	35	61	67	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	11	<1	<1	2	3	9	11	11
20-34	7	6.7	11	3	3	8	10	11	11	11
35-49	14	18.4	560	1	2	10	26	47	80	89
50-64	16	7.9	29	2	2	8	10	16	20	21
65+	39	15.7	240	2	3	10	21	35	58	66
B. *Operated*										
0-19 YRS	30	21.7	220	2	3	19	32	44	48	52
20-34	29	20.6	147	5	7	19	31	46	97	99+
35-49	34	26.2	361	3	8	20	33	57	61	81
50-64	44	20.1	208	3	5	18	26	50	59	99+
65+	44	33.0	464	8	10	30	43	82	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	7.1	44	1	1	5	8	19	24	25
B. *Operated*	94	17.3	231	3	5	14	19	34	56	75
2. MULTIPLE DX										
A. *Not Operated*	84	12.7	230	2	2	8	14	26	46	81
B. *Operated*	181	24.7	312	3	6	20	34	52	78	99+
1. SINGLE DX	120	15.1	208	1	3	12	18	28	52	73
2. MULTIPLE DX	265	20.9	316	2	3	17	30	48	66	99+
A. NOT OPERATED	110	11.4	191	1	2	8	12	24	35	75
B. OPERATED	275	22.2	296	3	5	18	30	49	66	99+
TOTAL 0-19 YRS	58	15.8	206	1	1	13	24	39	48	52
20-34	60	15.3	127	2	4	13	24	34	46	99+
35-49	67	21.0	364	2	3	16	26	51	59	88
50-64	91	17.0	200	3	3	13	21	33	54	91
65+	109	23.6	420	3	4	17	34	63	77	99+
GRAND TOTAL	**385**	**19.1**	**289**	**2**	**3**	**15**	**26**	**46**	**61**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	16	<1	1	2	4	7	12	22
20-34	71	2.8	2	1	1	3	4	5	5	8
35-49	77	3.3	7	1	1	3	4	5	6	18
50-64	60	5.3	70	1	2	3	4	9	18	55
65+	45	5.3	20	1	2	4	6	9	17	20
B. *Operated*										
0-19 YRS	76	7.8	52	3	3	5	9	14	27	36
20-34	336	4.9	7	2	3	4	6	8	10	16
35-49	316	5.3	12	2	3	4	6	9	11	20
50-64	262	6.5	41	3	3	5	7	11	18	44
65+	141	8.5	57	3	4	6	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.8	21	1	1	4	6	11	16	22
20-34	81	3.7	7	1	1	3	5	8	9	13
35-49	81	4.5	17	1	1	3	5	10	13	21
50-64	134	7.5	73	1	2	5	9	19	24	77
65+	188	9.7	106	2	2	7	13	22	26	50
B. *Operated*										
0-19 YRS	90	9.1	125	2	3	6	9	15	21	71
20-34	294	7.0	61	3	3	5	8	12	14	30
35-49	322	7.7	43	3	3	5	9	14	20	37
50-64	350	10.6	123	3	3	6	12	23	35	59
65+	308	13.1	178	3	4	9	15	27	35	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	3.9	22	1	1	3	4	6	10	22
B. *Operated*	1131	6.0	27	2	3	5	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	547	6.9	66	1	2	4	8	16	22	42
B. *Operated*	1364	9.6	108	3	3	6	11	19	29	59
1. SINGLE DX	1447	5.6	27	2	2	4	6	10	14	28
2. MULTIPLE DX	1911	8.8	97	2	2	6	10	18	26	55
A. NOT OPERATED	863	5.8	52	1	1	4	6	13	20	37
B. OPERATED	2495	8.0	75	3	3	5	9	15	22	46
TOTAL 0-19 YRS	292	6.6	64	1	1	4	8	13	18	39
20-34	782	5.4	29	2	2	4	6	9	12	21
35-49	796	6.0	27	2	2	4	7	11	15	31
50-64	806	8.3	88	2	3	5	9	18	26	57
65+	682	10.7	128	2	3	7	13	22	30	62
GRAND TOTAL	**3358**	**7.4**	**70**	**2**	**2**	**5**	**8**	**15**	**21**	**43**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	4.5	14	<1	1	3	6	11	12	17
20-34	60	7.4	46	1	2	5	10	17	22	32
35-49	229	6.1	46	1	1	4	7	12	19	34
50-64	655	7.6	60	1	1	5	9	17	24	39
65+	995	9.3	95	1	2	6	12	21	29	47
B. *Operated*										
0-19 YRS	57	7.1	35	1	1	6	10	14	16	28
20-34	124	6.9	45	1	1	5	9	15	21	37
35-49	405	7.4	65	1	1	5	10	16	22	32
50-64	1068	9.5	86	1	2	7	12	21	27	43
65+	1410	9.7	96	1	2	7	13	21	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	5.9	58	1	1	4	8	12	18	32
20-34	638	7.2	71	1	2	5	8	15	21	45
35-49	2576	8.7	86	1	2	6	11	19	28	46
50-64	8803	9.4	86	1	2	6	12	20	28	47
65+	13511	11.3	113	2	2	8	14	24	33	55
B. *Operated*										
0-19 YRS	122	11.3	90	2	3	9	14	22	28	48
20-34	667	11.7	136	2	2	9	14	24	32	67
35-49	2585	12.9	143	2	2	9	17	27	37	66
50-64	8412	14.4	161	2	3	11	19	30	41	71
65+	11475	15.6	172	2	3	12	21	32	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1985	8.2	76	1	1	5	10	18	26	42
B. *Operated*	3064	9.2	86	1	2	6	12	20	27	45
2. MULTIPLE DX										
A. *Not Operated*	25662	10.2	101	1	2	7	13	22	30	51
B. *Operated*	23261	14.7	164	2	3	11	19	31	41	71
1. SINGLE DX	5049	8.8	82	1	2	6	11	20	27	44
2. MULTIPLE DX	48923	12.4	136	2	2	9	16	27	36	61
A. NOT OPERATED	27647	10.1	100	1	2	7	13	22	30	50
B. OPERATED	26325	14.1	158	2	3	11	19	30	40	69
TOTAL 0-19 YRS	359	7.7	66	1	1	6	10	16	22	37
20-34	1489	9.2	102	1	2	6	11	19	26	60
35-49	5795	10.4	114	1	2	7	13	23	31	55
50-64	18938	11.6	125	1	2	8	15	25	34	58
65+	27391	12.9	141	2	3	9	17	28	37	62
GRAND TOTAL	**53972**	**12.0**	**132**	**2**	**2**	**9**	**16**	**26**	**35**	**60**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.5	11	<1	1	2	5	8	9	18
20-34	303	3.4	15	1	1	2	4	8	11	15
35-49	114	3.9	29	1	1	2	4	8	11	34
50-64	91	4.9	55	1	1	3	6	9	14	46
65+	74	5.6	32	<1	1	4	7	13	16	31
B. *Operated*										
0-19 YRS	288	7.4	34	1	2	6	9	15	18	28
20-34	822	7.7	41	1	2	7	10	16	20	29
35-49	337	7.9	51	1	2	6	10	17	22	34
50-64	190	10.6	146	2	2	7	14	21	30	73
65+	148	10.7	109	2	2	8	13	26	29	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	5.0	50	<1	1	3	5	8	16	44
20-34	374	5.4	44	1	1	3	6	12	18	34
35-49	157	6.6	62	1	1	4	7	14	25	37
50-64	183	8.5	69	1	1	6	11	20	26	41
65+	239	9.9	98	1	1	7	13	23	32	48
B. *Operated*										
0-19 YRS	71	10.4	50	2	3	9	13	21	27	33
20-34	390	12.0	144	2	2	9	14	25	35	63
35-49	193	12.8	127	2	3	10	17	24	35	76
50-64	214	15.6	179	2	3	11	21	33	42	64
65+	218	17.7	207	3	4	14	24	38	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	4.0	25	1	1	2	5	8	12	30
B. *Operated*	1785	8.3	60	1	2	6	11	17	22	35
2. MULTIPLE DX										
A. *Not Operated*	1016	7.2	68	1	1	4	9	17	25	41
B. *Operated*	1086	13.9	160	2	3	10	18	29	40	70
1. SINGLE DX	2420	7.1	54	1	1	5	9	15	20	34
2. MULTIPLE DX	2102	10.6	127	1	1	7	14	24	34	57
A. NOT OPERATED	1651	5.9	54	1	1	3	7	13	20	38
B. OPERATED	2871	10.4	105	1	2	8	13	22	29	56
TOTAL 0-19 YRS	475	7.1	40	1	1	6	9	15	19	30
20-34	1889	7.4	66	1	1	5	10	16	22	37
35-49	801	8.3	76	1	1	6	11	19	24	42
50-64	678	10.8	137	1	1	7	14	25	33	57
65+	679	12.1	145	1	2	9	16	28	38	63
GRAND TOTAL	**4522**	**8.8**	**91**	**1**	**1**	**6**	**11**	**19**	**27**	**48**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	4.1	25	<1	<1	2	5	10	14	21
20-34	[illegible]	10.5	217	<1	<1	4	12	31	43	65
35-49	37	6.7	49	<1	1	4	7	19	24	30
50-64	82	5.8	45	1	1	3	6	14	23	33
65+	217	7.4	70	1	1	5	10	14	20	42
B. *Operated*										
0-19 YRS	210	9.4	160	<1	1	5	12	23	28	86
20-34	60	15.9	235	1	2	10	25	31	42	82
35-49	46	10.7	108	1	2	7	15	26	35	46
50-64	105	7.6	61	1	2	5	10	15	28	37
65+	125	8.3	44	2	2	7	11	15	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	294	6.0	51	<1	1	4	7	13	18	33
20-34	77	7.9	97	1	1	4	9	18	30	52
35-49	53	6.2	26	1	2	5	8	14	16	24
50-64	329	8.0	77	1	1	5	10	16	23	46
65+	1205	9.8	93	1	2	7	12	20	28	53
B. *Operated*										
0-19 YRS	164	20.5	324	2	3	16	27	46	65	93
20-34	69	26.7	438	2	3	24	44	64	72	99+
35-49	56	15.8	176	2	3	11	24	37	46	49
50-64	302	12.7	126	2	3	9	16	27	34	57
65+	733	14.7	178	3	4	11	18	31	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	696	5.8	56	<1	<1	3	7	13	20	36
B. *Operated*	546	9.6	123	1	1	6	12	23	30	71
2. MULTIPLE DX										
A. *Not Operated*	1958	8.7	84	1	2	6	11	18	26	47
B. *Operated*	1324	15.6	209	3	3	11	20	35	48	77
1. SINGLE DX	1242	7.5	89	<1	<1	4	10	17	26	44
2. MULTIPLE DX	3282	11.5	146	1	2	8	14	26	37	66
A. NOT OPERATED	2654	8.0	78	<1	1	5	10	17	24	44
B. OPERATED	1870	13.9	191	2	3	9	18	31	44	75
TOTAL 0-19 YRS	991	8.5	143	<1	<1	4	10	22	30	72
20-34	243	15.6	302	1	1	9	25	42	54	87
35-49	192	10.2	109	1	2	7	13	25	34	48
50-64	818	9.5	96	1	2	6	12	21	29	47
65+	2280	11.1	122	1	2	8	14	23	33	62
GRAND TOTAL	**4524**	**10.4**	**134**	**1**	**1**	**7**	**13**	**24**	**33**	**65**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	4.7	29	<1	<1	4	6	10	13	23
20-34	123	5.8	71	<1	<1	4	6	12	20	49
35-49	145	6.2	57	<1	<1	4	8	16	19	37
50-64	219	5.7	54	<1	<1	3	7	12	21	37
65+	398	6.1	79	1	1	3	7	15	25	45
B. *Operated*										
0-19 YRS	77	12.3	231	<1	1	8	13	30	43	81
20-34	103	13.7	218	1	1	7	25	39	40	57
35-49	130	15.5	300	1	2	8	25	38	51	80
50-64	184	17.1	305	2	3	9	29	47	58	99+
65+	250	13.6	182	2	3	8	20	33	42	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	6.7	40	1	1	5	9	16	21	29
20-34	165	8.1	95	1	1	5	10	17	25	48
35-49	265	8.9	113	<1	1	5	11	21	28	53
50-64	437	8.1	79	1	1	5	11	19	26	40
65+	1310	7.5	74	1	1	5	10	18	24	46
B. *Operated*										
0-19 YRS	90	24.9	370	2	4	19	36	53	62	79
20-34	179	26.9	368	2	5	27	37	53	70	98
35-49	230	22.5	307	2	4	19	33	44	57	90
50-64	418	23.5	400	2	3	16	37	52	64	93
65+	845	19.3	318	3	4	12	28	46	59	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1067	5.8	62	<1	1	3	7	12	20	40
B. *Operated*	744	14.7	245	1	2	8	24	39	45	81
2. MULTIPLE DX										
A. *Not Operated*	2344	7.8	79	1	1	5	10	18	25	44
B. *Operated*	1762	21.8	350	3	4	15	33	49	61	88
1. SINGLE DX	1811	9.4	156	<1	1	5	10	28	39	62
2. MULTIPLE DX	4106	13.8	243	1	1	8	18	36	48	76
A. NOT OPERATED	3411	7.1	74	1	1	4	9	17	24	43
B. OPERATED	2506	19.7	329	2	3	13	30	45	58	86
TOTAL 0-19 YRS	516	10.0	174	<1	1	5	11	27	40	62
20-34	570	14.5	273	1	1	7	23	38	49	80
35-49	770	13.6	234	1	1	7	20	35	44	73
50-64	1258	14.1	270	1	1	7	19	40	52	81
65+	2803	11.4	188	1	1	6	14	30	42	67
GRAND TOTAL	**5917**	**12.4**	**220**	**1**	**1**	**7**	**16**	**34**	**44**	**73**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.8	11	<1	<1	3	5	9	10	18
20-34	171	4.4	23	1	1	3	6	9	14	26
35-49	300	5.7	69	<1	1	3	7	12	17	60
50-64	796	5.9	43	1	1	4	8	14	18	37
65+	1108	7.9	82	1	1	5	10	19	26	44
B. *Operated*										
0-19 YRS	107	8.4	69	1	1	6	11	22	28	36
20-34	242	8.6	66	1	2	5	12	20	27	40
35-49	517	8.0	58	1	2	6	10	18	22	39
50-64	1276	8.9	66	1	2	6	12	19	26	38
65+	1520	10.5	91	2	2	8	14	22	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	5.9	35	1	1	4	8	11	16	32
20-34	182	7.0	48	1	1	5	8	15	22	34
35-49	563	7.3	62	1	1	5	10	16	22	41
50-64	2036	8.6	86	1	1	6	11	19	26	47
65+	3932	10.5	114	1	2	7	13	23	32	55
B. *Operated*										
0-19 YRS	70	14.2	253	1	2	9	18	33	51	84
20-34	182	14.6	218	2	3	9	18	33	50	68
35-49	566	14.9	222	2	3	10	18	33	46	72
50-64	2007	16.2	217	2	3	12	21	35	47	91
65+	3882	17.6	218	3	4	14	23	38	48	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2452	6.6	63	1	1	4	8	15	21	39
B. *Operated*	3662	9.4	76	1	2	7	12	20	27	42
2. MULTIPLE DX										
A. *Not Operated*	6798	9.5	100	1	1	7	12	21	29	52
B. *Operated*	6707	16.8	219	2	4	12	22	36	47	87
1. SINGLE DX	6114	8.3	73	1	1	5	11	19	25	42
2. MULTIPLE DX	13505	13.1	173	1	2	9	17	29	41	70
A. NOT OPERATED	9250	8.7	92	1	1	6	11	19	27	50
B. OPERATED	10369	14.2	181	2	3	10	19	31	42	74
TOTAL 0-19 YRS	339	7.9	98	1	1	5	9	19	28	51
20-34	777	8.7	100	1	1	5	10	20	29	52
35-49	1946	9.5	121	1	1	6	11	20	31	63
50-64	6115	10.8	134	1	2	7	14	24	33	64
65+	10442	12.8	160	1	2	9	17	28	39	66
GRAND TOTAL	**19619**	**11.6**	**147**	**1**	**2**	**8**	**15**	**26**	**36**	**64**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	2	1	1	2	3	5	5	5
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	2.3	2	<1	<1	2	3	4	4	4
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	200	3.4	10	<1	1	3	4	6	9	17
20-34	508	3.1	3	<1	1	3	4	5	6	9
35-49	614	3.2	2	1	1	3	4	5	6	9
50-64	803	3.5	5	1	2	3	4	6	7	11
65+	580	3.9	5	1	2	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	2.2	3	<1	<1	2	3	5	5	5
50-64	6	3.7	11	<1	<1	3	4	9	10	10
65+	8	5.3	10	1	1	5	7	10	10	10
B. *Operated*										
0-19 YRS	35	5.2	147	1	1	2	4	7	9	74
20-34	130	3.6	9	1	2	3	4	7	9	17
35-49	202	4.0	7	1	2	3	5	7	9	14
50-64	386	4.7	13	1	2	4	5	8	11	20
65+	451	5.9	30	2	2	5	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.5	2	<1	<1	2	3	5	5	6
B. *Operated*	2705	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	27	3.3	8	<1	<1	2	5	8	10	10
B. *Operated*	1204	5.0	22	1	2	4	6	9	12	23
1. SINGLE DX	2725	3.4	4	1	1	3	4	6	7	11
2. MULTIPLE DX	1231	4.9	22	1	2	4	6	9	12	23
A. NOT OPERATED	47	2.9	5	<1	<1	2	4	6	9	10
B. OPERATED	3909	3.9	10	1	2	3	5	6	9	16
TOTAL 0-19 YRS	248	3.6	29	<1	1	2	4	6	9	17
20-34	644	3.2	4	1	1	3	4	5	6	10
35-49	823	3.4	4	1	1	3	4	6	7	10
50-64	1199	3.9	8	1	2	3	5	6	8	15
65+	1042	4.8	17	1	2	4	6	8	11	20
GRAND TOTAL	**3956**	**3.9**	**10**	**1**	**2**	**3**	**5**	**6**	**9**	**16**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.6	3	<1	1	2	4	4	7	9
20-34	42	2.7	5	<1	1	2	3	4	5	14
35-49	129	2.7	4	<1	1	2	3	5	8	10
50-64	250	2.4	4	<1	1	2	3	5	7	10
65+	312	2.7	10	<1	1	2	3	5	7	17
B. *Operated*										
0-19 YRS	186	3.5	10	1	1	2	4	8	10	14
20-34	262	5.4	28	<1	1	3	8	12	16	24
35-49	681	4.0	18	1	1	2	5	10	13	20
50-64	2000	3.5	13	1	1	2	4	9	11	17
65+	2486	3.9	20	1	1	2	4	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.0	24	1	1	3	5	7	9	27
20-34	63	5.2	50	<1	1	4	7	8	10	47
35-49	145	4.8	26	1	1	3	6	10	12	28
50-64	448	4.6	19	1	1	3	6	9	12	23
65+	904	5.6	29	1	1	4	7	12	16	28
B. *Operated*										
0-19 YRS	80	5.6	19	1	1	4	8	11	13	22
20-34	264	7.7	75	1	1	5	9	16	21	48
35-49	773	7.0	41	1	2	5	9	14	20	32
50-64	2794	6.7	45	1	1	4	9	14	19	30
65+	5018	8.2	74	1	2	5	11	18	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	784	2.6	6	<1	1	2	3	5	7	12
B. *Operated*	5615	3.8	18	1	1	2	4	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	1589	5.2	27	1	1	4	7	11	14	27
B. *Operated*	8929	7.6	62	1	1	5	10	16	21	40
1. SINGLE DX	6399	3.7	17	1	1	2	4	9	12	20
2. MULTIPLE DX	10518	7.2	58	1	1	5	10	16	21	38
A. NOT OPERATED	2373	4.3	22	1	1	3	5	9	13	23
B. OPERATED	14544	6.1	48	1	1	3	8	14	19	33
TOTAL 0-19 YRS	346	3.9	13	1	1	2	5	9	11	20
20-34	631	6.2	50	1	1	4	8	13	18	38
35-49	1728	5.3	31	1	1	3	8	12	15	27
50-64	5492	5.1	32	1	1	3	7	12	16	26
65+	8720	6.5	56	1	1	4	9	15	20	35
GRAND TOTAL	**16917**	**5.9**	**45**	**1**	**1**	**3**	**8**	**13**	**18**	**32**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.2	2	<1	<1	2	3	5	6	6
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49	7	1.9	1	<1	<1	2	2	4	4	4
50-64	8	2.9	2	<1	<1	3	4	5	6	6
65+	6	5.0	14	1	1	4	9	10	10	10
B. *Operated*										
0-19 YRS	313	2.0	3	<1	1	2	2	3	5	10
20-34	240	3.2	12	<1	<1	2	3	8	10	18
35-49	256	3.9	13	1	1	2	5	9	12	18
50-64	342	4.5	17	<1	1	2	7	11	14	18
65+	218	5.1	32	1	1	2	6	13	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	8	12.6	476	1	1	5	9	49	66	66
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	17	4.9	22	<1	1	3	6	10	17	20
65+	28	7.9	39	2	2	7	10	14	19	33
B. *Operated*										
0-19 YRS	66	3.0	17	<1	1	2	2	6	13	23
20-34	66	5.6	42	1	1	3	6	14	22	27
35-49	104	6.4	37	1	2	5	9	13	20	31
50-64	213	7.3	44	1	2	5	10	16	21	28
65+	240	10.0	86	1	2	7	16	24	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.7	4	<1	<1	2	3	5	7	10
B. *Operated*	1369	3.7	16	<1	1	2	4	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	61	6.9	88	1	1	5	8	12	18	62
B. *Operated*	689	7.5	59	1	1	4	10	19	24	34
1. SINGLE DX	1410	3.7	16	<1	1	2	4	9	12	18
2. MULTIPLE DX	750	7.5	62	1	1	4	10	19	24	34
A. NOT OPERATED	102	5.2	59	<1	1	3	6	10	13	49
B. OPERATED	2058	5.0	34	<1	1	2	6	12	17	27
TOTAL 0-19 YRS	398	2.2	6	<1	1	2	2	3	6	14
20-34	319	3.9	31	<1	<1	2	4	10	13	26
35-49	371	4.5	21	1	1	2	7	10	13	22
50-64	580	5.5	29	1	1	3	8	13	16	24
65+	492	7.7	64	1	2	4	10	19	25	35
GRAND TOTAL	**2160**	**5.0**	**35**	**<1**	**1**	**2**	**6**	**12**	**17**	**27**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.0	4	<1	<1	2	2	3	5	12
20-34	49	2.6	6	<1	<1	2	3	5	8	13
35-49	45	2.8	5	<1	<1	2	4	5	8	9
50-64	47	3.2	14	<1	<1	2	3	9	12	16
65+	32	2.7	5	<1	<1	2	3	5	8	11
B. *Operated*										
0-19 YRS	2352	2.9	5	<1	1	2	3	5	6	12
20-34	2734	2.8	6	<1	1	2	3	5	7	12
35-49	2993	2.8	7	<1	<1	2	3	5	7	14
50-64	2935	3.0	8	<1	1	2	3	5	8	14
65+	1300	3.3	9	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.5	9	<1	<1	1	3	5	8	17
20-34	40	3.4	8	<1	1	3	5	7	9	14
35-49	52	4.1	13	<1	<1	3	6	8	10	19
50-64	81	5.4	25	1	1	4	7	10	14	26
65+	81	5.9	19	1	1	5	8	12	15	19
B. *Operated*										
0-19 YRS	349	3.8	31	1	1	3	4	6	11	24
20-34	872	4.3	20	1	1	3	5	9	12	22
35-49	1421	4.5	19	1	1	3	5	9	12	24
50-64	2054	5.3	35	1	1	3	6	11	15	30
65+	1352	6.1	50	1	2	4	7	13	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	2.7	7	<1	<1	2	3	5	8	14
B. *Operated*	12314	2.9	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	296	4.6	18	<1	1	3	6	10	13	20
B. *Operated*	6048	5.0	33	1	1	3	6	10	15	29
1. SINGLE DX	12526	2.9	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	6344	5.0	32	1	1	3	6	10	15	29
A. NOT OPERATED	508	3.8	14	<1	<1	3	5	9	11	18
B. OPERATED	18362	3.6	16	<1	1	2	4	7	10	20
TOTAL 0-19 YRS	2782	3.0	8	<1	1	2	3	5	7	14
20-34	3695	3.2	10	<1	1	2	4	6	8	16
35-49	4511	3.3	11	<1	1	2	4	6	9	17
50-64	5117	3.9	20	<1	1	3	4	8	11	22
65+	2765	4.8	31	1	1	3	5	10	14	28
GRAND TOTAL	**18870**	**3.6**	**16**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.4	3	<1	<1	2	3	5	6	7
20-34	23	4.2	31	<1	1	3	4	8	16	28
35-49	17	3.3	24	<1	<1	1	3	7	16	21
50-64	10	3.5	18	<1	<1	2	4	10	15	15
65+	23	6.4	34	<1	1	4	10	15	18	21
B. *Operated*										
0-19 YRS	2242	2.3	10	<1	<1	2	2	4	7	12
20-34	996	2.6	6	<1	<1	2	3	5	7	13
35-49	760	3.2	13	<1	<1	2	3	7	10	20
50-64	693	3.2	13	<1	<1	2	3	6	9	18
65+	460	3.6	13	<1	<1	2	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	3.3	22	<1	<1	1	4	8	12	27
20-34	32	4.5	33	<1	1	3	5	8	12	32
35-49	20	3.9	6	<1	1	3	6	8	8	8
50-64	42	8.1	47	1	2	6	11	16	24	30
65+	82	8.3	73	2	2	6	10	17	23	51
B. *Operated*										
0-19 YRS	483	3.6	23	<1	<1	2	4	8	14	30
20-34	509	4.1	34	<1	<1	2	4	9	13	31
35-49	595	4.2	25	<1	<1	2	5	9	13	27
50-64	706	5.5	57	<1	1	3	6	12	17	42
65+	527	7.9	112	<1	1	4	9	19	27	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.6	18	<1	1	2	4	7	14	22
B. *Operated*	5151	2.7	10	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	280	5.7	46	<1	1	3	7	13	17	32
B. *Operated*	2820	5.1	53	<1	<1	3	6	12	18	41
1. SINGLE DX	5284	2.8	11	<1	<1	2	3	5	8	16
2. MULTIPLE DX	3100	5.1	52	<1	1	3	6	12	18	37
A. NOT OPERATED	413	5.0	38	<1	1	3	6	12	17	30
B. OPERATED	7971	3.6	27	<1	<1	2	4	8	12	26
TOTAL 0-19 YRS	2889	2.6	12	<1	<1	2	3	5	8	17
20-34	1560	3.2	17	<1	<1	2	3	6	9	20
35-49	1392	3.6	19	<1	<1	2	4	8	12	23
50-64	1451	4.4	37	<1	<1	2	5	10	15	29
65+	1092	6.1	70	<1	1	3	7	15	21	46
GRAND TOTAL	**8384**	**3.6**	**27**	**<1**	**<1**	**2**	**4**	**8**	**12**	**27**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	8	2.0	1	<1	<1	2	3	4	4	4
35-49	9	2.4	9	<1	<1	1	2	7	10	10
50-64	7	2.1	1	1	1	3	3	3	3	3
65+	4	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1060	1.9	1	<1	<1	2	2	3	3	4
20-34	2412	1.9	1	<1	<1	2	2	3	3	5
35-49	1553	2.1	1	<1	1	2	2	3	4	6
50-64	695	2.4	2	1	1	2	3	3	5	8
65+	407	2.7	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	6	4.3	9	1	1	5	5	9	9	9
35-49	10	3.2	6	1	1	2	5	7	8	8
50-64	10	5.8	54	1	1	4	5	16	26	26
65+	7	6.0	27	<1	<1	4	11	13	13	13
B. *Operated*										
0-19 YRS	126	2.3	2	1	1	2	3	3	5	8
20-34	708	2.6	4	<1	1	2	3	4	6	10
35-49	969	3.0	6	1	1	2	3	5	7	14
50-64	629	3.7	20	1	2	3	4	7	10	17
65+	477	4.6	21	2	2	3	5	9	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.5	4	<1	<1	2	3	4	8	10
B. *Operated*	6127	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	36	4.6	23	1	1	3	5	9	13	26
B. *Operated*	2909	3.3	12	1	1	2	3	6	8	17
1. SINGLE DX	6157	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	2945	3.3	12	1	1	2	3	6	8	17
A. NOT OPERATED	66	3.6	15	<1	1	3	4	8	11	24
B. OPERATED	9036	2.4	5	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	1191	1.9	1	<1	<1	2	2	3	3	5
20-34	3134	2.1	2	<1	<1	2	2	3	4	7
35-49	2541	2.4	3	<1	1	2	3	4	5	9
50-64	1341	3.0	11	1	1	2	3	5	7	15
65+	895	3.7	13	1	2	3	4	7	10	21
GRAND TOTAL	**9102**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	91	3.7	6	1	1	3	5	7	8	15
35-49	131	3.0	4	<1	<1	3	4	6	7	10
50-64	36	2.8	4	<1	<1	2	4	6	7	8
65+	12	4.5	8	2	2	4	5	8	11	12
B. *Operated*										
0-19 YRS	13	5.8	8	1	2	7	8	9	10	10
20-34	2061	5.7	7	1	2	6	7	8	9	12
35-49	6458	6.1	7	1	2	6	8	9	10	13
50-64	1248	5.9	10	1	2	6	8	9	10	15
65+	115	7.4	16	2	2	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	195	3.1	8	<1	1	2	4	7	8	14
35-49	554	3.5	9	<1	1	3	5	8	9	14
50-64	150	3.8	14	<1	1	3	5	7	10	15
65+	93	8.7	64	2	2	6	10	18	26	43
B. *Operated*										
0-19 YRS	38	6.1	8	1	2	6	8	10	12	13
20-34	5836	6.4	10	1	2	6	8	9	11	17
35-49	28297	6.9	11	2	2	7	8	10	12	18
50-64	6183	7.3	15	1	2	7	9	11	14	21
65+	818	10.3	54	2	4	9	12	18	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	3.3	5	<1	1	3	4	6	7	12
B. *Operated*	9895	6.0	8	1	2	6	8	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	992	3.9	17	<1	1	3	5	8	10	21
B. *Operated*	41172	7.0	12	2	2	7	8	10	12	19
1. SINGLE DX	10166	5.9	8	1	2	6	8	9	10	13
2. MULTIPLE DX	42164	6.9	13	1	2	7	8	10	12	19
A. NOT OPERATED	1263	3.8	15	<1	1	3	5	8	10	19
B. OPERATED	51067	6.8	12	1	2	7	8	10	12	18
TOTAL 0-19 YRS	52	5.9	8	1	2	6	8	9	11	13
20-34	8183	6.1	10	1	2	6	8	9	11	16
35-49	35440	6.7	10	1	2	7	8	10	11	17
50-64	7617	7.0	15	1	2	7	8	11	13	20
65+	1038	9.8	51	2	3	8	11	17	22	35
GRAND TOTAL	**52330**	**6.7**	**12**	**1**	**2**	**7**	**8**	**10**	**12**	**18**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	5	3.0	9	1	1	2	4	8	8	8
20-34	83	3.4	5	<1	1	3	5	7	8	9
35-49	104	4.7	7	1	1	5	7	8	9	11
50-64	69	3.2	9	<1	1	2	4	7	8	15
65+	20	4.7	15	<1	1	3	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	2.0	2	<1	<1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	4.0	13	1	1	3	7	8	8	8
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	146	6.0	30	1	2	6	7	8	12	28
35-49	441	6.2	12	1	2	6	8	10	11	19
50-64	162	6.4	21	1	2	6	8	11	14	26
65+	52	7.9	34	1	2	8	10	15	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	9	<1	<1	2	4	8	8	8
B. *Operated*	281	3.9	8	<1	1	3	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	10	2.7	5	<1	<1	2	4	6	8	8
B. *Operated*	803	6.3	19	1	2	6	8	10	13	24
1. SINGLE DX	286	3.9	8	<1	1	3	6	8	9	13
2. MULTIPLE DX	813	6.2	19	1	2	6	8	10	13	24
A. NOT OPERATED	15	2.8	6	<1	<1	2	4	8	8	8
B. OPERATED	1084	5.7	17	1	1	6	7	9	12	22
TOTAL 0-19 YRS	7	3.0	7	1	1	2	4	7	8	8
20-34	231	5.1	22	1	1	5	7	8	9	25
35-49	552	5.8	12	1	2	6	7	9	11	17
50-64	233	5.4	19	<1	1	5	8	10	14	24
65+	76	6.9	30	1	1	7	9	14	19	24
GRAND TOTAL	**1099**	**5.6**	**17**	**1**	**1**	**6**	**7**	**9**	**12**	**22**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	2	1	1	4	4	5	5	5
20-34	16	2.8	5	<1	<1	2	4	6	7	8
35-49	3	4.0	19	<1	<1	2	7	9	9	9
50-64	4	4.0	6	2	2	4	6	7	7	7
65+	3	5.0	12	1	1	7	7	7	7	7
B. *Operated*										
0-19 YRS	416	5.8	3	4	4	6	7	8	8	12
20-34	1641	5.7	3	3	4	6	6	7	8	11
35-49	543	6.5	6	4	4	6	7	9	10	14
50-64	349	7.9	9	4	5	7	9	12	14	20
65+	214	9.6	18	5	6	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	5	1	1	3	5	7	7	7
20-34	13	3.5	10	<1	<1	3	5	9	11	11
35-49	14	4.4	20	1	1	3	5	13	15	15
50-64	7	9.6	71	1	1	6	15	22	24	24
65+	9	11.0	54	2	2	15	17	19	21	21
B. *Operated*										
0-19 YRS	258	6.4	5	4	4	6	7	9	11	15
20-34	1675	6.4	6	4	4	6	7	9	10	15
35-49	1297	7.4	10	4	5	7	8	10	13	22
50-64	963	9.0	20	5	6	8	10	13	16	26
65+	712	12.4	57	6	6	10	14	21	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.4	6	<1	<1	2	5	7	8	9
B. *Operated*	3163	6.3	6	4	4	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	51	6.0	35	1	1	4	8	16	17	24
B. *Operated*	4905	8.0	21	4	5	7	9	12	16	26
1. SINGLE DX	3194	6.3	7	4	4	6	7	9	10	16
2. MULTIPLE DX	4956	8.0	21	4	5	7	9	12	16	26
A. NOT OPERATED	82	5.0	25	<1	1	3	6	14	16	23
B. OPERATED	8068	7.4	16	4	4	6	8	11	14	23
TOTAL 0-19 YRS	687	6.0	4	4	4	6	7	8	9	13
20-34	3345	6.0	4	3	4	6	7	8	9	14
35-49	1857	7.1	9	4	5	7	8	10	12	20
50-64	1323	8.7	17	5	6	8	10	13	16	23
65+	938	11.7	49	6	6	10	14	19	23	35
GRAND TOTAL	**8150**	**7.3**	**16**	**4**	**4**	**6**	**8**	**11**	**14**	**23**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	25	3.1	5	<1	<1	3	4	6	7	9
20-34	91	3.2	8	<1	<1	2	5	7	7	15
35-49	92	3.2	8	<1	1	2	4	6	8	16
50-64	39	2.7	5	<1	<1	2	3	7	8	9
65+	23	3.5	10	<1	1	2	4	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.2	19	1	1	1	4	11	11	11
35-49	2	13.0	162	4	4	13	22	22	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.0	3	<1	1	2	5	6	6	6
20-34	79	4.7	7	<1	1	5	6	8	9	13
35-49	94	5.5	12	1	1	5	7	9	12	18
50-64	64	4.8	19	1	1	3	7	9	11	23
65+	47	6.2	38	1	2	4	8	15	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	8	<1	<1	3	6	6	6	6
B. *Operated*	270	3.1	7	<1	<1	2	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	8	5.5	56	1	1	2	7	19	22	22
B. *Operated*	295	5.1	16	1	1	5	7	9	13	21
1. SINGLE DX	274	3.1	7	<1	<1	2	5	6	8	13
2. MULTIPLE DX	303	5.2	17	1	1	4	7	9	13	22
A. NOT OPERATED	12	4.8	39	<1	<1	2	6	14	21	22
B. OPERATED	565	4.2	13	<1	1	3	6	8	10	20
TOTAL 0-19 YRS	37	3.1	4	<1	<1	2	4	6	7	9
20-34	176	3.9	8	<1	1	3	6	7	8	13
35-49	190	4.4	13	<1	1	3	6	8	10	21
50-64	104	4.0	15	<1	1	2	6	8	9	22
65+	70	5.3	30	1	1	3	7	13	16	29
GRAND TOTAL	**577**	**4.2**	**14**	**<1**	**1**	**3**	**6**	**8**	**10**	**20**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.1	1	<1	<1	2	3	4	4	4
20-34	92	2.5	4	<1	1	2	3	4	6	12
35-49	64	3.4	4	<1	1	3	5	6	7	9
50-64	38	3.2	8	1	1	2	3	6	8	16
65+	33	3.7	8	1	1	3	4	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	7.0	12	3	3	9	9	9	9	9
B. *Operated*										
0-19 YRS	7	2.6	7	<1	<1	1	3	7	8	8
20-34	35	3.3	12	<1	<1	2	4	6	12	17
35-49	34	3.3	5	<1	1	3	5	6	8	11
50-64	44	4.8	19	1	2	3	5	12	15	19
65+	70	6.5	36	2	2	4	9	14	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*	241	3.0	5	<1	1	2	4	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	5	5.4	11	2	2	4	9	9	9	9
B. *Operated*	190	4.8	23	1	1	3	5	11	15	24
1. SINGLE DX	243	3.0	5	<1	1	2	4	6	8	12
2. MULTIPLE DX	195	4.8	22	1	1	3	6	10	15	24
A. NOT OPERATED	7	5.7	8	2	2	6	8	9	9	9
B. OPERATED	431	3.8	14	<1	1	3	4	8	11	18
TOTAL 0-19 YRS	22	2.2	3	<1	<1	2	3	4	6	8
20-34	128	2.7	6	<1	1	2	3	5	7	15
35-49	99	3.4	4	<1	1	3	5	6	8	10
50-64	83	4.0	14	1	1	3	4	9	14	18
65+	106	5.6	28	1	2	4	8	12	15	30
GRAND TOTAL	**438**	**3.8**	**14**	**<1**	**1**	**3**	**4**	**8**	**11**	**17**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	2.5	6	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	7	3.0	10	<1	<1	2	3	9	10	10
20-34	51	2.6	2	<1	1	2	3	5	6	8
35-49	58	5.0	22	1	1	3	7	11	16	21
50-64	131	3.6	10	<1	1	2	4	9	11	14
65+	217	3.3	11	1	1	2	4	5	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	3	3.3	4	1	1	4	5	5	5	5
65+	12	6.3	27	2	2	4	8	15	18	19
B. *Operated*										
0-19 YRS	7	5.6	45	<1	<1	3	6	17	20	20
20-34	34	6.0	71	1	1	3	7	12	29	40
35-49	57	5.7	46	<1	1	3	7	15	19	39
50-64	129	6.9	74	1	1	4	9	17	23	48
65+	286	6.7	52	1	2	4	8	17	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	6	1	1	2	4	6	6	6
B. *Operated*	464	3.5	12	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	18	5.4	21	1	1	4	6	12	17	19
B. *Operated*	513	6.6	58	1	1	4	8	16	22	40
1. SINGLE DX	468	3.5	12	1	1	2	4	7	10	19
2. MULTIPLE DX	531	6.5	57	1	1	4	8	16	21	40
A. NOT OPERATED	22	4.9	19	1	1	4	6	10	15	19
B. OPERATED	977	5.1	38	1	1	3	5	11	18	32
TOTAL 0-19 YRS	14	4.3	27	<1	<1	2	5	11	18	20
20-34	85	4.0	32	<1	1	2	4	7	9	37
35-49	118	5.3	33	1	1	3	7	12	16	28
50-64	263	5.3	44	1	1	3	6	11	17	43
65+	519	5.2	37	1	1	3	5	12	19	31
GRAND TOTAL	**999**	**5.1**	**38**	**1**	**1**	**3**	**6**	**11**	**18**	**32**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	83	1.6	1	<1	<1	1	2	2	3	6
20-34	40	1.8	1	<1	<1	2	2	3	4	6
35-49	15	2.9	12	<1	<1	2	3	4	12	15
50-64	17	2.0	3	<1	<1	1	2	4	6	7
65+	20	2.6	3	<1	1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	6.5	18	<1	<1	7	9	11	11	11
65+	5	4.6	5	1	1	6	6	6	6	6
B. *Operated*										
0-19 YRS	22	2.1	1	1	1	2	2	4	4	5
20-34	6	3.2	2	1	1	3	4	5	5	5
35-49	5	6.2	81	<1	<1	2	9	22	22	22
50-64	13	4.8	23	<1	1	3	8	12	15	16
65+	10	3.9	8	1	1	3	5	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	1	1	1	2	3	3	3	3
B. *Operated*	175	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	14	4.4	11	<1	<1	5	6	8	10	11
B. *Operated*	56	3.6	15	1	1	2	4	7	11	22
1. SINGLE DX	180	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	70	3.7	14	<1	1	2	5	8	11	21
A. NOT OPERATED	19	3.8	9	<1	<1	3	6	8	10	11
B. OPERATED	231	2.3	6	<1	<1	2	2	4	7	15
TOTAL 0-19 YRS	111	1.7	1	<1	<1	2	2	3	3	6
20-34	46	2.0	2	<1	1	2	2	4	5	6
35-49	23	3.8	25	<1	<1	2	4	9	17	22
50-64	35	3.6	14	<1	<1	2	4	10	11	16
65+	35	3.2	5	1	1	2	4	7	8	10
GRAND TOTAL	**250**	**2.4**	**6**	**<1**	**<1**	**2**	**2**	**5**	**7**	**15**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	21	3.3	7	1	1	2	4	7	9	11
35-49	31	2.2	2	<1	1	2	3	4	5	7
50-64	42	3.1	5	<1	1	2	5	7	8	9
65+	63	5.5	41	<1	1	3	6	11	17	40
B. *Operated*										
0-19 YRS	41	10.8	46	<1	3	10	14	16	18	42
20-34	163	12.8	111	2	5	[illegible]	14	21	28	78
35-49	284	11.4	49	2	3	[illegible]	14	21	26	36
50-64	407	12.8	61	2	3	12	16	22	27	48
65+	258	17.8	172	3	5	15	22	32	41	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	2	<1	<1	2	3	5	5	5
20-34	18	4.8	28	1	1	3	5	11	18	22
35-49	34	6.4	25	1	2	5	9	15	17	22
50-64	83	9.6	188	1	2	6	10	27	56	99+
65+	291	12.7	174	2	3	9	16	27	48	99+
B. *Operated*										
0-19 YRS	36	15.0	87	5	6	11	22	25	42	99+
20-34	119	18.3	188	3	7	15	23	39	58	99+
35-49	243	18.5	203	4	7	14	24	42	56	99+
50-64	483	21.0	255	4	7	17	27	45	62	99+
65+	474	27.4	358	5	9	23	37	58	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	3.9	21	<1	1	2	5	8	10	22
B. *Operated*	1153	13.5	95	2	3	12	16	25	30	59
2. MULTIPLE DX										
A. *Not Operated*	435	11.1	162	2	2	7	13	24	42	99+
B. *Operated*	1355	22.4	286	4	8	17	30	51	65	99+
1. SINGLE DX	1312	12.3	96	2	2	11	16	23	28	52
2. MULTIPLE DX	1790	19.6	279	3	4	15	26	46	63	99+
A. NOT OPERATED	594	9.2	134	1	2	6	11	21	30	97
B. OPERATED	2508	18.3	217	3	6	14	23	38	55	99+
TOTAL 0-19 YRS	88	11.4	72	1	2	10	16	23	25	80
20-34	321	13.8	147	2	3	11	16	26	39	84
35-49	592	13.5	131	2	2	11	17	27	39	84
50-64	1015	16.1	187	2	3	13	20	32	51	99+
65+	1086	19.9	297	2	4	15	26	45	63	99+
GRAND TOTAL	**3102**	**16.6**	**214**	**2**	**3**	**12**	**21**	**36**	**52**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	5	3.4	5	1	1	3	5	7	7	7
50-64	6	2.7	3	<1	<1	2	4	5	5	5
65+	4	5.5	4	4	4	5	7	8	8	8
B. *Operated*										
0-19 YRS	124	3.7	1	2	2	4	4	5	6	7
20-34	1033	3.9	2	2	3	4	4	5	6	8
35-49	1172	4.0	2	2	3	4	5	5	6	10
50-64	940	4.3	8	2	3	4	5	6	7	11
65+	352	5.1	10	3	3	4	6	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	5	2.6	3	<1	<1	2	4	5	5	5
35-49	12	5.8	14	1	1	6	9	10	10	10
50-64	10	5.7	20	2	2	5	6	12	17	17
65+	17	10.9	90	1	3	6	15	21	33	39
B. *Operated*										
0-19 YRS	27	4.6	11	2	3	4	5	8	10	19
20-34	286	4.4	5	2	3	4	5	6	8	12
35-49	518	4.8	9	2	3	4	5	7	9	15
50-64	562	6.2	31	3	3	5	6	11	15	26
65+	374	7.8	47	3	3	6	9	14	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.6	5	<1	<1	4	5	7	8	8
B. *Operated*	3621	4.2	4	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	46	7.2	49	<1	1	5	9	16	21	39
B. *Operated*	1767	5.8	25	3	3	5	6	10	13	27
1. SINGLE DX	3638	4.2	4	2	3	4	5	6	7	11
2. MULTIPLE DX	1813	5.9	26	3	3	5	6	10	14	27
A. NOT OPERATED	63	6.2	40	<1	1	5	8	13	18	37
B. OPERATED	5388	4.7	12	2	3	4	5	7	9	18
TOTAL 0-19 YRS	153	3.8	3	2	2	4	4	5	6	9
20-34	1326	4.0	3	2	3	4	5	5	6	11
35-49	1707	4.3	4	2	3	4	5	6	7	12
50-64	1518	5.0	17	3	3	4	5	7	10	22
65+	747	6.6	32	3	3	5	7	12	17	31
GRAND TOTAL	**5451**	**4.7**	**12**	**2**	**3**	**4**	**5**	**7**	**9**	**19**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	11	3	3	3	4	10	13	13
20-34	47	3.3	6	1	1	3	4	6	9	13
35-49	27	3.7	10	<1	1	3	5	6	8	17
50-64	22	6.9	53	1	2	5	8	10	21	37
65+	16	7.1	76	1	1	4	8	15	30	36
B. *Operated*										
0-19 YRS	28	10.8	63	4	4	9	11	21	32	39
20-34	160	9.2	24	3	4	8	11	16	19	29
35-49	171	8.6	27	3	3	8	11	14	18	27
50-64	213	8.4	39	3	4	7	9	16	20	32
65+	118	10.5	72	3	4	8	12	19	26	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	1	4	4	4	5	6	6	6
20-34	54	5.7	11	2	3	4	8	10	12	16
35-49	43	5.9	16	1	2	5	8	10	12	23
50-64	64	8.3	47	1	2	7	11	19	24	31
65+	58	9.1	56	1	3	6	13	22	25	34
B. *Operated*										
0-19 YRS	18	9.7	39	4	4	8	12	18	25	28
20-34	146	11.7	115	3	4	9	12	23	32	57
35-49	205	11.9	120	3	4	10	15	21	34	58
50-64	361	12.1	111	3	4	9	15	26	35	68
65+	319	14.3	156	4	4	10	19	30	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	4.6	26	1	1	3	5	9	12	36
B. *Operated*	690	9.1	40	3	4	8	11	16	22	36
2. MULTIPLE DX										
A. *Not Operated*	223	7.3	36	1	2	6	9	14	22	29
B. *Operated*	1049	12.6	127	3	4	9	16	27	37	67
1. SINGLE DX	811	8.4	40	2	3	7	10	15	20	36
2. MULTIPLE DX	1272	11.7	115	3	4	8	14	25	33	62
A. NOT OPERATED	344	6.4	34	1	2	4	8	13	18	32
B. OPERATED	1739	11.2	95	3	4	8	13	22	31	53
TOTAL 0-19 YRS	59	9.1	49	3	3	7	11	14	26	38
20-34	407	9.0	60	2	3	7	10	16	23	42
35-49	446	9.6	74	2	3	8	12	18	23	45
50-64	660	10.4	83	3	3	7	13	21	30	52
65+	511	12.6	128	3	4	9	17	27	38	59
GRAND TOTAL	**2083**	**10.4**	**88**	**3**	**3**	**8**	**12**	**21**	**28**	**51**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	16	2.2	4	<1	<1	1	3	5	6	7
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	4	2.8	12	1	1	1	5	8	8	8
65+	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*										
0-19 YRS	51	2.3	2	<1	1	2	3	4	6	8
20-34	2885	3.8	6	1	1	3	6	7	8	10
35-49	1238	4.7	8	1	1	5	7	8	9	12
50-64	290	4.6	9	1	1	4	7	8	10	12
65+	136	5.5	21	1	1	4	8	10	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	41	2.0	2	<1	<1	1	2	5	5	6
35-49	19	3.8	36	<1	<1	1	4	9	18	26
50-64	9	6.3	73	<1	<1	2	8	21	27	27
65+	6	7.0	52	1	1	5	7	20	21	21
B. *Operated*										
0-19 YRS	34	3.2	9	<1	<1	2	3	7	8	15
20-34	2020	5.0	10	1	2	5	7	8	10	15
35-49	1404	6.4	13	2	2	6	8	10	11	19
50-64	443	6.7	21	2	2	6	8	11	13	22
65+	213	7.9	38	2	2	7	10	13	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.7	5	<1	<1	2	4	6	7	8
B. *Operated*	4600	4.2	7	1	1	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	75	3.4	25	<1	<1	1	4	7	11	27
B. *Operated*	4114	5.8	15	1	2	6	7	9	11	19
1. SINGLE DX	4627	4.2	7	1	1	3	6	8	9	11
2. MULTIPLE DX	4189	5.8	15	1	2	6	7	9	11	20
A. NOT OPERATED	102	3.2	19	<1	<1	1	4	6	9	26
B. OPERATED	8714	4.9	11	1	1	5	7	8	10	15
TOTAL 0-19 YRS	86	2.7	5	<1	<1	2	3	6	7	13
20-34	4962	4.3	8	1	1	4	6	8	9	12
35-49	2664	5.6	12	1	2	6	7	9	10	17
50-64	746	5.8	18	1	2	6	8	10	12	20
65+	358	7.0	33	1	2	6	9	12	17	32
GRAND TOTAL	**8816**	**4.9**	**12**	**1**	**1**	**5**	**7**	**8**	**10**	**16**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	17	5.7	29	2	2	4	6	15	20	21
65+	15	6.7	28	2	2	5	9	16	19	20
B. *Operated*										
0-19 YRS	11	4.8	11	<1	1	5	8	9	10	10
20-34	143	4.3	10	1	1	3	6	9	10	14
35-49	262	4.7	12	<1	1	4	7	10	11	16
50-64	462	4.8	19	1	1	3	7	10	13	20
65+	620	5.1	28	1	1	3	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	10	4.9	14	1	1	4	6	11	14	14
50-64	30	8.0	191	1	1	3	8	16	43	67
65+	42	12.0	128	2	3	9	16	26	36	60
B. *Operated*										
0-19 YRS	5	5.0	39	<1	<1	2	7	16	16	16
20-34	90	6.0	24	1	1	5	8	13	17	22
35-49	323	7.2	35	1	2	6	9	14	19	33
50-64	657	7.9	46	1	2	6	10	17	21	32
65+	1023	9.7	94	2	2	7	13	20	26	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	5.4	26	<1	1	4	6	14	19	21
B. *Operated*	1498	4.9	20	1	1	3	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	86	9.4	136	1	2	5	11	19	35	64
B. *Operated*	2098	8.6	68	1	2	7	11	18	23	37
1. SINGLE DX	1537	4.9	21	1	1	3	7	10	13	21
2. MULTIPLE DX	2184	8.6	71	1	2	7	11	18	24	39
A. NOT OPERATED	125	8.2	105	1	2	5	10	17	25	62
B. OPERATED	3596	7.0	51	1	2	5	9	15	20	34
TOTAL 0-19 YRS	18	4.7	16	<1	1	3	7	10	14	16
20-34	238	4.9	16	1	1	4	7	10	13	19
35-49	599	6.0	26	1	1	5	8	11	16	25
50-64	1166	6.6	41	1	1	5	9	14	19	31
65+	1700	8.1	75	1	2	5	10	18	23	41
GRAND TOTAL	**3721**	**7.1**	**53**	**1**	**2**	**5**	**9**	**15**	**20**	**35**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	4.4	52	<1	1	3	5	8	10	36
20-34	188	4.0	13	<1	1	3	5	8	11	21
35-49	231	4.0	19	1	1	3	5	7	10	19
50-64	297	4.8	23	1	1	3	6	10	14	25
65+	476	5.8	34	1	1	4	7	12	17	32
B. *Operated*										
0-19 YRS	639	4.0	15	<1	1	3	5	9	12	19
20-34	1023	4.7	21	<1	1	3	6	9	13	23
35-49	1014	4.7	23	1	1	3	6	9	13	24
50-64	1559	4.8	24	1	1	3	6	11	13	21
65+	1667	5.7	33	1	1	3	7	13	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	4.5	30	<1	1	3	5	10	13	36
20-34	273	5.5	41	<1	1	4	7	11	14	40
35-49	361	6.2	64	<1	1	4	8	12	18	28
50-64	786	6.4	43	1	1	4	8	14	19	34
65+	1868	9.0	93	1	2	6	11	19	27	52
B. *Operated*										
0-19 YRS	234	9.5	149	1	2	6	11	21	31	81
20-34	705	7.9	72	1	2	6	9	17	23	45
35-49	922	7.8	79	1	2	6	9	15	20	51
50-64	1745	9.3	90	1	2	7	12	19	27	52
65+	3143	11.3	124	2	2	8	15	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1345	4.9	29	1	1	3	6	10	14	28
B. *Operated*	5902	4.9	25	1	1	3	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	3451	7.6	74	1	1	5	9	17	23	44
B. *Operated*	6749	9.9	107	2	2	7	13	21	29	56
1. SINGLE DX	7247	4.9	26	1	1	3	6	11	14	24
2. MULTIPLE DX	10200	9.1	97	1	2	6	11	19	27	53
A. NOT OPERATED	4796	6.8	63	1	1	4	8	15	21	41
B. OPERATED	12651	7.6	75	1	2	5	10	17	23	45
TOTAL 0-19 YRS	1189	5.2	52	<1	1	3	6	11	16	35
20-34	2189	5.8	41	1	1	4	7	12	17	34
35-49	2528	6.0	51	1	1	4	8	12	17	38
50-64	4387	6.9	58	1	1	4	9	15	20	41
65+	7154	9.0	94	1	2	6	12	19	27	51
GRAND TOTAL	**17447**	**7.4**	**71**	**1**	**1**	**5**	**9**	**16**	**22**	**44**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.3	2	<1	1	2	3	4	5	5
20-34	44	2.9	5	<1	1	2	4	6	7	12
35-49	51	4.2	13	<1	1	3	5	8	11	22
50-64	44	4.3	10	1	1	4	6	9	11	14
65+	46	4.8	20	<1	1	4	6	11	13	22
B. *Operated*										
0-19 YRS	89	3.6	2	2	2	3	4	5	6	10
20-34	763	4.1	3	2	3	4	5	6	7	10
35-49	1045	4.2	3	2	3	4	5	6	6	10
50-64	993	4.6	4	3	3	4	5	6	8	13
65+	467	5.0	8	3	3	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.1	3	1	1	3	4	5	7	8
20-34	97	3.9	17	1	1	3	5	7	8	27
35-49	141	4.7	12	<1	1	4	6	9	13	15
50-64	196	5.5	22	1	1	4	7	12	14	24
65+	233	7.1	44	2	2	5	8	14	17	28
B. *Operated*										
0-19 YRS	29	4.4	2	2	3	4	5	6	8	8
20-34	237	5.0	10	3	3	4	6	7	10	18
35-49	508	5.6	10	3	3	5	6	10	12	18
50-64	786	6.5	19	3	3	5	7	11	15	24
65+	604	8.7	51	3	4	6	10	16	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.9	12	<1	1	3	5	8	11	20
B. *Operated*	3357	4.4	4	2	3	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	687	5.6	28	1	1	4	7	11	14	26
B. *Operated*	2164	6.7	26	3	3	5	7	12	16	28
1. SINGLE DX	3559	4.3	4	2	3	4	5	6	8	12
2. MULTIPLE DX	2851	6.4	27	2	3	5	7	12	16	28
A. NOT OPERATED	889	5.2	24	1	1	4	7	10	14	23
B. OPERATED	5521	5.3	14	2	3	4	6	8	12	23
TOTAL 0-19 YRS	155	3.5	3	1	1	3	4	5	6	8
20-34	1141	4.2	6	2	2	4	5	6	7	12
35-49	1745	4.6	6	2	3	4	5	7	9	14
50-64	2019	5.4	13	2	3	4	6	9	12	21
65+	1350	7.0	37	2	3	5	8	14	17	32
GRAND TOTAL	**6410**	**5.3**	**16**	**2**	**3**	**4**	**6**	**9**	**12**	**23**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	5.0	15	1	1	4	7	9	13	18
20-34	520	5.2	17	1	2	4	7	9	12	18
35-49	408	5.2	12	1	2	4	7	9	12	19
50-64	314	5.6	19	1	1	5	7	10	13	21
65+	210	7.7	36	1	2	6	10	14	19	27
B. *Operated*										
0-19 YRS	153	5.5	29	2	3	4	5	9	12	22
20-34	741	5.1	8	2	3	4	5	7	10	17
35-49	582	4.7	6	2	3	4	5	7	8	15
50-64	432	5.0	8	2	3	4	6	7	11	15
65+	174	5.9	16	3	3	5	7	9	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	5.4	16	1	2	4	7	11	13	21
20-34	654	6.4	26	1	2	5	8	11	15	23
35-49	991	7.1	24	2	3	6	9	12	17	25
50-64	1359	8.1	40	2	3	6	10	15	20	33
65+	1978	10.9	78	3	3	9	14	20	27	49
B. *Operated*										
0-19 YRS	52	6.9	28	2	3	5	8	13	17	33
20-34	347	7.5	58	3	3	5	8	14	18	34
35-49	438	7.3	41	2	3	5	8	14	20	36
50-64	539	9.1	68	2	3	6	12	18	24	47
65+	472	14.1	189	3	4	10	18	31	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1629	5.6	19	1	2	4	7	10	13	21
B. *Operated*	2082	5.1	10	2	3	4	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	5133	8.7	53	2	3	7	11	17	22	37
B. *Operated*	1848	9.6	97	2	3	6	11	20	28	60
1. SINGLE DX	3711	5.3	14	2	2	4	6	9	12	19
2. MULTIPLE DX	6981	8.9	65	2	3	7	11	18	23	44
A. NOT OPERATED	6762	7.9	46	2	2	6	10	15	20	34
B. OPERATED	3930	7.2	56	2	3	5	7	14	20	42
TOTAL 0-19 YRS	533	5.4	21	1	2	4	6	10	13	21
20-34	2262	5.9	24	2	2	5	7	10	14	23
35-49	2419	6.2	22	2	3	5	8	11	15	25
50-64	2644	7.5	40	2	3	6	9	14	19	34
65+	2834	10.9	94	3	3	8	14	21	28	60
GRAND TOTAL	**10692**	**7.7**	**50**	**2**	**3**	**5**	**9**	**15**	**20**	**36**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1567	6.3	22	2	2	6	8	11	12	19
20-34	1126	5.7	12	2	2	5	7	10	12	17
35-49	1288	6.3	13	2	3	6	8	10	12	19
50-64	1835	6.6	16	2	3	6	8	11	14	19
65+	1554	7.2	29	<1	2	6	9	13	16	26
B. *Operated*										
0-19 YRS	3	8.3	30	3	3	8	12	14	14	14
20-34	16	7.8	42	1	2	6	11	13	23	27
35-49	27	8.8	43	2	3	7	12	17	22	32
50-64	51	8.2	43	1	2	8	10	15	18	42
65+	43	11.1	63	2	4	10	14	17	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	916	6.2	36	1	2	5	8	11	15	33
20-34	1999	6.4	22	1	2	5	8	12	15	26
35-49	4283	7.5	30	2	3	6	9	13	16	28
50-64	9487	8.1	31	2	3	7	10	14	18	28
65+	13177	9.5	53	3	3	8	12	17	22	39
B. *Operated*										
0-19 YRS	44	8.2	34	2	3	7	9	17	21	28
20-34	244	11.1	97	2	2	8	14	23	31	57
35-49	628	12.2	99	2	4	10	15	22	29	70
50-64	1564	13.5	117	3	4	11	17	26	35	60
65+	1812	17.3	224	3	5	13	21	36	53	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7370	6.5	19	2	2	6	8	11	14	20
B. *Operated*	140	9.2	49	2	2	8	12	16	19	42
2. MULTIPLE DX										
A. *Not Operated*	29862	8.4	41	2	3	7	10	15	19	33
B. *Operated*	4292	14.7	163	2	4	11	18	29	40	84
1. SINGLE DX	7510	6.5	20	2	2	6	8	11	14	21
2. MULTIPLE DX	34154	9.2	61	2	3	7	11	17	22	43
A. NOT OPERATED	37232	8.0	37	2	3	7	10	14	18	31
B. OPERATED	4432	14.5	160	2	4	11	18	29	40	83
TOTAL 0-19 YRS	2530	6.3	27	1	2	5	8	11	14	21
20-34	3385	6.5	26	2	2	5	8	12	15	27
35-49	6226	7.7	36	2	3	6	9	13	17	30
50-64	12937	8.5	43	2	3	7	10	15	20	35
65+	16586	10.1	76	3	3	8	12	19	25	51
GRAND TOTAL	**41664**	**8.7**	**54**	**2**	**3**	**7**	**11**	**16**	**21**	**40**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2449	5.0	19	1	2	4	6	9	12	19
20-34	1696	5.0	12	1	2	4	6	9	11	18
35-49	660	6.5	24	2	2	5	8	12	15	20
50-64	462	7.2	16	2	3	7	10	13	15	18
65+	306	8.4	46	1	3	7	11	15	18	38
B. *Operated*										
0-19 YRS	15	7.6	9	3	4	7	10	11	13	13
20-34	16	12.3	129	4	5	8	15	23	41	49
35-49	9	10.8	9	5	6	11	12	15	16	16
50-64	5	17.2	322	7	7	10	22	49	49	49
65+	4	21.8	364	8	8	14	32	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1718	5.6	19	1	2	4	7	10	13	22
20-34	2318	6.3	27	2	2	5	8	11	14	28
35-49	1538	8.6	49	2	3	7	11	16	21	35
50-64	1673	9.9	54	3	3	8	12	17	22	39
65+	2092	12.3	87	3	4	10	15	23	30	54
B. *Operated*										
0-19 YRS	71	10.4	34	3	4	9	14	17	21	33
20-34	240	13.8	136	3	4	10	17	26	34	66
35-49	191	18.7	247	4	6	13	24	42	62	99+
50-64	241	23.4	305	6	8	18	30	48	63	94
65+	298	24.2	259	7	10	20	31	55	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5573	5.6	20	1	2	4	7	10	13	20
B. *Operated*	49	11.9	111	4	5	9	13	19	49	50
2. MULTIPLE DX										
A. *Not Operated*	9339	8.5	54	2	3	7	11	16	22	38
B. *Operated*	1041	19.6	246	4	6	15	25	41	59	99+
1. SINGLE DX	5622	5.6	21	1	2	5	7	10	13	20
2. MULTIPLE DX	10380	9.6	84	2	3	7	12	19	27	54
A. NOT OPERATED	14912	7.4	43	2	2	6	9	14	19	33
B. OPERATED	1090	19.3	243	4	6	15	25	41	58	99+
TOTAL 0-19 YRS	4253	5.3	20	1	2	4	7	10	13	20
20-34	4270	6.2	31	2	2	5	8	11	15	29
35-49	2398	8.8	67	2	3	7	11	16	23	50
50-64	2381	10.7	91	3	3	8	13	19	27	55
65+	2700	13.2	118	3	4	10	16	26	35	71
GRAND TOTAL	**16002**	**8.2**	**66**	**2**	**2**	**6**	**10**	**16**	**22**	**46**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1146	6.1	17	2	2	5	8	10	13	21
20-34	1437	6.0	18	2	2	5	8	11	13	21
35-49	1807	6.7	14	2	3	6	8	11	13	19
50-64	2601	7.2	20	2	3	6	9	12	15	22
65+	2236	7.8	24	3	3	7	10	13	16	24
B. *Operated*										
0-19 YRS	12	8.5	53	1	2	6	10	21	24	25
20-34	58	8.3	49	1	2	7	12	16	24	33
35-49	68	10.9	192	2	2	6	12	22	34	87
50-64	208	8.5	81	2	2	5	11	19	29	50
65+	194	10.3	183	2	2	4	14	23	40	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	896	6.1	26	1	2	5	8	11	15	22
20-34	3637	7.3	33	2	2	6	9	13	17	30
35-49	7380	8.1	31	2	3	7	10	14	18	28
50-64	15877	9.0	41	3	4	8	11	16	20	33
65+	20090	10.3	65	3	4	8	13	19	24	45
B. *Operated*										
0-19 YRS	85	10.2	105	2	2	8	12	19	25	61
20-34	1128	11.3	123	2	2	8	14	23	33	61
35-49	2277	15.0	180	2	3	11	19	32	43	79
50-64	5336	17.5	243	2	4	13	23	39	55	99+
65+	7092	21.1	315	3	4	16	29	49	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9227	6.9	19	2	3	6	9	12	14	22
B. *Operated*	540	9.4	128	2	2	5	12	22	32	56
2. MULTIPLE DX										
A. *Not Operated*	47880	9.2	50	3	3	8	11	16	21	37
B. *Operated*	15918	18.3	266	2	4	14	24	42	58	99+
1. SINGLE DX	9767	7.1	26	2	3	6	9	12	15	25
2. MULTIPLE DX	63798	11.5	119	3	3	8	14	23	33	69
A. NOT OPERATED	57107	8.9	46	2	3	7	11	16	20	35
B. OPERATED	16458	18.0	264	2	3	13	24	41	57	99+
TOTAL 0-19 YRS	2139	6.3	25	1	2	5	8	11	14	23
20-34	6260	7.7	49	2	2	6	9	14	20	36
35-49	11532	9.2	67	2	3	7	11	17	24	47
50-64	24022	10.7	97	3	3	8	12	20	29	59
65+	29612	12.7	145	3	4	9	15	26	37	79
GRAND TOTAL	**73565**	**10.9**	**109**	**2**	**3**	**8**	**13**	**21**	**31**	**65**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.0	2	1	1	3	4	5	5	6
20-34	49	3.5	7	<1	<1	3	5	8	8	12
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	118	3.5	4	1	1	3	5	6	7	10
20-34	659	3.9	6	1	1	4	6	7	8	11
35-49	55	3.7	6	<1	1	3	5	7	8	13
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.1	4	1	1	3	4	7	8	8
20-34	101	4.1	6	1	2	3	5	7	10	13
35-49	20	5.3	22	<1	1	3	9	12	14	16
50-64	4	3.3	1	2	2	3	4	4	4	4
65+	4	4.3	5	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	138	4.7	9	<1	1	5	7	8	10	15
20-34	1116	4.8	10	1	1	5	6	8	10	16
35-49	144	6.1	12	1	2	6	7	9	13	19
50-64	11	4.4	14	<1	1	3	5	11	12	12
65+	4	12.8	26	8	8	11	16	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.3	5	<1	<1	3	4	7	8	11
B. *Operated*	834	3.8	6	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	152	4.1	8	1	1	3	5	8	10	14
B. *Operated*	1413	4.9	10	1	1	5	7	8	10	17
1. SINGLE DX	912	3.8	6	<1	1	3	5	7	8	11
2. MULTIPLE DX	1565	4.9	10	1	1	5	7	8	10	16
A. NOT OPERATED	230	3.8	7	1	1	3	5	8	10	13
B. OPERATED	2247	4.5	9	1	1	4	6	8	9	15
TOTAL 0-19 YRS	305	3.9	7	1	1	3	6	7	8	12
20-34	1925	4.4	8	1	1	4	6	8	9	14
35-49	221	5.4	12	1	2	5	7	9	12	18
50-64	17	3.9	9	<1	1	3	4	10	12	12
65+	9	7.8	34	2	2	7	11	17	20	20
GRAND TOTAL	**2477**	**4.5**	**9**	**1**	**1**	**4**	**6**	**8**	**9**	**15**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	575	3.3	12	1	1	2	4	7	9	20
20-34	599	4.6	17	1	1	3	6	8	11	21
35-49	463	4.9	24	1	1	4	6	9	12	24
50-64	387	4.9	18	1	1	4	6	10	12	24
65+	421	5.7	34	1	1	4	7	12	15	28
B. *Operated*										
0-19 YRS	57	5.4	27	1	1	4	7	10	16	30
20-34	99	6.7	25	1	2	5	10	12	16	28
35-49	84	7.1	52	1	2	5	9	12	17	42
50-64	134	6.9	28	1	3	6	9	11	15	30
65+	84	11.0	111	2	3	8	13	23	30	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	777	4.2	25	1	1	3	5	9	11	27
20-34	1363	5.4	27	1	1	4	7	10	14	27
35-49	1598	6.2	34	1	2	5	8	12	15	30
50-64	2371	6.8	47	1	2	5	8	13	17	37
65+	4766	8.3	60	2	2	6	10	16	21	39
B. *Operated*										
0-19 YRS	76	7.5	44	2	2	6	9	15	21	37
20-34	224	10.1	81	2	2	8	12	21	30	67
35-49	337	11.3	150	2	3	8	13	26	38	81
50-64	521	12.5	151	3	4	9	15	25	36	88
65+	558	16.3	205	3	4	12	22	36	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2445	4.6	21	1	1	3	6	9	12	23
B. *Operated*	458	7.5	50	1	2	6	9	13	21	40
2. MULTIPLE DX										
A. *Not Operated*	10875	7.0	48	1	2	5	9	14	19	35
B. *Operated*	1716	13.0	161	2	3	9	16	28	39	88
1. SINGLE DX	2903	5.1	27	1	1	4	6	10	13	26
2. MULTIPLE DX	12591	7.8	68	1	2	6	9	16	22	45
A. NOT OPERATED	13320	6.6	44	1	2	5	8	13	18	33
B. OPERATED	2174	11.8	142	2	3	8	14	26	37	77
TOTAL 0-19 YRS	1485	4.1	22	1	1	3	5	8	11	23
20-34	2285	5.7	32	1	1	4	7	11	16	30
35-49	2482	6.7	52	1	2	5	8	13	18	38
50-64	3413	7.5	63	1	2	5	9	14	20	44
65+	5829	8.9	79	2	2	6	11	18	25	50
GRAND TOTAL	**15494**	**7.3**	**61**	**1**	**2**	**5**	**9**	**15**	**21**	**42**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	7.8	119	2	2	5	8	19	29	99+
20-34	16	9.8	115	<1	1	4	18	29	30	30
35-49	11	5.9	7	3	3	5	7	10	11	11
50-64	25	7.8	20	1	2	8	10	14	17	18
65+	93	8.0	92	<1	<1	5	9	20	31	48
B. *Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	12	8.3	192	1	1	4	8	24	47	51
35-49	9	10.6	77	3	3	8	13	25	31	31
50-64	10	7.5	42	2	2	5	12	17	22	22
65+	11	17.0	561	3	4	7	20	52	80	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	7.8	46	1	2	6	11	17	21	97
20-34	77	9.6	97	1	3	6	11	25	31	51
35-49	151	11.7	111	2	3	9	15	25	30	43
50-64	342	12.9	151	2	4	9	16	25	37	72
65+	1528	13.5	118	3	4	10	17	27	37	58
B. *Operated*										
0-19 YRS	21	15.6	367	2	3	8	16	36	64	85
20-34	67	10.4	99	2	4	7	12	25	32	93
35-49	100	16.1	244	5	5	10	21	37	47	79
50-64	122	17.5	247	3	5	13	23	36	51	98
65+	357	21.3	226	5	6	17	29	43	52	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	8.0	86	<1	<1	5	9	19	28	63
B. *Operated*	45	10.5	214	2	2	5	11	23	37	83
2. MULTIPLE DX										
A. *Not Operated*	2253	12.8	119	3	4	9	16	26	35	60
B. *Operated*	667	18.5	235	4	5	14	25	39	51	91
1. SINGLE DX	241	8.4	110	<1	1	5	10	20	30	74
2. MULTIPLE DX	2920	14.1	152	3	4	10	18	30	39	71
A. NOT OPERATED	2449	12.4	118	2	3	9	16	25	35	60
B. OPERATED	712	18.0	237	3	5	13	25	38	50	88
TOTAL 0-19 YRS	230	8.5	94	1	2	6	11	18	23	99+
20-34	172	9.9	104	1	2	6	11	25	31	61
35-49	271	13.1	160	3	3	9	16	29	36	64
50-64	499	13.6	172	2	4	10	17	26	39	78
65+	1989	14.7	149	3	4	11	19	31	40	68
GRAND TOTAL	**3161**	**13.7**	**151**	**2**	**3**	**10**	**17**	**30**	**39**	**71**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	387	10.7	44	1	3	10	14	19	21	29
20-34	117	10.2	44	<1	<1	10	14	18	21	31
35-49	4	6.8	32	1	1	6	11	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	11	17.7	709	1	1	13	19	96	99+	99+
20-34	7	6.0	32	2	2	3	9	16	17	17
35-49	18	2.7	1	1	1	3	3	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	565	10.7	56	2	3	10	14	20	22	39
20-34	256	11.3	69	<1	<1	11	14	21	28	42
35-49	24	8.1	25	3	3	7	10	15	19	25
50-64										
65+										
B. *Operated*										
0-19 YRS	45	16.1	99	2	3	14	20	28	32	55
20-34	34	14.6	190	2	5	11	15	27	38	77
35-49	13	6.8	18	2	3	6	8	14	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	10.5	44	<1	2	10	14	18	21	30
B. *Operated*	36	7.9	254	1	1	3	10	18	69	99+
2. MULTIPLE DX										
A. *Not Operated*	845	10.8	59	<1	3	10	14	20	23	40
B. *Operated*	92	14.3	129	2	3	12	17	27	35	68
1. SINGLE DX	544	10.3	58	<1	2	10	14	18	21	32
2. MULTIPLE DX	937	11.1	67	1	3	10	14	20	25	42
A. NOT OPERATED	1353	10.7	53	<1	3	10	14	19	22	34
B. OPERATED	128	12.5	170	2	2	10	16	26	36	96
TOTAL 0-19 YRS	1008	11.0	61	2	3	10	14	20	22	38
20-34	414	11.1	73	<1	<1	10	14	20	27	40
35-49	59	6.1	21	1	2	5	8	12	15	24
50-64										
65+										
GRAND TOTAL	**1481**	**10.8**	**64**	**<1**	**2**	**10**	**14**	**20**	**22**	**39**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.6	21	<1	1	3	5	13	20	99+
20-34	67	4.0	24	<1	<1	3	5	8	10	33
35-49	39	4.4	89	<1	<1	2	4	8	15	58
50-64	22	4.3	28	<1	<1	3	4	7	16	26
65+	6	5.5	32	2	2	3	4	16	17	17
B. *Operated*										
0-19 YRS	69	7.8	5	4	5	7	8	12	13	15
20-34	1031	8.2	10	5	6	8	9	11	13	18
35-49	714	8.7	12	5	6	8	10	12	13	19
50-64	94	10.0	19	6	7	9	11	14	16	32
65+	4	6.3	21	1	1	6	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	7.9	227	1	2	3	6	29	87	99+
20-34	230	5.4	33	1	1	4	6	12	17	52
35-49	369	6.9	73	1	1	5	8	15	23	42
50-64	326	7.6	43	2	2	6	9	14	19	38
65+	131	8.7	38	2	3	7	11	16	22	30
B. *Operated*										
0-19 YRS	49	7.7	17	2	4	7	9	14	21	99+
20-34	1485	9.4	44	5	5	8	10	14	18	47
35-49	1715	9.9	42	5	6	9	11	15	20	42
50-64	460	10.2	53	4	5	9	11	16	22	50
65+	43	14.2	164	3	4	10	17	33	45	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	4.4	36	<1	<1	3	5	9	15	79
B. *Operated*	1912	8.5	11	5	6	8	9	12	13	18
2. MULTIPLE DX										
A. *Not Operated*	1142	7.1	65	1	2	5	8	15	23	55
B. *Operated*	3752	9.8	46	5	5	8	10	15	20	47
1. SINGLE DX	2110	8.1	15	3	5	8	9	12	13	19
2. MULTIPLE DX	4894	9.2	51	2	4	8	10	15	20	48
A. NOT OPERATED	1340	6.7	61	1	1	4	8	14	21	58
B. OPERATED	5664	9.3	34	5	5	8	10	13	17	38
TOTAL 0-19 YRS	268	7.0	84	1	2	5	8	13	25	99+
20-34	2813	8.5	32	3	5	8	9	12	16	38
35-49	2837	9.1	40	3	5	8	10	14	18	38
50-64	902	9.1	47	2	3	8	11	15	21	40
65+	184	9.8	72	2	3	7	12	18	25	51
GRAND TOTAL	**7004**	**8.8**	**41**	**2**	**4**	**8**	**10**	**13**	**18**	**41**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	421	3.4	13	<1	<1	2	4	8	11	20
20-34	300	4.6	29	<1	<1	3	5	9	14	29
35-49	193	4.5	13	<1	<1	4	6	10	11	16
50-64	218	4.6	26	<1	<1	3	6	10	13	26
65+	154	6.9	87	<1	1	4	8	14	21	71
B. *Operated*										
0-19 YRS	141	4.5	16	1	1	3	6	10	12	17
20-34	230	4.8	17	1	1	4	6	9	12	19
35-49	246	5.9	29	1	1	5	7	11	16	29
50-64	207	5.2	19	1	1	4	7	11	14	19
65+	115	7.9	82	1	2	4	11	21	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	519	5.5	37	1	1	4	7	11	17	39
20-34	476	6.5	45	1	2	5	8	13	17	32
35-49	773	6.6	39	1	2	5	8	12	16	35
50-64	954	8.0	55	2	2	6	10	16	21	35
65+	1240	9.4	67	2	3	7	12	19	25	41
B. *Operated*										
0-19 YRS	129	9.7	140	1	2	7	10	27	48	99+
20-34	422	9.0	68	2	2	7	11	17	25	54
35-49	645	9.1	93	1	2	7	11	17	25	48
50-64	704	10.3	105	1	2	7	13	22	31	55
65+	631	13.8	162	2	3	10	17	31	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1286	4.5	29	<1	<1	3	5	9	13	26
B. *Operated*	939	5.5	29	1	1	4	7	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	3962	7.7	54	1	2	6	9	15	21	38
B. *Operated*	2531	10.6	115	2	2	8	13	23	32	60
1. SINGLE DX	2225	4.9	29	<1	1	3	6	10	14	27
2. MULTIPLE DX	6493	8.8	80	1	2	6	11	18	25	49
A. NOT OPERATED	5248	6.9	50	1	1	5	9	14	20	35
B. OPERATED	3470	9.2	97	1	2	6	11	19	28	54
TOTAL 0-19 YRS	1210	5.1	40	<1	1	3	6	11	16	42
20-34	1428	6.6	47	1	1	5	8	13	18	34
35-49	1857	7.1	56	1	2	5	9	13	18	38
50-64	2083	8.1	69	1	2	6	10	17	24	41
65+	2140	10.5	102	2	2	8	13	22	30	54
GRAND TOTAL	**8718**	**7.8**	**70**	**1**	**2**	**5**	**10**	**16**	**23**	**45**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	60	3.3	3	1	1	3	4	6	6	9
35-49	144	4.9	11	1	2	4	6	8	10	18
50-64	189	4.5	8	1	2	4	6	8	9	13
65+	209	5.7	20	1	2	5	8	12	14	21
B. *Operated*										
0-19 YRS										
20-34	8	4.0	5	2	2	3	5	7	8	8
35-49	33	4.5	16	1	1	3	6	11	13	17
50-64	48	4.7	18	<1	<1	3	6	11	14	18
65+	66	6.9	118	<1	1	4	9	16	19	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	3	3	3	4	5	7	7	7
20-34	76	5.9	68	1	2	4	6	9	14	58
35-49	287	6.1	21	2	2	5	7	11	13	22
50-64	665	6.8	27	2	2	5	8	12	15	27
65+	1406	8.1	38	2	3	7	10	15	20	34
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	14	7.2	63	1	1	5	7	17	27	30
35-49	47	7.1	25	2	2	6	9	14	17	24
50-64	120	9.2	109	2	2	7	11	17	22	66
65+	251	14.5	154	2	3	11	19	33	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	4.9	13	1	2	4	6	9	12	17
B. *Operated*	155	5.6	60	<1	1	3	6	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	2439	7.4	35	2	3	6	9	14	17	31
B. *Operated*	433	12.0	133	2	2	9	15	25	37	56
1. SINGLE DX	760	5.0	22	1	1	4	6	10	13	20
2. MULTIPLE DX	2872	8.1	52	2	3	6	10	15	22	40
A. NOT OPERATED	3044	6.9	31	2	2	5	8	13	16	29
B. OPERATED	588	10.3	121	1	2	7	13	23	33	55
TOTAL 0-19 YRS	9	4.7	6	2	2	4	6	9	10	10
20-34	158	4.9	41	1	1	4	5	8	10	30
35-49	511	5.7	19	1	2	5	7	10	13	22
50-64	1022	6.6	34	2	2	5	8	12	15	26
65+	1932	8.5	59	2	3	7	11	16	23	42
GRAND TOTAL	**3632**	**7.5**	**47**	**2**	**2**	**6**	**9**	**14**	**19**	**38**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	3.2	10	1	1	2	4	6	7	18
20-34	175	3.5	11	1	1	3	4	6	8	22
35-49	216	4.0	12	1	1	3	5	8	10	18
50-64	269	4.5	16	1	1	3	6	8	11	22
65+	765	6.5	29	1	2	5	8	12	17	29
B. *Operated*										
0-19 YRS	9	4.8	18	1	1	3	6	12	12	12
20-34	4	5.0	9	2	2	5	7	8	8	8
35-49	10	7.5	51	1	1	5	12	19	21	21
50-64	11	10.4	83	2	2	10	12	22	34	35
65+	20	12.7	46	4	5	13	18	25	59	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2714	4.0	13	1	1	3	5	7	10	18
20-34	1484	4.4	15	1	1	3	5	8	11	20
35-49	1953	5.8	30	1	2	4	7	11	16	30
50-64	4169	7.0	33	2	2	5	9	13	17	30
65+	17090	10.0	73	2	3	8	12	19	25	46
B. *Operated*										
0-19 YRS	80	13.1	241	2	3	8	16	35	52	99
20-34	162	10.0	157	1	2	7	12	20	30	71
35-49	219	11.8	134	1	2	8	16	24	35	64
50-64	463	13.2	175	2	2	9	19	28	42	77
65+	1449	19.1	220	4	6	15	25	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1855	4.9	21	1	1	4	6	9	13	25
B. *Operated*	54	9.4	54	1	2	8	13	21	26	97
2. MULTIPLE DX										
A. *Not Operated*	27410	8.3	60	2	2	6	10	17	22	40
B. *Operated*	2373	16.4	211	2	3	12	22	36	51	99+
1. SINGLE DX	1909	5.0	22	1	1	4	6	10	14	26
2. MULTIPLE DX	29783	9.0	77	2	2	7	11	18	25	49
A. NOT OPERATED	29265	8.1	58	2	2	6	10	16	22	40
B. OPERATED	2427	16.3	208	2	3	12	21	35	50	99+
TOTAL 0-19 YRS	3233	4.1	20	1	1	3	5	7	10	22
20-34	1825	4.8	30	1	1	3	6	9	13	25
35-49	2398	6.2	41	1	2	4	7	12	17	34
50-64	4912	7.4	49	2	2	5	9	15	20	36
65+	19324	10.5	89	2	3	8	13	21	28	55
GRAND TOTAL	**31692**	**8.7**	**74**	**2**	**2**	**6**	**11**	**18**	**24**	**48**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	4.3	12	<1	1	3	5	8	11	17
20-34	130	4.0	5	<1	1	4	5	7	8	11
35-49	212	4.2	7	<1	1	4	5	8	9	14
50-64	160	4.9	8	1	1	5	7	8	10	12
65+	546	5.2	17	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	34	4.9	4	1	3	5	7	8	8	9
20-34	45	6.9	29	1	2	5	7	14	18	26
35-49	79	6.4	16	2	2	6	8	13	14	21
50-64	55	7.5	23	1	2	7	10	14	16	26
65+	136	7.9	25	2	3	7	10	14	14	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	5.0	13	1	2	4	6	9	11	18
20-34	366	5.6	23	1	2	5	7	10	12	29
35-49	744	5.8	17	1	2	5	7	11	14	22
50-64	1326	6.8	24	1	2	6	9	12	16	25
65+	5643	8.0	46	2	3	7	10	15	19	35
B. *Operated*										
0-19 YRS	63	8.5	47	2	3	6	11	15	18	42
20-34	161	6.9	21	2	2	6	9	13	14	25
35-49	478	8.8	34	2	3	7	11	16	20	30
50-64	686	10.5	54	3	4	9	13	18	24	41
65+	2104	12.3	85	4	5	10	15	22	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1257	4.7	12	1	1	4	6	9	11	17
B. *Operated*	349	7.1	22	2	2	6	9	13	15	26
2. MULTIPLE DX										
A. *Not Operated*	8394	7.4	39	2	2	6	9	14	18	31
B. *Operated*	3492	11.1	71	3	4	9	14	20	27	48
1. SINGLE DX	1606	5.2	15	1	1	4	7	10	12	19
2. MULTIPLE DX	11886	8.5	51	2	3	7	10	16	20	38
A. NOT OPERATED	9651	7.0	36	1	2	6	9	13	17	30
B. OPERATED	3841	10.8	68	3	4	9	13	19	26	46
TOTAL 0-19 YRS	621	5.1	17	1	2	4	6	9	12	22
20-34	702	5.7	21	1	2	5	7	10	13	26
35-49	1513	6.5	24	1	2	5	8	13	16	25
50-64	2227	7.8	36	1	2	7	10	15	18	29
65+	8429	8.9	58	2	3	7	11	16	22	42
GRAND TOTAL	**13492**	**8.1**	**48**	**2**	**2**	**7**	**10**	**15**	**20**	**35**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1393	4.5	12	<1	1	4	6	9	10	15
20-34	1785	6.3	24	1	2	5	8	11	15	24
35-49	360	6.3	16	1	2	6	8	11	14	21
50-64	37	5.2	24	<1	1	4	7	12	15	24
65+	9	5.8	8	1	1	6	7	9	10	10
B. *Operated*										
0-19 YRS	4	9.3	8	6	6	9	11	12	12	12
20-34	34	10.9	72	2	3	8	14	19	34	39
35-49	11	10.5	56	2	2	8	14	23	25	25
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1081	6.1	30	1	2	5	8	11	14	29
20-34	1710	8.0	39	2	3	7	10	15	19	32
35-49	475	9.4	61	2	3	8	12	16	22	40
50-64	104	8.2	46	2	2	7	10	15	22	35
65+	31	7.4	26	2	2	5	10	15	19	20
B. *Operated*										
0-19 YRS	50	12.7	95	2	3	11	16	24	32	52
20-34	186	15.4	150	3	4	12	20	31	38	66
35-49	45	14.8	149	2	5	11	17	37	43	48
50-64	22	15.0	147	1	2	12	22	36	38	39
65+	6	12.7	73	4	4	15	23	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3584	5.6	19	1	1	5	7	10	13	21
B. *Operated*	50	10.7	61	2	3	8	13	19	25	39
2. MULTIPLE DX										
A. *Not Operated*	3401	7.6	40	2	2	6	9	14	19	32
B. *Operated*	309	14.8	139	2	4	12	20	32	38	62
1. SINGLE DX	3634	5.7	20	1	1	5	7	10	13	22
2. MULTIPLE DX	3710	8.2	53	2	2	6	10	16	21	37
A. NOT OPERATED	6985	6.6	31	1	2	5	8	12	16	28
B. OPERATED	359	14.2	130	2	3	11	19	31	38	52
TOTAL 0-19 YRS	2528	5.3	23	1	1	4	7	10	13	23
20-34	3715	7.6	42	1	2	6	9	14	19	34
35-49	891	8.4	51	2	2	7	11	15	20	38
50-64	164	8.4	61	1	2	6	11	17	26	39
65+	46	7.8	31	2	2	6	10	18	22	99+
GRAND TOTAL	**7344**	**6.9**	**38**	**1**	**2**	**5**	**9**	**13**	**17**	**33**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	894	2.2	8	<1	<1	1	2	5	7	16
20-34	294	3.9	18	<1	<1	3	5	9	11	24
35-49	237	3.9	22	<1	1	3	5	8	11	19
50-64	435	4.4	31	<1	1	3	6	10	12	26
65+	1831	4.0	20	<1	1	3	5	9	12	21
B. *Operated*										
0-19 YRS	143	7.2	86	1	2	5	7	11	19	58
20-34	94	7.4	37	1	2	6	9	13	21	32
35-49	113	8.1	33	1	2	7	11	15	19	30
50-64	194	7.7	44	1	2	6	10	14	20	38
65+	413	8.8	37	2	3	8	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	776	3.8	34	<1	<1	2	5	8	12	29
20-34	617	5.7	32	1	1	4	7	12	17	25
35-49	929	5.8	32	1	1	4	8	12	16	25
50-64	2452	6.0	41	1	1	4	8	13	18	29
65+	10209	7.3	51	1	1	5	9	15	20	36
B. *Operated*										
0-19 YRS	169	8.2	79	1	2	6	9	16	23	46
20-34	287	10.6	77	2	3	9	13	19	28	49
35-49	469	11.4	110	2	3	9	14	22	27	68
50-64	1062	12.3	107	2	3	10	16	24	31	59
65+	3794	13.8	122	3	4	11	17	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3691	3.6	19	<1	<1	2	4	8	11	20
B. *Operated*	957	8.1	46	1	2	7	10	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	14983	6.7	47	1	1	5	9	14	19	34
B. *Operated*	5781	13.0	116	3	4	10	16	26	34	62
1. SINGLE DX	4648	4.5	28	<1	<1	3	6	10	14	25
2. MULTIPLE DX	20764	8.5	74	1	1	6	11	18	24	45
A. NOT OPERATED	18674	6.1	43	<1	1	4	8	13	18	32
B. OPERATED	6738	12.3	109	2	3	10	15	24	32	59
TOTAL 0-19 YRS	1982	3.7	33	<1	<1	2	4	8	12	25
20-34	1292	6.5	45	<1	1	5	8	14	19	33
35-49	1748	7.2	59	1	1	5	9	15	19	38
50-64	4143	7.5	65	1	1	5	10	16	22	38
65+	16247	8.5	74	1	1	6	11	18	24	45
GRAND TOTAL	**25412**	**7.8**	**68**	**1**	**1**	**5**	**10**	**17**	**23**	**42**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	3.4	13	<1	<1	3	4	6	10	21
20-34	28	4.9	22	1	1	3	5	12	18	19
35-49	19	5.3	15	1	1	4	9	11	11	11
50-64	15	2.5	9	<1	<1	<1	2	8	10	11
65+										
B. *Operated*										
0-19 YRS	4	12.3	15	8	8	12	15	16	16	16
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	9.0	72	3	3	9	15	15	15	15
50-64	1	29.0		29	29	29	29	29	29	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	4.8	42	1	1	3	5	8	13	42
20-34	130	6.4	41	1	1	4	8	15	19	33
35-49	47	6.9	30	1	1	4	11	15	17	24
50-64	16	7.4	10	2	3	7	10	12	12	12
65+	13	10.0	48	1	2	10	14	20	24	25
B. *Operated*										
0-19 YRS	18	11.6	127	<1	1	9	14	30	38	42
20-34	25	11.9	68	2	2	10	18	22	27	31
35-49	8	14.8	145	1	2	10	24	33	36	36
50-64	7	12.7	47	2	3	13	19	20	20	20
65+	3	9.7	30	6	6	7	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	3.8	15	<1	<1	3	4	9	11	19
B. *Operated*	8	12.5	69	3	3	12	16	25	29	29
2. MULTIPLE DX										
A. *Not Operated*	379	5.9	40	1	1	4	7	13	16	30
B. *Operated*	61	12.1	87	1	2	10	18	24	32	41
1. SINGLE DX	169	4.2	20	<1	<1	3	5	10	13	26
2. MULTIPLE DX	440	6.8	51	1	1	4	8	15	20	37
A. NOT OPERATED	540	5.3	33	<1	1	4	6	11	15	28
B. OPERATED	69	12.2	84	2	2	10	17	24	31	41
TOTAL 0-19 YRS	294	4.9	40	<1	1	3	5	10	14	38
20-34	184	6.9	45	1	2	4	9	17	21	31
35-49	76	7.4	44	1	1	4	11	15	21	33
50-64	39	7.0	42	<1	<1	7	10	15	20	29
65+	16	9.9	42	1	2	9	14	19	23	25
GRAND TOTAL	**609**	**6.1**	**44**	**<1**	**1**	**4**	**7**	**14**	**18**	**32**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	787	4.0	13	1	1	3	5	7	9	16
20-34	193	4.7	24	<1	1	3	5	10	13	29
35-49	204	3.9	22	<1	1	2	5	8	12	22
50-64	197	5.1	21	<1	1	4	7	11	16	21
65+	316	4.8	50	<1	1	3	6	9	14	32
B. *Operated*										
0-19 YRS	435	6.0	28	1	2	5	7	11	14	26
20-34	335	7.3	26	2	3	6	9	13	16	26
35-49	210	8.2	40	2	3	7	10	15	18	43
50-64	249	8.7	45	2	3	7	10	15	21	37
65+	237	10.0	81	2	3	8	13	18	23	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	869	4.5	16	1	1	3	6	9	12	19
20-34	480	5.3	15	1	1	4	7	10	12	18
35-49	665	6.1	20	1	1	5	8	12	15	23
50-64	1226	6.8	37	1	2	5	9	13	17	30
65+	2434	8.2	63	1	2	6	10	17	22	39
B. *Operated*										
0-19 YRS	267	7.7	69	2	2	6	9	14	18	52
20-34	427	10.1	74	2	3	8	12	21	28	53
35-49	477	11.8	94	2	4	9	15	22	31	52
50-64	871	12.3	93	3	4	10	16	24	31	49
65+	1603	14.2	146	3	4	11	18	28	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1697	4.3	23	1	1	3	5	8	12	21
B. *Operated*	1466	7.7	43	2	2	6	9	14	18	32
2. MULTIPLE DX										
A. *Not Operated*	5674	6.8	43	1	1	5	9	14	19	32
B. *Operated*	3645	12.5	116	2	3	9	16	25	33	60
1. SINGLE DX	3163	5.9	35	1	1	4	7	12	15	28
2. MULTIPLE DX	9319	9.0	79	1	2	7	11	19	25	47
A. NOT OPERATED	7371	6.2	39	1	1	5	8	13	17	31
B. OPERATED	5111	11.1	100	2	3	8	14	22	30	56
TOTAL 0-19 YRS	2358	5.0	24	1	1	4	6	10	13	25
20-34	1435	7.1	41	1	2	6	9	13	19	37
35-49	1556	7.9	54	1	1	6	10	16	21	41
50-64	2543	8.7	63	1	2	7	11	18	24	42
65+	4590	10.1	102	1	2	7	13	21	29	56
GRAND TOTAL	**12482**	**8.2**	**70**	**1**	**2**	**6**	**10**	**17**	**23**	**44**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3312	2.2	2	1	1	2	3	4	5	7
20-34	611	2.3	2	1	1	2	3	4	5	7
35-49	100	3.0	4	1	1	2	4	6	7	10
50-64	29	3.1	3	1	1	3	4	5	6	8
65+	11	2.9	4	<1	1	3	3	5	8	8
B. *Operated*										
0-19 YRS	1548	4.0	4	2	2	4	5	6	7	11
20-34	486	4.4	5	2	2	4	5	6	8	13
35-49	68	5.2	10	2	3	4	6	9	12	17
50-64	18	4.9	4	2	3	5	6	7	9	11
65+	11	8.5	31	1	2	9	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1460	2.9	4	1	1	2	4	5	6	9
20-34	307	3.2	5	1	1	3	4	6	7	11
35-49	77	3.8	7	1	1	3	5	7	9	13
50-64	31	4.9	19	1	1	3	6	12	15	20
65+	17	5.2	4	2	3	5	6	8	9	10
B. *Operated*										
0-19 YRS	610	4.7	6	2	3	4	5	8	9	14
20-34	275	5.6	12	2	3	5	6	9	12	17
35-49	62	7.9	27	3	4	6	9	14	18	27
50-64	13	6.9	12	3	4	6	9	12	14	14
65+	14	8.6	22	3	3	8	12	15	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4063	2.2	2	1	1	2	3	4	5	7
B. *Operated*	2131	4.1	4	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1892	3.0	5	1	1	2	4	5	7	10
B. *Operated*	974	5.2	10	2	3	5	6	8	11	17
1. SINGLE DX	6194	2.9	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2866	3.8	8	1	1	3	5	7	8	14
A. NOT OPERATED	5955	2.5	3	1	1	2	3	5	6	9
B. OPERATED	3105	4.5	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	6930	3.0	4	1	1	3	4	5	6	10
20-34	1679	3.6	7	1	1	3	5	6	8	13
35-49	307	4.7	14	1	1	4	6	9	12	18
50-64	91	4.6	11	1	2	4	6	8	12	18
65+	53	6.3	19	1	2	5	8	12	16	20
GRAND TOTAL	**9060**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	689	4.4	7	1	2	4	5	8	9	12
20-34	97	3.8	7	1	1	3	5	6	8	14
35-49	35	4.4	7	1	2	3	6	8	9	10
50-64	5	3.6	3	<1	<1	4	5	6	6	6
65+	11	5.0	10	1	2	4	6	10	13	13
B. *Operated*										
0-19 YRS	447	3.3	8	<1	1	2	4	8	9	14
20-34	363	3.2	8	<1	1	2	4	6	8	14
35-49	201	3.2	7	<1	1	2	4	6	9	16
50-64	106	3.6	11	<1	1	2	4	9	11	20
65+	70	3.6	9	<1	1	3	4	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	473	4.7	8	1	2	4	6	8	10	14
20-34	99	4.9	10	1	2	4	6	10	12	16
35-49	48	5.1	11	2	2	4	7	10	11	17
50-64	50	6.1	17	2	3	5	8	11	17	18
65+	29	8.3	40	2	2	7	11	19	23	26
B. *Operated*										
0-19 YRS	236	4.0	10	<1	1	3	5	8	11	14
20-34	191	5.8	27	<1	1	4	7	13	18	25
35-49	126	5.5	29	1	2	4	6	12	17	26
50-64	130	6.1	23	1	2	4	8	13	16	21
65+	97	9.6	105	1	2	6	12	23	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	837	4.3	7	1	2	4	5	8	9	13
B. *Operated*	1187	3.3	9	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	699	5.0	11	1	2	4	6	9	11	18
B. *Operated*	780	5.7	34	1	1	4	7	12	16	29
1. SINGLE DX	2024	3.7	8	1	1	3	5	7	9	14
2. MULTIPLE DX	1479	5.4	23	1	2	4	7	10	14	24
A. NOT OPERATED	1536	4.6	9	1	2	4	6	8	10	16
B. OPERATED	1967	4.3	20	<1	1	3	5	9	13	22
TOTAL 0-19 YRS	1845	4.2	8	1	1	3	5	8	9	14
20-34	750	4.2	14	<1	1	3	5	8	12	20
35-49	410	4.2	15	1	1	3	5	9	12	19
50-64	291	5.1	19	1	2	4	7	11	15	19
65+	207	7.2	65	1	2	4	8	16	24	45
GRAND TOTAL	**3503**	**4.4**	**15**	**1**	**1**	**3**	**5**	**9**	**11**	**19**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	7.2	164	<1	1	3	6	14	38	66
20-34	116	11.0	135	1	1	7	15	27	37	53
35-49	42	10.4	254	1	1	7	12	20	63	99+
50-64	46	11.7	102	<1	2	9	15	29	35	42
65+	96	13.8	136	2	2	12	19	28	36	60
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	2	16.5	265	5	5	16	28	28	28	28
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	8.5	171	1	1	4	9	19	37	69
20-34	151	11.2	111	1	2	8	14	26	39	99
35-49	132	11.0	111	1	1	8	14	25	34	76
50-64	198	12.1	157	1	2	8	16	28	42	70
65+	438	13.4	153	2	3	9	16	29	43	78
B. *Operated*										
0-19 YRS										
20-34	8	31.5	364	2	6	33	56	83	99+	99+
35-49	4	21.3	495	<1	<1	15	34	53	53	53
50-64	11	16.6	563	2	2	6	18	59	75	76
65+	33	18.5	283	4	6	13	24	39	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	11.4	151	1	1	8	15	26	36	66
B. *Operated*	5	11.0	104	4	4	5	17	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	962	12.2	144	1	2	9	15	28	41	75
B. *Operated*	56	20.2	364	2	4	14	29	55	85	99+
1. SINGLE DX	343	11.4	150	1	1	7	15	26	36	66
2. MULTIPLE DX	1018	12.6	159	1	2	9	16	29	42	92
A. NOT OPERATED	1300	12.0	145	1	2	8	15	28	39	70
B. OPERATED	61	19.4	347	2	4	13	28	54	81	99+
TOTAL 0-19 YRS	82	7.8	164	1	1	4	7	16	37	68
20-34	275	11.7	139	1	2	8	15	29	41	89
35-49	180	11.1	152	1	1	7	14	25	35	99
50-64	256	12.2	162	1	2	8	15	28	42	75
65+	568	13.7	158	2	3	10	17	29	42	88
GRAND TOTAL	**1361**	**12.3**	**156**	**1**	**2**	**9**	**15**	**28**	**41**	**81**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	2.7	9	1	1	2	3	5	8	17
20-34	490	5.2	48	1	1	3	6	10	18	34
35-49	223	7.7	97	1	1	5	9	18	25	48
50-64	380	10.8	149	1	2	6	14	24	33	67
65+	2440	11.3	131	2	2	8	14	24	35	68
B. *Operated*										
0-19 YRS	11	5.2	12	<1	1	5	8	10	12	12
20-34	10	7.9	39	2	3	6	8	17	25	25
35-49	9	5.9	10	2	3	5	8	11	12	12
50-64	13	10.8	143	1	2	8	15	22	42	46
65+	71	14.5	138	2	3	12	20	30	36	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	611	5.6	93	1	1	3	6	10	19	54
20-34	1106	7.8	65	1	2	5	10	16	23	42
35-49	721	9.7	100	2	2	7	12	21	28	65
50-64	1341	13.4	166	2	3	9	17	30	41	84
65+	12091	13.2	164	3	3	9	16	28	43	99+
B. *Operated*										
0-19 YRS	34	11.1	443	1	1	4	11	78	98	99+
20-34	66	13.6	284	2	2	9	14	27	58	91
35-49	58	16.2	248	2	3	11	25	59	99+	99+
50-64	161	19.7	337	3	4	15	25	51	63	99+
65+	1150	21.6	309	4	6	17	29	54	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4065	9.2	115	1	1	6	11	21	30	59
B. *Operated*	114	11.9	119	2	2	9	15	26	36	52
2. MULTIPLE DX										
A. *Not Operated*	15870	12.4	156	2	3	9	15	27	40	99+
B. *Operated*	1469	20.6	317	3	5	16	28	54	86	99+
1. SINGLE DX	4179	9.3	116	1	1	6	12	21	31	59
2. MULTIPLE DX	17339	13.1	175	2	3	9	16	29	45	99+
A. NOT OPERATED	19935	11.7	149	2	2	8	15	26	38	99+
B. OPERATED	1583	19.9	307	3	4	15	27	52	82	99+
TOTAL 0-19 YRS	1188	4.5	68	1	1	2	4	8	14	48
20-34	1672	7.2	71	1	1	5	9	16	22	44
35-49	1011	9.6	110	1	2	7	11	22	30	78
50-64	1895	13.4	182	2	3	9	17	30	42	86
65+	15752	13.5	175	2	3	10	17	30	46	99+
GRAND TOTAL	**21518**	**12.3**	**165**	**2**	**2**	**8**	**15**	**28**	**41**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	11.8	137	1	1	7	18	31	31	31
65+	111	13.5	176	2	3	9	18	26	44	91
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	6	15.5	49	8	8	15	22	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	60.0		60	60	60	60	60	60	60
35-49	5	10.0	22	7	7	8	12	18	18	18
50-64	50	15.9	194	3	4	12	19	35	45	63
65+	699	14.0	172	3	4	10	17	32	48	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	18.0		18	18	18	18	18	18	18
50-64	4	22.5	554	7	7	13	37	57	57	57
65+	52	19.6	323	3	5	17	34	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	13.4	173	2	3	9	18	26	43	90
B. *Operated*	6	15.5	49	8	8	15	22	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	755	14.1	175	3	4	10	17	32	48	99+
B. *Operated*	57	19.8	325	3	5	17	33	99+	99+	99+
1. SINGLE DX	123	13.5	167	2	3	9	18	26	42	90
2. MULTIPLE DX	812	14.5	188	3	4	11	18	34	58	99+
A. NOT OPERATED	872	14.0	175	3	4	10	17	31	47	99+
B. OPERATED	63	19.4	299	3	5	17	27	99+	99+	99+
TOTAL 0-19 YRS										
20-34	1	60.0		60	60	60	60	60	60	60
35-49	7	10.0	36	2	3	8	16	18	18	18
50-64	59	16.0	207	3	4	12	19	37	52	63
65+	868	14.3	182	3	4	10	18	33	55	99+
GRAND TOTAL	**935**	**14.4**	**185**	**3**	**4**	**10**	**18**	**33**	**56**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.7	11	<1	1	1	3	6	10	16
20-34	471	5.1	16	1	2	5	5	8	12	24
35-49	900	5.1	18	1	2	5	5	8	11	24
50-64	517	6.0	27	1	2	5	6	11	15	25
65+	136	8.6	91	2	2	5	9	17	26	52
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	12.0		12	12	12	12	12	12	12
50-64	3	10.0	73	2	2	9	16	19	19	19
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	7.5	70	1	1	6	9	11	22	52
20-34	1660	6.6	28	1	2	5	8	11	16	29
35-49	3189	6.8	32	2	2	5	8	12	16	30
50-64	2549	8.1	52	2	2	6	9	16	22	38
65+	951	10.4	98	2	3	7	13	22	28	57
B. *Operated*										
0-19 YRS										
20-34	38	12.0	119	2	3	8	17	31	46	99+
35-49	115	14.5	198	2	4	9	16	32	44	75
50-64	124	16.2	204	3	4	12	21	33	49	99+
65+	87	19.4	164	5	7	15	26	45	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2047	5.5	25	1	2	5	5	9	14	25
B. *Operated*	6	9.7	41	2	2	10	13	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	8397	7.6	46	2	2	6	9	14	21	36
B. *Operated*	364	16.0	187	3	5	12	20	36	48	99+
1. SINGLE DX	2053	5.5	25	1	2	5	5	9	14	25
2. MULTIPLE DX	8761	7.9	55	2	2	6	9	15	22	41
A. NOT OPERATED	10444	7.2	43	1	2	5	8	14	20	34
B. OPERATED	370	15.9	186	3	4	12	20	36	48	99+
TOTAL 0-19 YRS	71	5.9	56	1	1	4	8	11	16	47
20-34	2170	6.4	28	1	2	5	8	11	16	29
35-49	4205	6.7	36	1	2	5	8	12	16	31
50-64	3193	8.1	57	2	2	6	9	16	22	42
65+	1175	10.9	108	2	3	7	14	23	32	59
GRAND TOTAL	**10814**	**7.5**	**50**	**2**	**2**	**5**	**8**	**14**	**21**	**38**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	7.8	96	<1	1	3	10	19	25	54
20-34	161	7.3	128	1	1	4	7	14	32	62
35-49	36	7.8	61	1	1	5	10	16	28	36
50-64	22	6.0	33	1	1	4	7	13	19	26
65+	24	7.9	45	1	2	5	11	21	22	23
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	12.4	275	1	1	7	13	32	49	93
20-34	558	7.6	59	1	1	6	10	14	21	41
35-49	199	9.0	67	2	2	8	11	17	21	55
50-64	209	8.8	57	2	2	7	11	19	25	41
65+	342	10.3	97	2	3	7	12	20	31	54
B. *Operated*										
0-19 YRS	2	49.5	2113	17	17	49	82	82	82	82
20-34	14	10.7	54	<1	1	9	17	22	22	22
35-49	5	23.2	357	2	2	16	41	46	46	46
50-64	11	17.5	200	5	7	12	18	40	54	55
65+	22	15.4	138	4	5	14	24	41	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	7.4	100	1	1	4	9	17	25	50
B. *Operated*	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	1439	9.0	90	1	2	7	11	18	27	52
B. *Operated*	54	16.6	227	2	3	13	21	40	53	99
1. SINGLE DX	317	7.5	99	1	1	4	9	16	25	50
2. MULTIPLE DX	1493	9.3	97	1	2	7	11	18	29	54
A. NOT OPERATED	1755	8.7	92	1	2	6	10	17	27	52
B. OPERATED	55	16.6	223	2	3	13	20	40	52	99
TOTAL 0-19 YRS	206	11.1	238	1	1	6	13	29	44	89
20-34	733	7.6	74	1	1	5	10	14	22	44
35-49	240	9.1	75	1	2	7	11	17	23	55
50-64	242	8.9	65	2	2	7	11	19	25	43
65+	389	10.4	97	2	3	7	12	22	32	54
GRAND TOTAL	**1810**	**9.0**	**98**	**1**	**2**	**6**	**11**	**18**	**28**	**54**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	395	20.3	313	2	3	17	29	45	72	99+
20-34	4706	15.3	187	2	2	12	20	33	43	71
35-49	2239	15.0	164	2	3	12	20	30	40	63
50-64	985	16.2	166	2	4	14	21	32	40	69
65+	204	18.1	225	2	3	15	22	35	51	72
B. *Operated*										
0-19 YRS										
20-34	6	24.7	289	2	2	29	33	46	47	47
35-49	5	21.8	358	2	2	18	35	50	50	50
50-64	6	29.8	748	7	8	20	36	77	82	82
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	23.0	320	2	3	20	34	50	60	75
20-34	1988	16.3	206	2	3	13	22	35	44	80
35-49	1265	16.6	177	3	4	14	22	34	43	70
50-64	777	18.6	217	3	5	15	24	37	51	82
65+	317	19.3	202	4	5	16	27	39	53	99+
B. *Operated*										
0-19 YRS	6	47.7	1092	13	14	35	87	90	90	90
20-34	79	25.4	261	3	6	23	36	51	56	99+
35-49	69	26.5	218	10	11	26	31	40	56	81
50-64	50	25.2	204	7	10	21	34	46	56	99+
65+	26	30.0	224	10	11	31	39	60	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8529	15.6	186	2	3	12	21	33	43	72
B. *Operated*	18	24.8	414	2	4	20	33	49	69	82
2. MULTIPLE DX										
A. *Not Operated*	4552	17.3	207	2	4	14	23	36	47	79
B. *Operated*	230	26.8	259	6	10	24	35	50	63	99+
1. SINGLE DX	8547	15.6	187	2	3	12	21	33	43	72
2. MULTIPLE DX	4782	17.7	214	2	4	14	24	37	48	81
A. NOT OPERATED	13081	16.2	194	2	3	13	22	34	44	75
B. OPERATED	248	26.6	269	6	9	24	35	50	63	99+
TOTAL 0-19 YRS	606	21.5	329	2	3	17	31	48	70	99+
20-34	6779	15.7	195	2	3	12	21	34	44	74
35-49	3578	15.8	173	2	3	13	21	32	42	66
50-64	1818	17.5	194	3	4	15	23	35	44	78
65+	548	19.3	217	3	5	16	26	39	54	99
GRAND TOTAL	**13329**	**16.4**	**198**	**2**	**3**	**13**	**22**	**34**	**45**	**76**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	19.7	293	2	3	15	28	42	51	81
20-34	316	14.1	183	2	3	10	18	31	41	90
35-49	89	11.4	77	1	3	10	15	21	27	46
50-64	34	11.7	56	1	2	12	14	23	27	32
65+	5	16.2	82	5	5	17	23	28	28	28
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	25.8	559	3	5	19	39	69	81	99+
20-34	131	17.5	187	3	5	14	24	35	42	74
35-49	50	16.1	177	3	4	13	21	33	48	99+
50-64	28	13.8	138	2	2	11	19	29	33	56
65+	16	12.3	104	1	2	9	18	26	35	39
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	9	28.6	437	5	7	23	37	62	75	75
35-49	2	18.5	41	14	14	18	23	23	23	23
50-64	5	16.8	91	2	2	17	23	28	28	28
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	556	14.7	186	2	3	11	19	31	41	75
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	280	18.2	261	3	4	13	25	39	58	88
B. *Operated*	17	24.2	282	3	6	21	29	41	63	75
1. SINGLE DX	556	14.7	186	2	3	11	19	31	41	75
2. MULTIPLE DX	297	18.5	264	3	4	14	25	39	59	87
A. NOT OPERATED	836	15.9	214	2	3	12	21	34	43	84
B. OPERATED	17	24.2	282	3	6	21	29	41	63	75
TOTAL 0-19 YRS	168	21.8	385	3	3	17	31	48	69	91
20-34	456	15.3	194	2	3	12	20	34	42	79
35-49	141	13.2	116	2	3	11	18	26	32	76
50-64	67	13.0	92	2	2	12	17	26	30	52
65+	21	13.2	97	2	3	11	19	27	33	39
GRAND TOTAL	**853**	**16.0**	**216**	**2**	**3**	**12**	**21**	**35**	**43**	**83**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	973	20.9	318	2	4	16	29	46	62	97
20-34	7360	15.7	199	1	2	12	21	34	44	77
35-49	3633	15.2	173	2	3	12	20	32	42	72
50-64	1731	16.2	158	2	3	14	22	32	41	64
65+	461	16.8	174	2	3	14	22	34	40	81
B. *Operated*										
0-19 YRS										
20-34	16	31.6	361	3	7	29	46	50	68	76
35-49	12	25.3	381	3	4	18	36	56	66	68
50-64	10	17.4	67	8	8	17	26	59	97	99+
65+	2	21.5	25	18	18	21	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	501	20.7	322	2	4	15	29	47	65	99+
20-34	3737	16.8	228	2	3	13	22	37	49	77
35-49	2599	16.5	186	2	4	13	22	34	45	72
50-64	1721	17.6	203	2	4	14	23	36	47	82
65+	753	18.0	211	3	4	14	24	39	50	92
B. *Operated*										
0-19 YRS	16	38.6	566	9	14	34	46	84	87	88
20-34	171	25.0	364	5	7	20	31	55	71	99
35-49	168	26.4	402	7	8	20	34	55	77	99
50-64	124	27.6	290	9	10	23	35	55	67	94
65+	60	28.2	352	6	10	24	41	64	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14158	16.0	196	2	3	13	21	34	45	76
B. *Operated*	40	25.7	295	4	7	23	36	50	72	99+
2. MULTIPLE DX										
A. *Not Operated*	9311	17.2	216	2	3	13	23	37	49	79
B. *Operated*	539	26.8	366	6	8	22	35	57	72	99+
1. SINGLE DX	14198	16.0	197	2	3	13	21	34	45	77
2. MULTIPLE DX	9850	17.7	229	2	4	14	23	38	50	83
A. NOT OPERATED	23469	16.5	205	2	3	13	22	35	46	78
B. OPERATED	579	26.7	361	6	8	22	35	57	72	99+
TOTAL 0-19 YRS	1490	21.0	325	2	4	16	29	47	64	99
20-34	11284	16.2	213	2	3	12	21	35	46	78
35-49	6412	16.0	188	2	3	13	21	33	44	74
50-64	3586	17.3	188	2	4	14	23	35	44	75
65+	1276	18.1	209	3	4	15	24	38	50	94
GRAND TOTAL	**24048**	**16.7**	**211**	**2**	**3**	**13**	**22**	**35**	**47**	**80**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	25.7	700	1	2	18	44	70	94	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	23.6	755	1	1	20	69	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	22.8	197	1	3	30	36	88	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	25.7	700	1	2	18	44	70	94	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	29	23.6	755	1	1	20	69	99+	99+	99+
B. *Operated*	6	22.8	197	1	3	30	36	88	99+	99+
1. SINGLE DX	55	25.7	700	1	2	18	44	70	94	99+
2. MULTIPLE DX	35	23.5	650	1	1	25	58	99+	99+	99+
A. NOT OPERATED	84	25.0	711	1	2	18	51	86	99+	99+
B. OPERATED	6	22.8	197	1	3	30	36	88	99+	99+
TOTAL 0-19 YRS	90	24.8	674	1	2	19	49	88	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**90**	**24.8**	**674**	**1**	**2**	**19**	**49**	**88**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	495	19.2	367	1	3	13	26	48	63	97
20-34	3392	14.3	161	1	3	11	20	30	41	62
35-49	3338	15.1	157	2	3	12	20	31	39	60
50-64	2854	17.6	183	2	4	15	24	36	45	68
65+	1971	21.7	230	3	6	19	29	42	53	75
B. *Operated*										
0-19 YRS	1	49.0		49	49	49	49	49	49	49
20-34	16	25.9	155	6	12	23	33	46	50	52
35-49	17	22.8	149	6	7	22	34	36	44	48
50-64	20	24.3	183	6	8	21	32	45	49	53
65+	14	32.4	348	4	5	34	43	54	66	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	631	18.8	295	2	2	14	29	46	61	99+
20-34	4189	15.3	189	2	3	11	21	33	43	74
35-49	4312	15.9	179	2	3	12	21	34	43	71
50-64	4140	18.9	217	3	4	15	26	39	49	73
65+	4000	21.9	263	4	5	18	30	44	56	87
B. *Operated*										
0-19 YRS	31	29.0	568	7	9	20	38	70	85	93
20-34	274	26.2	323	5	7	22	36	52	69	99
35-49	339	26.9	299	6	9	22	36	52	64	96
50-64	356	27.7	302	7	9	25	37	52	63	95
65+	412	31.4	336	8	11	28	44	61	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12050	16.7	192	2	3	13	23	35	45	69
B. *Operated*	68	26.3	210	5	8	25	35	48	52	67
2. MULTIPLE DX										
A. *Not Operated*	17272	18.0	221	2	4	14	24	38	49	81
B. *Operated*	1412	28.3	324	7	9	25	38	55	69	99+
1. SINGLE DX	12118	16.8	192	2	3	14	23	35	45	69
2. MULTIPLE DX	18684	18.8	236	3	4	15	26	40	51	84
A. NOT OPERATED	29322	17.5	209	2	4	14	24	37	47	75
B. OPERATED	1480	28.2	319	7	9	25	38	54	69	99+
TOTAL 0-19 YRS	1158	19.2	336	1	3	14	28	48	63	99+
20-34	7871	15.3	186	2	3	11	21	33	43	70
35-49	8006	16.0	181	2	3	13	22	33	43	69
50-64	7370	18.9	212	3	4	15	26	39	48	74
65+	6397	22.4	264	4	6	19	30	45	56	88
GRAND TOTAL	**30802**	**18.0**	**220**	**2**	**4**	**14**	**24**	**38**	**49**	**78**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	378	17.3	210	2	3	14	23	36	47	75
20-34	3205	14.9	153	1	3	12	20	30	38	62
35-49	2649	14.6	125	2	4	12	20	29	36	56
50-64	1748	16.5	145	2	4	14	22	31	39	61
65+	670	19.1	220	3	5	16	25	36	49	81
B. *Operated*										
0-19 YRS										
20-34	9	23.9	187	9	12	20	24	47	56	56
35-49	10	25.6	648	7	8	18	28	64	94	94
50-64	18	23.4	259	6	7	20	38	48	53	55
65+	6	28.7	236	5	7	28	32	51	53	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	22.0	389	2	4	17	29	49	68	92
20-34	2162	16.5	191	2	3	13	22	34	43	74
35-49	2038	16.8	174	3	4	14	22	34	43	69
50-64	1877	18.6	181	3	5	16	25	36	45	69
65+	1077	21.2	217	4	6	18	28	41	52	76
B. *Operated*										
0-19 YRS	8	36.9	413	9	12	35	53	62	66	66
20-34	131	24.2	319	2	6	20	32	52	64	99+
35-49	147	24.6	261	7	9	21	33	50	57	81
50-64	154	28.6	338	9	11	21	37	55	68	84
65+	117	33.9	423	8	11	33	47	69	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8650	15.6	152	2	3	13	21	31	39	62
B. *Operated*	43	24.8	311	6	8	20	31	50	55	94
2. MULTIPLE DX										
A. *Not Operated*	7451	18.0	199	3	4	15	24	36	46	75
B. *Operated*	557	27.7	345	7	9	22	37	55	70	95
1. SINGLE DX	8693	15.6	153	2	3	13	21	31	39	62
2. MULTIPLE DX	8008	18.7	215	3	4	15	25	37	48	77
A. NOT OPERATED	16101	16.7	175	2	4	14	22	33	42	69
B. OPERATED	600	27.5	342	7	9	22	37	55	69	95
TOTAL 0-19 YRS	683	19.5	298	2	4	15	25	41	59	87
20-34	5507	15.8	174	2	3	13	21	32	40	68
35-49	4844	15.9	154	2	4	13	21	31	40	65
50-64	3797	18.1	177	3	4	15	24	35	44	68
65+	1870	21.3	242	4	6	18	28	42	54	81
GRAND TOTAL	**16701**	**17.1**	**185**	**2**	**4**	**14**	**22**	**34**	**44**	**71**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	12.6	180	1	1	8	17	26	35	70
20-34	1545	11.3	129	1	2	8	15	25	32	56
35-49	939	11.2	99	1	2	9	15	23	30	48
50-64	669	13.4	128	1	2	10	18	29	37	55
65+	633	12.8	137	1	2	10	18	28	35	57
B. *Operated*										
0-19 YRS	3	8.3	46	3	3	6	13	16	16	16
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	3.6	22	1	1	2	5	12	12	12
50-64	8	6.3	16	2	3	5	9	13	13	13
65+	22	10.5	109	1	2	6	13	30	34	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	14.1	225	1	2	10	20	38	52	99+
20-34	1320	12.3	131	1	2	9	17	27	37	64
35-49	928	13.4	151	2	3	10	18	29	37	62
50-64	1198	13.6	144	2	3	11	18	28	35	64
65+	2705	11.8	109	2	3	9	15	25	33	60
B. *Operated*										
0-19 YRS	7	12.4	119	1	1	10	19	30	32	32
20-34	58	23.6	397	5	7	18	31	65	85	99+
35-49	62	22.8	263	4	6	18	35	46	59	97
50-64	108	19.9	232	3	5	16	29	41	51	99+
65+	274	20.7	274	3	5	16	28	47	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4142	11.9	128	1	2	9	16	26	34	56
B. *Operated*	40	8.2	75	1	1	5	12	20	30	36
2. MULTIPLE DX										
A. *Not Operated*	6453	12.6	132	2	3	9	16	27	36	64
B. *Operated*	509	21.0	276	4	5	17	29	46	59	99+
1. SINGLE DX	4182	11.9	128	1	2	9	16	26	34	56
2. MULTIPLE DX	6962	13.2	147	2	3	10	17	29	38	71
A. NOT OPERATED	10595	12.3	131	1	2	9	16	27	35	62
B. OPERATED	549	20.1	272	3	4	16	28	45	59	99+
TOTAL 0-19 YRS	668	13.3	199	1	2	9	18	30	43	81
20-34	2925	12.0	138	1	2	9	16	27	36	64
35-49	1934	12.6	134	1	2	9	16	28	35	60
50-64	1983	13.8	145	2	3	11	18	29	37	64
65+	3634	12.6	132	2	3	9	16	27	36	70
GRAND TOTAL	**11144**	**12.7**	**140**	**1**	**2**	**9**	**17**	**28**	**36**	**65**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	6.3	92	<1	1	3	5	14	28	48
20-34	1312	5.7	44	<1	1	3	7	13	19	35
35-49	1101	5.9	48	<1	1	4	7	14	20	34
50-64	669	6.1	44	<1	1	4	7	14	20	33
65+	345	6.0	47	1	1	4	7	13	18	35
B. *Operated*										
0-19 YRS	4	5.5	18	1	1	5	8	11	11	11
20-34	8	4.1	12	<1	<1	3	6	10	11	11
35-49	14	5.1	16	1	1	4	7	11	13	14
50-64	20	5.6	12	1	1	5	8	10	12	13
65+	5	7.4	20	2	2	8	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	397	6.4	84	1	1	3	7	18	27	74
20-34	2186	7.6	70	1	1	5	9	20	25	38
35-49	2447	7.6	70	1	2	5	9	18	26	43
50-64	1897	6.9	50	1	2	4	8	16	22	36
65+	1845	6.8	42	1	2	5	8	14	20	35
B. *Operated*										
0-19 YRS	16	12.1	151	1	1	7	19	30	39	43
20-34	154	7.9	80	1	1	5	10	22	28	39
35-49	151	10.4	104	1	2	7	12	26	28	47
50-64	117	11.9	95	2	3	9	15	24	30	49
65+	74	13.4	146	3	4	10	17	24	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3750	5.9	49	<1	1	4	7	13	20	36
B. *Operated*	51	5.4	14	1	1	4	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	8772	7.2	60	1	1	5	8	17	23	38
B. *Operated*	512	10.5	105	1	2	7	13	25	30	49
1. SINGLE DX	3801	5.9	49	<1	1	4	7	13	20	36
2. MULTIPLE DX	9284	7.4	63	1	1	5	9	18	24	41
A. NOT OPERATED	12522	6.8	58	1	1	4	8	16	22	38
B. OPERATED	563	10.0	99	1	2	7	12	24	29	49
TOTAL 0-19 YRS	740	6.5	89	<1	1	3	6	17	28	55
20-34	3660	6.9	62	1	1	4	8	18	23	37
35-49	3713	7.2	65	1	1	4	8	17	25	42
50-64	2703	6.9	52	1	1	4	8	16	22	37
65+	2269	6.9	47	1	2	5	8	14	21	38
GRAND TOTAL	**13085**	**7.0**	**60**	**1**	**1**	**4**	**8**	**16**	**23**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	939	18.3	404	1	2	11	27	55	81	99+
20-34	4038	10.2	108	1	2	7	14	23	30	51
35-49	3238	11.0	105	1	2	8	15	24	31	51
50-64	1709	12.2	119	2	3	9	16	26	33	51
65+	793	14.6	164	2	3	11	20	31	40	64
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	23	13.6	161	3	4	10	17	40	71	99+
35-49	32	18.9	265	1	2	15	26	40	49	73
50-64	9	7.3	24	2	2	6	10	15	15	15
65+	3	17.0	31	11	11	18	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1032	18.8	398	1	2	12	27	52	76	99+
20-34	5043	11.7	121	1	2	8	16	26	33	50
35-49	4722	11.8	112	2	3	8	16	26	32	49
50-64	3185	12.2	115	2	3	9	17	27	34	49
65+	2736	12.3	116	3	3	9	16	26	34	55
B. *Operated*										
0-19 YRS	58	25.4	378	4	5	20	41	52	70	99+
20-34	340	19.4	228	4	5	16	26	38	50	95
35-49	377	20.4	185	5	6	18	27	39	46	72
50-64	280	19.7	211	4	6	15	26	43	52	92
65+	211	20.7	236	5	7	16	27	43	62	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10717	11.8	144	1	2	8	16	27	36	65
B. *Operated*	68	15.7	201	2	3	13	21	37	50	95
2. MULTIPLE DX										
A. *Not Operated*	16718	12.4	136	2	3	9	17	27	36	60
B. *Operated*	1266	20.2	220	4	6	17	27	40	52	91
1. SINGLE DX	10785	11.8	145	1	2	8	16	27	36	65
2. MULTIPLE DX	17984	12.9	146	2	3	9	17	28	38	64
A. NOT OPERATED	27435	12.2	140	2	2	8	16	27	36	63
B. OPERATED	1334	20.0	220	4	6	16	27	40	52	93
TOTAL 0-19 YRS	2030	18.7	401	1	2	12	28	53	77	99+
20-34	9444	11.4	123	1	2	8	15	26	33	52
35-49	8369	11.9	117	2	2	8	16	26	33	52
50-64	5183	12.6	124	2	3	9	17	28	35	53
65+	3743	13.3	137	2	3	10	17	28	37	62
GRAND TOTAL	**28769**	**12.5**	**146**	**2**	**2**	**9**	**17**	**28**	**37**	**65**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	877	10.9	233	1	1	5	14	33	49	99+
20-34	2121	9.0	113	1	1	5	12	21	31	56
35-49	1090	8.7	102	1	1	5	11	20	27	53
50-64	468	8.5	80	1	1	5	11	20	27	48
65+	191	9.5	103	1	1	6	13	19	32	50
B. *Operated*										
0-19 YRS	18	5.9	50	1	2	3	7	14	25	30
20-34	130	8.2	38	1	3	8	9	12	21	37
35-49	92	5.9	34	1	2	5	8	9	14	37
50-64	111	6.2	35	2	2	5	7	11	14	36
65+	42	4.6	10	1	2	3	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1216	13.1	279	1	1	7	17	35	58	99+
20-34	3820	10.2	132	1	1	6	13	24	33	64
35-49	1953	10.3	121	1	2	7	14	24	33	56
50-64	1143	10.1	118	1	2	7	13	23	31	52
65+	761	10.7	121	1	2	7	14	23	33	61
B. *Operated*										
0-19 YRS	44	19.9	402	2	3	13	30	54	71	99+
20-34	275	17.1	270	2	3	11	24	41	53	82
35-49	186	15.3	194	2	3	10	21	31	44	70
50-64	190	10.9	136	2	2	7	13	25	37	81
65+	113	14.3	164	3	3	10	21	34	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4747	9.3	130	1	1	5	12	22	32	63
B. *Operated*	393	6.6	35	1	2	5	9	11	15	36
2. MULTIPLE DX										
A. *Not Operated*	8893	10.7	148	1	2	7	14	25	35	69
B. *Operated*	808	15.0	219	2	3	9	20	35	50	95
1. SINGLE DX	5140	9.1	123	1	1	5	11	21	32	60
2. MULTIPLE DX	9701	11.0	155	1	2	7	14	26	36	72
A. NOT OPERATED	13640	10.2	142	1	1	6	13	24	34	69
B. OPERATED	1201	12.2	174	2	2	8	15	30	42	78
TOTAL 0-19 YRS	2155	12.3	263	1	1	6	15	35	54	99+
20-34	6346	10.1	132	1	1	6	13	24	33	63
35-49	3321	10.0	119	1	1	6	13	22	31	55
50-64	1912	9.6	107	1	2	6	12	22	31	49
65+	1107	10.6	121	1	2	7	14	23	33	68
GRAND TOTAL	**14841**	**10.3**	**145**	**1**	**1**	**6**	**13**	**25**	**35**	**70**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4;	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	803	11.5	160	<1	<1	4	22	30	35	45
20-34	5908	11.8	107	1	2	7	21	28	30	35
35-49	6217	10.6	98	1	2	5	19	28	29	34
50-64	3404	10.0	94	1	2	5	15	27	29	34
65+	868	10.7	96	1	2	6	19	27	29	36
B. *Operated*										
0-19 YRS	2	14.0	338	<1	<1	13	27	27	27	27
20-34	14	21.9	116	5	6	26	29	32	39	41
35-49	20	12.1	114	1	2	9	18	25	34	41
50-64	14	13.1	138	2	2	8	25	32	35	36
65+	8	11.9	108	2	2	9	21	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1416	19.5	236	1	1	21	33	40	44	51
20-34	10419	12.6	120	1	2	7	22	29	31	42
35-49	13237	11.0	93	2	2	7	16	28	30	37
50-64	10115	11.5	103	2	2	7	17	28	30	42
65+	4110	12.4	102	2	3	9	20	28	30	42
B. *Operated*										
0-19 YRS	30	17.8	279	<1	<1	12	32	42	43	54
20-34	380	18.7	150	2	4	18	28	33	37	60
35-49	615	17.3	143	3	5	14	26	32	38	62
50-64	607	18.5	162	3	6	15	27	34	41	67
65+	297	20.5	199	5	7	17	28	39	49	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17200	10.9	103	1	2	6	21	28	30	35
B. *Operated*	58	14.7	132	2	2	11	26	29	34	41
2. MULTIPLE DX										
A. *Not Operated*	39297	12.0	111	1	2	7	20	28	31	42
B. *Operated*	1929	18.5	162	3	5	15	27	34	41	66
1. SINGLE DX	17258	10.9	104	1	2	6	21	28	30	35
2. MULTIPLE DX	41226	12.3	115	2	2	7	21	28	32	43
A. NOT OPERATED	56497	11.7	109	1	2	7	20	28	30	41
B. OPERATED	1987	18.4	161	3	5	15	27	34	41	66
TOTAL 0-19 YRS	2251	16.6	224	<1	1	13	29	37	42	50
20-34	16721	12.5	117	1	2	7	22	29	31	40
35-49	20089	11.1	97	1	2	7	18	28	30	37
50-64	14140	11.4	106	2	2	7	18	28	30	41
65+	5283	12.6	111	2	3	9	20	28	31	44
GRAND TOTAL	**58484**	**11.9**	**112**	**1**	**2**	**7**	**21**	**28**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	12.7	86	2	3	11	13	29	34	36
20-34	687	11.7	55	2	3	11	15	21	28	35
35-49	154	12.3	42	2	4	12	15	18	27	32
50-64	17	12.2	65	<1	2	12	14	25	31	33
65+	4	14.5	19	11	11	14	18	20	20	20
B. *Operated*										
0-19 YRS										
20-34	6	7.7	19	1	1	9	11	12	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	14.6	100	1	4	13	16	28	36	59
20-34	1986	12.8	41	3	5	13	16	18	23	37
35-49	817	12.9	31	4	6	13	16	17	21	33
50-64	118	12.3	39	3	6	12	15	17	25	34
65+	22	14.8	87	4	5	11	21	30	32	35
B. *Operated*										
0-19 YRS	3	15.7	5	13	13	17	17	17	17	17
20-34	232	15.7	56	8	10	15	17	18	30	59
35-49	89	15.5	48	7	9	15	17	19	29	47
50-64	13	19.4	163	13	13	15	18	34	55	60
65+	5	21.8	159	9	9	15	33	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	876	11.9	53	2	3	11	15	21	28	35
B. *Operated*	6	7.7	19	1	1	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2997	12.9	40	3	5	13	16	18	23	36
B. *Operated*	342	15.9	59	8	10	15	17	19	31	56
1. SINGLE DX	882	11.8	53	2	3	11	15	21	28	35
2. MULTIPLE DX	3339	13.2	42	3	6	13	16	18	23	38
A. NOT OPERATED	3873	12.7	43	3	5	13	16	18	24	35
B. OPERATED	348	15.7	60	8	9	15	17	19	31	56
TOTAL 0-19 YRS	71	14.3	93	2	4	13	16	28	36	55
20-34	2911	12.8	46	3	4	13	16	18	25	37
35-49	1060	13.1	34	4	6	13	16	17	22	34
50-64	148	12.9	55	3	6	13	15	19	27	39
65+	31	15.9	91	5	6	12	21	31	35	39
GRAND TOTAL	**4221**	**12.9**	**45**	**3**	**5**	**13**	**16**	**18**	**25**	**37**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	20.5	230	1	1	22	34	39	42	47
20-34	566	14.2	141	1	2	9	25	30	34	42
35-49	121	13.6	111	1	2	9	23	29	30	40
50-64	30	14.6	124	<1	2	15	22	29	31	44
65+	16	17.1	108	5	5	13	26	32	33	34
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	6.8	38	3	3	4	10	16	16	16
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	20.8	229	1	2	19	34	40	43	58
20-34	987	15.2	127	2	3	13	23	30	35	43
35-49	312	14.1	104	2	3	12	21	29	34	41
50-64	121	15.5	161	2	3	11	25	36	39	70
65+	66	15.2	95	2	3	13	22	29	30	42
B. *Operated*										
0-19 YRS	4	21.3	294	5	5	19	35	41	41	41
20-34	42	18.0	106	3	6	16	21	29	39	53
35-49	15	21.6	204	5	8	16	29	39	52	56
50-64	10	22.6	294	6	7	17	28	51	61	61
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1013	15.9	169	1	2	12	28	34	38	45
B. *Operated*	7	6.7	25	3	3	4	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	1808	16.0	147	2	3	13	25	33	38	50
B. *Operated*	72	19.5	155	4	7	16	25	38	48	60
1. SINGLE DX	1020	15.8	168	1	2	12	28	34	38	45
2. MULTIPLE DX	1880	16.2	148	2	3	13	25	33	38	53
A. NOT OPERATED	2821	16.0	155	1	2	13	26	34	38	47
B. OPERATED	79	18.4	157	3	4	16	23	36	46	60
TOTAL 0-19 YRS	607	20.6	229	1	1	21	34	40	43	55
20-34	1599	14.9	132	1	2	12	24	30	34	44
35-49	449	14.2	110	2	3	12	22	29	33	42
50-64	162	15.7	163	2	3	12	24	34	40	61
65+	83	15.6	96	3	4	13	24	29	31	41
GRAND TOTAL	**2900**	**16.0**	**155**	**1**	**2**	**13**	**26**	**34**	**38**	**48**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	973	1.5	5	<1	<1	1	1	2	3	7
20-34	546	3.7	47	<1	<1	1	3	8	27	30
35-49	293	4.5	47	<1	<1	2	4	9	27	31
50-64	169	4.0	27	<1	<1	2	4	8	11	29
65+	77	3.9	30	<1	<1	2	3	10	20	25
B. *Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	1	14.0		14	14	14	14	14	14	14
50-64	2	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	677	3.4	50	<1	<1	1	2	6	15	36
20-34	1200	4.2	24	<1	<1	2	6	8	12	26
35-49	932	5.6	25	1	1	5	8	9	14	27
50-64	669	5.1	23	1	1	4	7	9	13	25
65+	274	5.7	36	<1	1	4	7	11	18	32
B. *Operated*										
0-19 YRS	21	5.6	158	<1	<1	1	3	15	39	55
20-34	61	5.9	37	<1	<1	4	8	14	21	26
35-49	31	9.0	49	1	2	8	12	19	20	32
50-64	33	8.1	53	<1	1	6	11	21	23	25
65+	20	9.7	114	1	1	7	14	32	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2058	2.8	26	<1	<1	1	2	5	8	30
B. *Operated*	6	5.7	27	<1	<1	5	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	3752	4.7	30	<1	<1	3	7	9	13	29
B. *Operated*	166	7.3	67	<1	1	5	10	19	23	53
1. SINGLE DX	2064	2.8	26	<1	<1	1	2	5	8	30
2. MULTIPLE DX	3918	4.8	32	<1	<1	3	7	9	14	30
A. NOT OPERATED	5810	4.0	30	<1	<1	2	5	8	13	30
B. OPERATED	172	7.3	66	<1	1	5	10	19	23	53
TOTAL 0-19 YRS	1671	2.3	26	<1	<1	1	2	3	6	30
20-34	1810	4.1	31	<1	<1	2	5	8	13	30
35-49	1257	5.4	31	<1	1	4	8	9	16	30
50-64	873	5.0	26	1	1	3	6	9	14	27
65+	371	5.5	40	<1	1	3	7	12	21	34
GRAND TOTAL	**5982**	**4.1**	**31**	**<1**	**<1**	**2**	**5**	**8**	**13**	**30**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	8.9	117	<1	1	3	13	28	32	43
20-34	481	8.7	102	<1	1	5	10	27	30	37
35-49	84	9.7	93	1	2	5	15	25	30	40
50-64	28	9.3	84	1	2	7	9	25	34	35
65+	10	10.3	69	2	2	8	20	22	24	24
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	9	8.9	58	<1	1	8	12	21	22	22
35-49	3	8.0	9	5	5	8	10	11	11	11
50-64	4	6.3	13	3	3	5	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	15.1	269	<1	1	7	26	41	51	61
20-34	1174	9.5	89	1	1	6	12	26	29	37
35-49	367	8.9	69	1	1	6	11	22	28	37
50-64	136	9.7	71	1	2	7	12	21	31	36
65+	93	9.1	64	2	2	6	11	22	28	35
B. *Operated*										
0-19 YRS	10	37.0	720	2	2	40	64	72	75	75
20-34	48	18.9	122	5	7	18	27	35	41	47
35-49	27	16.3	142	3	5	12	22	35	43	44
50-64	10	23.1	282	6	7	19	31	49	57	57
65+	11	16.7	97	7	7	15	26	31	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	830	8.9	104	<1	1	5	11	27	30	39
B. *Operated*	17	9.6	73	1	2	8	11	22	30	34
2. MULTIPLE DX										
A. *Not Operated*	2170	10.4	121	1	1	6	14	28	32	52
B. *Operated*	106	20.1	219	4	6	15	29	41	45	72
1. SINGLE DX	847	8.9	103	<1	1	5	11	27	30	38
2. MULTIPLE DX	2276	10.9	130	1	1	7	14	28	34	53
A. NOT OPERATED	3000	10.0	117	1	1	6	13	28	31	48
B. OPERATED	123	18.7	211	2	5	13	27	39	43	71
TOTAL 0-19 YRS	638	13.3	239	<1	1	6	22	37	46	63
20-34	1712	9.6	96	1	1	6	13	27	30	37
35-49	481	9.5	79	1	2	6	12	24	29	39
50-64	178	10.3	92	1	2	7	12	26	33	41
65+	114	9.9	71	2	2	7	11	24	29	35
GRAND TOTAL	**3123**	**10.4**	**124**	**1**	**1**	**6**	**14**	**28**	**32**	**49**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	3.8	25	1	1	3	4	7	8	24
20-34	419	4.2	13	<1	1	3	5	8	11	17
35-49	307	4.1	21	1	1	3	5	8	10	17
50-64	205	3.9	7	1	1	3	5	7	10	13
65+	118	5.0	12	1	2	4	7	9	11	21
B. *Operated*										
0-19 YRS	21	4.4	10	<1	1	3	6	9	10	11
20-34	32	5.3	11	1	2	5	8	10	12	12
35-49	36	6.7	37	1	2	5	9	13	15	34
50-64	19	4.9	29	1	2	3	6	12	19	23
65+	6	7.3	11	2	2	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	321	4.8	35	1	1	4	6	8	11	30
20-34	731	5.4	31	1	1	4	7	10	13	34
35-49	781	5.5	30	1	2	4	7	10	14	27
50-64	661	5.7	22	1	2	4	7	11	14	27
65+	740	6.0	22	1	2	5	7	11	15	27
B. *Operated*										
0-19 YRS	15	4.8	4	1	2	5	6	8	8	8
20-34	85	8.6	78	1	1	6	10	17	27	49
35-49	85	9.2	71	2	3	7	12	17	18	55
50-64	80	9.5	57	2	3	8	12	17	21	44
65+	64	12.6	139	3	3	9	15	26	32	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1326	4.1	17	1	1	3	5	8	10	17
B. *Operated*	114	5.6	22	1	2	5	8	11	13	27
2. MULTIPLE DX										
A. *Not Operated*	3234	5.6	27	1	2	4	7	10	14	28
B. *Operated*	329	9.6	82	2	2	7	12	18	26	51
1. SINGLE DX	1440	4.2	17	1	1	3	5	8	10	17
2. MULTIPLE DX	3563	5.9	34	1	2	4	7	11	16	30
A. NOT OPERATED	4560	5.1	25	1	1	4	6	10	13	26
B. OPERATED	443	8.6	70	1	2	7	11	16	22	38
TOTAL 0-19 YRS	634	4.4	29	1	1	3	5	7	10	28
20-34	1267	5.2	29	1	1	4	6	10	13	31
35-49	1209	5.4	32	1	1	4	7	11	14	27
50-64	965	5.6	23	1	2	4	7	11	15	27
65+	928	6.3	32	2	2	5	8	12	16	29
GRAND TOTAL	**5003**	**5.4**	**30**	**1**	**1**	**4**	**7**	**10**	**14**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1826	12.5	235	1	1	7	17	34	54	99+
20-34	2350	6.3	56	1	1	4	8	14	20	38
35-49	1266	7.0	61	1	1	4	9	16	22	37
50-64	450	7.2	57	1	1	5	9	17	22	41
65+	225	9.9	104	1	1	7	14	23	28	53
B. *Operated*										
0-19 YRS	8	8.8	75	1	1	7	21	69	99+	99+
20-34	11	8.8	88	1	1	5	13	26	26	26
35-49	10	7.5	18	3	3	6	11	14	14	14
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1861	13.8	305	1	1	7	17	41	58	97
20-34	3573	8.1	79	1	1	5	10	18	25	46
35-49	2152	8.2	68	1	1	5	10	18	25	41
50-64	1030	8.7	71	1	2	6	11	18	26	37
65+	763	9.7	90	1	2	7	13	20	26	47
B. *Operated*										
0-19 YRS	56	23.3	573	1	2	15	42	77	97	99+
20-34	139	12.8	162	1	2	10	16	28	46	99+
35-49	96	15.3	169	2	3	11	20	32	47	57
50-64	50	15.2	272	2	3	10	15	35	58	76
65+	49	20.4	287	4	5	15	30	44	52	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6117	8.5	120	1	1	5	10	21	30	77
B. *Operated*	30	8.3	54	1	2	7	13	23	26	99+
2. MULTIPLE DX										
A. *Not Operated*	9379	9.5	126	1	1	6	12	21	31	62
B. *Operated*	390	16.2	263	2	3	11	20	43	57	99+
1. SINGLE DX	6147	8.5	119	1	1	5	10	21	30	78
2. MULTIPLE DX	9769	9.7	133	1	1	6	12	22	33	64
A. NOT OPERATED	15496	9.1	124	1	1	5	11	21	31	64
B. OPERATED	420	15.6	252	2	3	11	19	42	56	99+
TOTAL 0-19 YRS	3751	13.3	276	1	1	7	17	38	57	99+
20-34	6073	7.6	73	1	1	5	10	17	24	45
35-49	3524	7.9	70	1	1	5	10	18	25	41
50-64	1530	8.5	75	1	2	6	11	18	25	42
65+	1038	10.2	107	1	2	7	14	22	29	52
GRAND TOTAL	**15916**	**9.3**	**128**	**1**	**1**	**5**	**11**	**22**	**31**	**66**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2549	16.2	398	1	2	7	23	52	70	99+
20-34	2914	8.4	87	1	1	5	10	19	28	49
35-49	1977	8.9	91	1	2	5	11	21	29	46
50-64	1107	10.8	113	1	2	7	15	24	32	48
65+	627	11.9	138	2	3	8	16	27	39	54
B. *Operated*										
0-19 YRS	44	11.2	338	1	1	3	12	31	56	83
20-34	51	10.5	205	1	1	4	13	23	40	76
35-49	52	7.8	81	1	2	5	8	17	29	48
50-64	42	11.0	118	2	3	6	15	30	35	41
65+	14	14.4	157	1	2	11	17	33	44	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2641	17.8	414	1	2	10	27	54	77	99+
20-34	4500	9.6	118	1	2	6	12	21	31	62
35-49	3609	9.5	94	1	2	6	12	21	29	48
50-64	2716	10.5	115	2	2	7	13	23	31	54
65+	2604	11.7	123	2	3	8	15	25	35	57
B. *Operated*										
0-19 YRS	117	24.3	567	2	2	19	44	79	99+	99+
20-34	283	15.8	223	1	3	11	22	36	50	87
35-49	308	16.6	262	3	4	11	21	39	56	80
50-64	287	16.6	200	3	4	12	22	36	44	76
65+	285	20.8	329	3	4	16	29	50	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9174	11.2	192	1	2	6	14	28	43	79
B. *Operated*	203	10.3	180	1	1	5	12	26	40	73
2. MULTIPLE DX										
A. *Not Operated*	16070	11.4	170	1	2	7	14	27	40	80
B. *Operated*	1280	18.1	289	2	4	13	24	43	60	99+
1. SINGLE DX	9377	11.2	191	1	2	6	14	28	43	79
2. MULTIPLE DX	17350	11.9	182	2	2	7	15	28	42	83
A. NOT OPERATED	25244	11.3	178	1	2	7	14	28	41	79
B. OPERATED	1483	17.0	281	2	3	11	23	41	58	99+
TOTAL 0-19 YRS	5351	17.1	411	1	2	8	26	54	74	99+
20-34	7748	9.4	112	1	2	6	12	21	31	59
35-49	5946	9.6	104	1	2	6	12	21	30	53
50-64	4152	11.0	122	2	2	7	14	25	33	56
65+	3530	12.5	148	2	3	8	16	28	39	66
GRAND TOTAL	**26727**	**11.7**	**185**	**1**	**2**	**7**	**14**	**28**	**42**	**81**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	8.1	93	1	1	4	12	23	38	99+
20-34	51	8.2	101	1	1	5	9	21	23	58
35-49	26	9.5	171	1	1	6	11	19	39	63
50-64	7	8.6	35	3	3	7	11	18	20	20
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	8	7.9	105	1	2	5	6	25	33	33
20-34	3	2.3		2	2	2	3	3	3	3
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	9.5	110	1	2	6	12	21	29	76
20-34	291	12.0	133	1	2	8	15	27	35	55
35-49	138	12.0	155	2	2	8	16	26	46	67
50-64	91	11.2	109	2	3	8	14	23	28	87
65+	28	9.8	70	2	3	6	14	23	31	32
B. *Operated*										
0-19 YRS	27	6.0	29	1	2	5	6	10	22	25
20-34	16	5.5	18	1	1	5	9	15	71	99+
35-49	11	17.8	552	1	1	13	17	53	80	83
50-64	7	6.9	65	2	2	2	8	21	24	24
65+	4	18.0	237	6	6	13	28	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	8.4	106	1	1	5	10	20	30	72
B. *Operated*	13	6.8	68	1	2	5	6	15	30	33
2. MULTIPLE DX										
A. *Not Operated*	726	11.2	127	1	2	8	14	25	33	65
B. *Operated*	65	8.7	145	1	2	6	9	21	34	97
1. SINGLE DX	138	8.2	102	1	1	5	9	20	31	67
2. MULTIPLE DX	791	11.0	128	1	2	7	14	25	33	68
A. NOT OPERATED	851	10.8	124	1	2	7	14	25	33	64
B. OPERATED	78	8.4	132	1	2	5	9	19	33	95
TOTAL 0-19 YRS	252	8.8	99	1	2	5	11	21	29	87
20-34	361	11.1	126	1	2	7	14	26	34	59
35-49	177	11.9	179	1	2	8	15	26	46	68
50-64	105	10.7	101	2	3	8	14	23	27	83
65+	34	10.4	90	2	3	6	15	26	32	40
GRAND TOTAL	**929**	**10.6**	**125**	**1**	**2**	**7**	**14**	**24**	**33**	**67**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1610	10.5	24	2	3	11	13	16	18	24
20-34	291	8.0	47	1	2	7	11	15	16	35
35-49	167	9.1	64	1	2	8	12	17	24	42
50-64	95	10.1	103	1	1	8	13	19	22	59
65+	50	12.9	61	2	3	14	17	20	26	42
B. *Operated*										
0-19 YRS	175	13.6	37	5	9	12	15	22	27	35
20-34	96	13.6	242	1	2	7	19	34	53	67
35-49	137	12.4	174	1	2	8	15	28	46	60
50-64	87	13.4	182	2	2	10	18	37	43	99+
65+	34	23.6	402	1	3	15	35	56	62	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1315	12.1	37	2	4	12	15	18	21	33
20-34	249	10.0	74	1	2	8	13	20	24	51
35-49	235	13.0	153	2	3	9	17	30	44	78
50-64	225	14.8	160	2	4	12	17	30	45	60
65+	213	20.2	226	3	6	16	26	40	53	71
B. *Operated*										
0-19 YRS	317	18.7	172	6	10	15	22	36	46	99+
20-34	169	22.5	361	3	4	17	32	50	79	99+
35-49	201	18.9	344	2	3	14	27	50	80	99+
50-64	234	21.9	319	2	4	17	32	50	70	99+
65+	156	31.1	442	4	7	28	47	72	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2213	10.1	35	2	3	11	13	16	18	27
B. *Operated*	529	13.9	162	2	3	11	16	30	43	66
2. MULTIPLE DX										
A. *Not Operated*	2237	13.0	90	2	4	12	15	22	30	56
B. *Operated*	1077	21.8	320	3	4	17	30	50	73	99+
1. SINGLE DX	2742	10.8	62	2	3	11	13	17	22	46
2. MULTIPLE DX	3314	15.9	182	2	4	12	19	32	47	90
A. NOT OPERATED	4450	11.5	65	2	3	11	14	19	24	46
B. OPERATED	1606	19.2	282	2	3	14	26	46	65	99+
TOTAL 0-19 YRS	3417	12.0	49	2	4	11	14	18	22	39
20-34	805	12.3	174	2	2	9	15	28	42	81
35-49	740	13.6	201	2	2	9	17	31	49	99+
50-64	641	16.5	231	2	3	12	22	41	52	99+
65+	453	23.4	331	3	5	18	32	55	67	99+
GRAND TOTAL	**6056**	**13.6**	**134**	**2**	**3**	**11**	**16**	**25**	**37**	**75**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	9	12.3	158	<1	<1	6	27	30	30	30
35-49	36	8.0	39	2	3	5	11	15	23	26
50-64	295	11.1	83	2	3	9	13	22	29	43
65+	769	10.8	76	2	3	9	14	21	25	45
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	6.6	13	3	3	5	10	11	11	11
50-64	21	14.3	145	2	3	12	22	24	38	55
65+	37	19.6	377	3	4	13	22	52	72	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.0	241	2	2	7	22	36	36	36
20-34	9	8.3	98	2	2	6	8	24	34	34
35-49	63	10.4	73	2	2	8	14	25	30	31
50-64	698	12.1	112	3	4	9	15	24	30	62
65+	4331	13.1	115	3	4	10	16	27	36	73
B. *Operated*										
0-19 YRS										
20-34	2	36.5	221	26	26	36	47	47	47	47
35-49	4	14.0	85	4	4	13	20	26	26	26
50-64	95	19.8	301	4	5	14	25	44	68	97
65+	573	21.0	231	5	6	18	28	45	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1112	10.8	77	2	3	9	14	21	27	44
B. *Operated*	63	16.8	282	3	3	12	21	30	56	80
2. MULTIPLE DX										
A. *Not Operated*	5105	12.9	114	3	4	10	16	26	35	71
B. *Operated*	674	20.8	240	5	6	17	28	45	64	99+
1. SINGLE DX	1175	11.1	90	2	3	9	14	22	27	48
2. MULTIPLE DX	5779	13.8	136	3	4	10	17	29	38	93
A. NOT OPERATED	6217	12.5	108	3	4	10	16	25	34	65
B. OPERATED	737	20.5	245	4	6	17	27	44	64	99+
TOTAL 0-19 YRS	7	9.7	142	2	2	6	9	31	36	36
20-34	20	13.0	188	<1	1	7	26	32	40	47
35-49	108	9.5	60	2	3	7	13	23	27	31
50-64	1109	12.5	126	3	4	9	16	24	33	67
65+	5710	13.6	130	3	4	10	17	28	38	85
GRAND TOTAL	**6954**	**13.4**	**129**	**3**	**4**	**10**	**17**	**28**	**37**	**80**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	10.7	73	2	2	9	15	20	32	34
20-34	907	8.7	49	1	2	7	12	16	20	38
35-49	1057	9.4	55	1	2	9	13	17	22	38
50-64	362	10.5	68	2	2	9	14	21	26	46
65+	53	9.5	38	2	2	9	14	18	21	97
B. *Operated*										
0-19 YRS	3	6.0	48	2	2	2	11	14	14	14
20-34	182	9.4	93	1	2	6	12	21	25	52
35-49	215	8.4	69	1	2	6	12	16	23	39
50-64	65	12.6	167	2	2	9	15	35	45	59
65+	7	14.1	157	2	2	11	26	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	10.8	254	1	2	7	10	18	51	76
20-34	645	12.2	145	2	3	9	15	24	36	91
35-49	1051	12.0	107	2	3	10	16	23	32	66
50-64	705	13.0	123	3	3	10	17	25	38	96
65+	213	13.7	146	3	4	10	17	31	43	99+
B. *Operated*										
0-19 YRS	2	19.5	365	6	6	19	33	33	33	33
20-34	188	17.0	235	2	3	12	21	42	52	91
35-49	313	18.0	235	3	4	14	25	46	66	99+
50-64	263	17.4	233	3	4	13	23	40	60	99+
65+	79	16.0	195	2	4	14	22	46	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2430	9.3	55	1	2	8	13	17	22	41
B. *Operated*	472	9.4	94	1	2	6	13	20	26	48
2. MULTIPLE DX										
A. *Not Operated*	2638	12.4	125	2	3	10	16	25	35	90
B. *Operated*	845	17.4	230	3	4	13	23	44	61	99+
1. SINGLE DX	2902	9.3	61	1	2	8	13	18	23	44
2. MULTIPLE DX	3483	13.6	155	2	3	10	17	29	43	99+
A. NOT OPERATED	5068	10.9	94	2	3	9	14	21	29	64
B. OPERATED	1317	14.5	196	2	3	11	19	35	51	99+
TOTAL 0-19 YRS	80	10.8	129	1	2	8	14	21	33	65
20-34	1922	10.7	110	1	2	8	14	21	31	69
35-49	2636	11.4	106	2	3	9	15	22	31	71
50-64	1395	13.1	137	2	3	10	17	27	39	87
65+	352	13.6	144	2	4	10	17	30	44	99+
GRAND TOTAL	**6385**	**11.7**	**117**	**2**	**3**	**9**	**15**	**23**	**34**	**76**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2152	3.4	10	1	1	3	4	6	9	16
20-34	1564	3.7	15	1	1	3	5	7	9	16
35-49	802	4.1	14	1	1	3	5	9	11	19
50-64	527	4.6	23	1	1	3	5	9	11	24
65+	402	4.7	14	1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	40	8.0	70	2	2	5	10	16	20	49
20-34	61	7.6	50	2	2	5	10	16	23	37
35-49	34	5.8	17	1	1	5	9	11	14	18
50-64	36	4.9	14	1	2	3	7	10	14	16
65+	9	4.9	14	1	1	4	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1999	4.9	34	1	1	3	6	10	14	33
20-34	2164	6.0	45	1	1	4	7	12	16	34
35-49	1700	6.4	37	1	2	5	8	13	18	32
50-64	2090	7.1	45	1	2	5	9	14	19	36
65+	2414	8.3	67	2	2	6	10	16	23	44
B. *Operated*										
0-19 YRS	107	9.5	87	2	2	7	12	20	29	53
20-34	203	9.3	59	1	2	7	13	20	26	33
35-49	184	12.8	160	2	2	9	18	29	39	98
50-64	243	14.6	218	2	3	10	17	32	53	74
65+	225	16.9	207	3	5	13	22	37	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5447	3.8	14	1	1	3	5	7	10	17
B. *Operated*	180	6.7	40	1	2	5	9	13	18	35
2. MULTIPLE DX										
A. *Not Operated*	10367	6.6	48	1	2	5	8	13	19	36
B. *Operated*	962	13.1	164	2	3	9	17	28	43	75
1. SINGLE DX	5627	3.9	15	1	1	3	5	8	10	18
2. MULTIPLE DX	11329	7.2	61	1	2	5	9	15	21	43
A. NOT OPERATED	15814	5.6	38	1	1	4	7	11	16	32
B. OPERATED	1142	12.1	150	2	2	8	15	26	39	69
TOTAL 0-19 YRS	4298	4.3	25	1	1	3	5	8	12	25
20-34	3992	5.3	36	1	1	4	6	11	15	30
35-49	2720	6.2	42	1	1	4	8	13	18	33
50-64	2896	7.2	61	1	2	5	9	14	20	44
65+	3050	8.4	77	2	2	6	10	18	24	50
GRAND TOTAL	**16956**	**6.1**	**48**	**1**	**1**	**4**	**7**	**13**	**18**	**36**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	840	4.3	36	<1	1	3	5	9	13	44
20-34	1167	5.3	22	1	1	4	7	11	14	25
35-49	911	6.1	40	1	1	4	7	12	16	32
50-64	877	6.6	43	1	2	5	8	14	18	35
65+	1207	8.9	71	2	2	7	11	18	24	48
B. *Operated*										
0-19 YRS	745	5.8	50	1	2	4	7	11	15	41
20-34	776	7.3	58	1	2	5	10	15	21	39
35-49	748	7.0	44	1	2	5	9	15	20	33
50-64	685	8.0	94	1	2	5	10	17	23	60
65+	644	10.3	105	2	2	7	14	23	31	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1391	7.0	116	1	1	4	7	16	41	99+
20-34	1689	8.5	116	1	2	5	9	18	30	91
35-49	1695	9.6	128	2	2	6	11	20	30	80
50-64	2854	11.5	151	2	3	8	14	26	38	81
65+	7663	13.0	154	3	3	9	16	28	41	81
B. *Operated*										
0-19 YRS	1166	9.5	178	1	2	5	10	22	41	98
20-34	1360	11.9	197	1	2	7	15	30	49	99+
35-49	1330	13.7	212	2	2	9	18	33	51	99+
50-64	1772	15.3	243	2	3	10	20	37	56	99+
65+	2945	18.1	264	3	4	14	24	42	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5002	6.4	46	1	1	4	8	13	18	36
B. *Operated*	3598	7.6	71	1	2	5	10	16	23	44
2. MULTIPLE DX										
A. *Not Operated*	15292	11.3	147	2	2	8	14	25	38	87
B. *Operated*	8573	14.7	238	2	2	10	19	36	55	99+
1. SINGLE DX	8600	6.9	56	1	2	5	9	14	21	41
2. MULTIPLE DX	23865	12.5	182	2	2	8	16	29	44	99+
A. NOT OPERATED	20294	10.1	127	1	2	7	12	22	33	78
B. OPERATED	12171	12.6	199	2	2	8	16	31	46	99+
TOTAL 0-19 YRS	4142	7.0	109	1	1	4	7	15	28	99+
20-34	4992	8.5	113	1	2	5	10	19	30	82
35-49	4684	9.7	129	1	2	6	12	22	32	79
50-64	6188	11.5	164	2	2	7	14	27	40	85
65+	12459	13.7	177	2	3	10	17	30	44	91
GRAND TOTAL	**32465**	**11.0**	**155**	**1**	**2**	**7**	**14**	**26**	**39**	**88**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	971	2.9	4	1	1	2	4	5	6	10
20-34	2396	3.5	8	1	1	3	4	7	8	13
35-49	1585	3.9	10	1	1	3	5	7	9	15
50-64	530	4.0	10	1	1	3	5	8	10	16
65+	130	4.9	49	1	1	4	6	8	12	30
B. *Operated*										
0-19 YRS	38	3.9	6	2	2	3	5	7	9	13
20-34	172	4.3	8	1	2	4	5	8	9	16
35-49	160	4.8	13	1	2	4	6	9	12	19
50-64	70	5.3	19	1	2	4	6	11	14	22
65+	19	6.1	21	1	2	5	9	11	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	556	3.5	5	1	1	3	5	7	8	10
20-34	2239	4.8	14	1	2	4	6	9	11	19
35-49	2123	5.4	18	1	2	4	7	10	13	23
50-64	1119	5.4	17	1	2	4	7	10	13	21
65+	391	6.0	21	1	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	33	5.4	13	2	2	5	6	8	13	20
20-34	228	7.2	25	2	2	6	9	13	18	24
35-49	249	8.0	43	2	3	6	9	15	18	36
50-64	156	8.4	44	2	3	7	10	15	19	35
65+	64	7.4	36	2	2	6	10	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5612	3.6	9	1	1	3	4	7	9	14
B. *Operated*	459	4.6	12	1	2	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	6428	5.0	16	1	2	4	6	9	12	21
B. *Operated*	730	7.7	36	2	2	6	9	14	18	35
1. SINGLE DX	6071	3.7	9	1	1	3	5	7	9	14
2. MULTIPLE DX	7158	5.3	19	1	2	4	7	10	13	22
A. NOT OPERATED	12040	4.4	13	1	1	3	5	8	11	19
B. OPERATED	1189	6.5	29	2	2	5	8	13	16	25
TOTAL 0-19 YRS	1598	3.2	5	1	1	3	4	6	7	11
20-34	5035	4.3	12	1	1	3	5	8	10	18
35-49	4117	4.9	17	1	2	4	6	9	12	22
50-64	1875	5.2	18	1	2	4	6	10	13	22
65+	604	5.9	29	1	2	4	8	11	14	23
GRAND TOTAL	**13229**	**4.6**	**15**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	7.3	152	<1	<1	3	5	29	35	35
20-34	65	2.1	2	<1	<1	2	3	4	4	7
35-49	58	3.6	7	<1	<1	3	5	7	8	12
50-64	72	3.2	7	<1	<1	2	4	7	9	13
65+	25	3.4	5	<1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	135	2.1	1	<1	<1	2	2	3	4	6
20-34	2634	2.1	2	<1	<1	2	2	3	4	6
35-49	4490	2.2	2	<1	<1	2	3	3	4	8
50-64	4661	2.3	3	<1	1	2	3	4	4	8
65+	2708	2.5	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	3	<1	<1	2	4	5	6	6
20-34	84	4.0	9	1	1	3	5	8	11	15
35-49	154	4.7	12	<1	1	4	6	9	12	17
50-64	216	4.7	14	1	1	4	6	8	12	19
65+	132	5.3	20	1	1	4	6	11	15	22
B. *Operated*										
0-19 YRS	55	2.7	6	<1	1	2	3	4	7	15
20-34	750	2.9	7	<1	1	2	3	5	8	13
35-49	1714	3.7	14	1	1	2	4	7	11	18
50-64	2733	3.7	13	1	1	3	4	7	10	19
65+	2153	4.1	18	1	1	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.1	10	<1	<1	2	4	6	7	12
B. *Operated*	14628	2.3	2	<1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	594	4.7	14	1	1	4	6	9	12	19
B. *Operated*	7405	3.7	14	1	1	3	4	7	11	19
1. SINGLE DX	14855	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	7999	3.8	14	1	1	3	4	8	11	19
A. NOT OPERATED	821	4.3	14	<1	1	3	5	8	11	18
B. OPERATED	22033	2.7	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	205	2.4	8	<1	1	2	3	4	5	13
20-34	3533	2.3	3	<1	<1	2	3	4	5	9
35-49	6416	2.7	6	<1	1	2	3	4	7	13
50-64	7682	2.9	7	<1	1	2	3	5	7	14
65+	5018	3.3	11	1	1	2	3	6	9	17
GRAND TOTAL	**22854**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	352	7.2	63	1	2	4	8	16	23	45
20-34	914	6.0	49	1	1	4	7	12	18	38
35-49	1006	6.2	56	1	1	4	7	12	17	36
50-64	1014	6.3	42	1	1	5	8	12	17	38
65+	798	7.1	53	1	2	5	9	15	20	36
B. *Operated*										
0-19 YRS	429	3.9	26	1	1	3	4	7	9	25
20-34	2722	4.0	13	1	1	3	5	7	10	18
35-49	3324	4.2	17	1	1	3	5	9	11	19
50-64	3152	4.0	21	1	1	3	4	8	11	24
65+	1399	4.5	24	1	1	3	5	9	12	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	7.6	93	1	2	4	9	18	26	63
20-34	834	7.2	59	1	2	5	9	14	20	52
35-49	1574	7.2	45	1	2	5	9	14	18	37
50-64	2329	8.4	74	2	2	6	10	16	23	49
65+	3264	9.6	87	2	3	7	12	18	25	54
B. *Operated*										
0-19 YRS	239	7.0	126	1	2	4	6	16	36	99+
20-34	1345	6.4	67	1	2	4	8	13	18	73
35-49	2018	7.0	64	1	2	4	8	15	20	44
50-64	2551	8.1	95	2	2	5	10	18	25	62
65+	1752	11.4	154	2	2	8	15	28	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4084	6.4	51	1	1	4	8	13	18	39
B. *Operated*	11026	4.1	19	1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	8211	8.5	74	2	2	6	10	16	22	49
B. *Operated*	7905	8.3	100	2	2	5	10	18	27	74
1. SINGLE DX	15110	4.8	28	1	1	3	5	9	13	27
2. MULTIPLE DX	16116	8.4	86	2	2	6	10	17	25	62
A. NOT OPERATED	12295	7.8	67	1	2	6	10	15	21	46
B. OPERATED	18931	5.9	57	1	2	3	6	12	18	45
TOTAL 0-19 YRS	1230	6.1	70	1	1	3	6	14	21	57
20-34	5815	5.3	40	1	1	4	6	10	15	37
35-49	7922	5.8	41	1	2	4	7	12	16	32
50-64	9046	6.6	62	1	2	4	8	14	20	42
65+	7213	8.8	93	2	2	6	11	19	26	68
GRAND TOTAL	**31226**	**6.6**	**62**	**1**	**2**	**4**	**8**	**14**	**20**	**45**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	10	<1	<1	1	2	8	9	9
20-34	5	3.4	5	<1	<1	4	5	6	6	6
35-49	5	3.6	7	<1	<1	3	4	8	8	8
50-64	18	2.8	7	<1	1	2	3	8	9	9
65+	7	4.3	7	1	1	6	6	7	7	7
B. *Operated*										
0-19 YRS	232	4.6	7	1	2	4	6	8	10	14
20-34	466	4.8	7	2	2	4	6	8	9	15
35-49	521	4.7	7	1	2	4	6	8	9	13
50-64	1738	4.8	7	1	2	4	6	8	9	15
65+	1654	5.0	7	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.4	13	<1	<1	1	5	10	11	11
20-34	12	2.0	2	<1	<1	1	3	4	5	5
35-49	10	2.2	2	<1	<1	2	4	5	5	5
50-64	21	3.8	19	<1	<1	3	4	10	16	16
65+	43	4.6	24	<1	<1	3	5	11	13	27
B. *Operated*										
0-19 YRS	137	5.1	10	2	2	4	6	8	10	20
20-34	304	5.2	10	2	2	4	7	9	12	15
35-49	333	5.5	11	2	2	5	7	9	12	16
50-64	1366	5.4	11	2	2	5	7	9	12	18
65+	1766	5.7	12	2	2	5	7	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.2	7	<1	<1	2	5	7	8	9
B. *Operated*	4611	4.8	7	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	99	3.7	17	<1	<1	2	4	9	13	22
B. *Operated*	3906	5.5	11	2	2	5	7	9	12	18
1. SINGLE DX	4652	4.8	7	1	2	4	6	8	10	15
2. MULTIPLE DX	4005	5.5	12	2	2	5	7	9	12	18
A. NOT OPERATED	140	3.6	14	<1	<1	2	5	8	11	17
B. OPERATED	8517	5.2	9	2	2	4	6	9	11	16
TOTAL 0-19 YRS	388	4.7	8	1	2	4	6	8	10	15
20-34	787	4.9	8	2	2	4	6	8	10	15
35-49	869	5.0	9	1	2	4	6	8	10	15
50-64	3143	5.1	9	2	2	4	6	8	10	16
65+	3470	5.3	10	2	2	5	7	9	11	17
GRAND TOTAL	**8657**	**5.1**	**9**	**2**	**2**	**4**	**6**	**9**	**11**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.0		<1	1	1	1	1	1	1
20-34	6	2.3	2	1	1	2	2	5	5	5
35-49	21	2.1	1	<1	1	2	3	3	4	5
50-64	64	2.3	2	1	1	2	3	4	6	9
65+	114	2.2	2	1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	18	3.3	9	1	1	2	4	5	10	14
20-34	54	3.6	5	1	2	3	4	7	9	12
35-49	210	3.0	5	1	1	2	3	5	7	13
50-64	670	3.2	6	1	1	2	4	6	8	11
65+	1284	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	3	<1	<1	1	3	5	5	5
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	15	2.7	2	<1	1	2	4	5	5	5
50-64	49	3.9	18	1	1	3	4	7	15	22
65+	161	4.2	22	1	1	3	5	7	10	24
B. *Operated*										
0-19 YRS	11	6.8	180	<1	1	3	5	22	45	47
20-34	23	4.3	10	1	2	3	5	10	12	13
35-49	61	4.6	14	1	2	3	6	9	11	23
50-64	378	4.1	11	1	2	3	5	9	11	18
65+	1209	4.7	18	1	2	3	6	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.1	2	1	1	2	3	4	5	8
B. *Operated*	2236	3.2	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	241	3.9	19	1	1	3	5	7	10	22
B. *Operated*	1682	4.6	17	1	2	3	5	9	12	22
1. SINGLE DX	2456	3.1	6	1	1	2	4	6	7	12
2. MULTIPLE DX	1923	4.5	18	1	2	3	5	9	12	22
A. NOT OPERATED	461	3.1	12	1	1	2	4	5	7	17
B. OPERATED	3918	3.8	12	1	1	3	4	7	10	18
TOTAL 0-19 YRS	56	3.1	40	<1	1	2	3	5	6	45
20-34	87	3.6	6	1	1	3	4	7	10	13
35-49	307	3.2	7	1	1	2	4	6	8	14
50-64	1161	3.5	8	1	1	3	4	7	9	16
65+	2768	3.9	13	1	1	3	5	7	10	19
GRAND TOTAL	**4379**	**3.7**	**12**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
20-34	10	2.6	10	1	1	2	2	7	11	11
35-49	16	2.0	2	<1	1	1	3	4	5	6
50-64	27	1.9	2	<1	1	1	3	4	5	5
65+	62	2.7	6	<1	1	2	4	6	9	11
B. *Operated*										
0-19 YRS	45	2.9	5	<1	1	2	4	4	5	15
20-34	59	3.1	5	1	1	3	4	6	7	14
35-49	149	3.3	6	1	1	3	4	6	8	12
50-64	329	3.1	9	1	1	2	3	5	8	16
65+	734	3.3	8	1	1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	2	<1	<1	1	3	4	4	4
20-34	10	6.3	44	1	1	4	8	17	22	22
35-49	31	4.4	17	<1	1	3	6	12	13	13
50-64	53	4.3	22	1	1	2	5	9	12	27
65+	156	5.5	27	1	1	4	6	13	20	94
B. *Operated*										
0-19 YRS	35	4.1	13	2	2	3	5	7	10	21
20-34	89	4.5	14	1	1	3	6	10	14	18
35-49	100	3.9	10	1	1	3	5	8	11	16
50-64	275	4.8	35	1	2	3	5	9	13	36
65+	827	4.7	29	1	2	3	5	9	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.4	5	<1	1	1	3	5	7	11
B. *Operated*	1316	3.2	8	1	1	2	4	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	258	5.0	25	1	1	3	6	12	18	31
B. *Operated*	1326	4.6	27	1	2	3	5	9	12	23
1. SINGLE DX	1437	3.1	8	1	1	2	4	5	8	15
2. MULTIPLE DX	1584	4.7	27	1	2	3	5	9	13	26
A. NOT OPERATED	379	4.2	20	1	1	3	5	10	13	27
B. OPERATED	2642	3.9	18	1	1	3	4	7	11	21
TOTAL 0-19 YRS	94	3.2	8	<1	1	2	4	6	7	18
20-34	168	4.0	13	1	1	3	5	9	11	18
35-49	296	3.5	8	1	1	3	4	7	10	15
50-64	684	3.8	21	1	1	3	4	7	11	24
65+	1779	4.1	20	1	1	3	5	8	11	21
GRAND TOTAL	**3021**	**3.9**	**18**	**1**	**1**	**3**	**4**	**8**	**11**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	1.3		<1	<1	1	2	2	2	2
50-64	52	2.0	4	<1	<1	1	2	3	4	13
65+	196	2.3	3	<1	1	2	3	4	5	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	2499	2.4	1	1	1	2	3	3	4	7
50-64	16015	2.4	1	1	2	2	3	3	4	6
65+	61450	2.6	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	65	1.9	2	<1	<1	1	2	4	5	8
50-64	385	2.4	7	<1	<1	1	3	5	8	14
65+	1544	3.0	21	<1	1	2	3	7	9	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	1292	3.1	6	1	2	2	3	5	7	12
50-64	10769	3.1	6	2	2	2	3	5	6	11
65+	51280	3.3	9	2	2	3	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	2.2	3	<1	<1	2	3	4	5	10
B. *Operated*	79964	2.5	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	1994	2.9	18	<1	1	2	3	6	9	19
B. *Operated*	63341	3.3	8	2	2	3	3	5	7	15
1. SINGLE DX	80222	2.5	1	1	2	2	3	4	4	7
2. MULTIPLE DX	65335	3.2	8	1	2	3	3	5	7	15
A. NOT OPERATED	2252	2.8	16	<1	1	2	3	6	9	19
B. OPERATED	143305	2.9	5	1	2	2	3	4	5	11
TOTAL 0-19 YRS										
20-34										
35-49	3866	2.6	3	1	1	2	3	4	5	9
50-64	27221	2.7	3	1	2	2	3	4	5	9
65+	114470	2.9	5	1	2	2	3	4	6	12
GRAND TOTAL	**145557**	**2.9**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	5	2.2	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	285	2.3	1	1	1	2	3	4	4	6
20-34	212	2.4	2	<1	1	2	3	4	5	8
35-49	307	2.2	1	1	1	2	3	3	4	5
50-64	621	2.4	1	1	1	2	3	3	4	6
65+	812	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.9	2	<1	<1	1	3	4	5	5
20-34	5	1.6	1	1	1	1	2	3	3	3
35-49	6	1.8	1	<1	<1	1	2	4	4	4
50-64	13	3.6	16	<1	1	2	3	12	14	14
65+	25	3.2	13	<1	1	2	4	6	12	17
B. *Operated*										
0-19 YRS	145	2.8	2	1	1	2	3	5	7	8
20-34	184	3.1	3	1	1	3	4	6	7	10
35-49	249	3.0	24	1	2	2	3	4	6	10
50-64	446	3.1	7	1	2	2	3	5	8	14
65+	789	3.0	4	1	2	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	2	3	3	4	4
B. *Operated*	2237	2.3	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	61	2.8	10	<1	<1	2	3	5	11	17
B. *Operated*	1813	3.0	7	1	2	2	3	5	7	12
1. SINGLE DX	2249	2.2	1	<1	1	2	3	3	4	6
2. MULTIPLE DX	1874	3.0	7	1	2	2	3	5	7	12
A. NOT OPERATED	73	2.6	8	<1	<1	2	3	5	10	16
B. OPERATED	4050	2.6	4	1	1	2	3	4	5	10
TOTAL 0-19 YRS	446	2.4	2	1	1	2	3	4	5	7
20-34	403	2.7	2	1	1	2	3	5	6	9
35-49	563	2.6	11	1	1	2	3	4	4	7
50-64	1080	2.7	4	1	1	2	3	4	5	11
65+	1631	2.6	3	<1	1	2	3	4	5	10
GRAND TOTAL	**4123**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	1.9	3	<1	<1	1	2	4	6	9
20-34	43	4.0	8	<1	1	3	5	8	10	13
35-49	26	3.7	6	1	1	3	5	7	9	11
50-64	41	4.4	9	1	1	4	5	8	10	16
65+	54	4.6	6	1	2	4	6	9	9	12
B. *Operated*										
0-19 YRS	5972	1.6		<1	<1	2	2	2	2	3
20-34	1161	1.9	1	1	1	2	2	3	3	4
35-49	586	2.1	1	1	1	2	2	3	3	8
50-64	288	2.2	2	1	1	2	2	3	4	10
65+	198	2.3	3	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	1.4	2	<1	<1	1	1	3	3	8
20-34	63	3.9	19	<1	1	2	5	8	11	27
35-49	61	5.7	29	<1	1	4	8	12	14	33
50-64	156	6.1	19	1	2	5	8	12	15	24
65+	216	6.0	19	1	2	5	8	11	13	27
B. *Operated*										
0-19 YRS	1150	1.8	1	<1	1	2	2	2	3	5
20-34	352	2.1	2	1	1	2	2	3	4	8
35-49	250	2.4	3	1	1	2	2	4	4	13
50-64	238	4.3	56	1	1	2	4	9	13	27
65+	210	4.8	46	2	2	2	5	10	15	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	3.3	7	<1	<1	2	4	7	9	13
B. *Operated*	8205	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	733	4.3	19	<1	<1	3	6	10	13	22
B. *Operated*	2200	2.5	12	1	1	2	2	3	6	15
1. SINGLE DX	8489	1.8	1	<1	1	2	2	2	3	6
2. MULTIPLE DX	2933	2.9	15	<1	1	2	3	6	9	17
A. NOT OPERATED	1017	4.0	16	<1	<1	3	5	9	12	18
B. OPERATED	10405	1.9	3	<1	1	2	2	2	3	7
TOTAL 0-19 YRS	7479	1.7	1	<1	<1	2	2	2	2	4
20-34	1619	2.1	2	1	1	2	2	3	4	8
35-49	923	2.4	4	1	1	2	2	4	5	12
50-64	723	3.9	26	1	1	2	4	8	12	20
65+	678	4.4	24	1	2	3	5	9	12	25
GRAND TOTAL	**11422**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**3**	**4**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	781	2.1	4	<1	<1	1	3	5	6	9
20-34	170	3.3	11	<1	<1	2	4	7	9	16
35-49	109	3.6	11	<1	<1	3	5	8	12	15
50-64	129	4.3	24	<1	<1	3	5	9	14	27
65+	234	5.3	22	<1	1	4	6	11	15	25
B. *Operated*										
0-19 YRS	833	1.7	1	<1	<1	1	2	3	3	6
20-34	897	2.4	3	<1	<1	2	3	4	5	8
35-49	1244	2.1	2	<1	<1	2	2	3	4	7
50-64	1847	2.2	2	<1	<1	2	3	4	5	8
65+	2767	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	598	3.6	6	<1	1	3	5	7	8	12
20-34	179	4.0	13	<1	<1	3	5	8	11	19
35-49	152	4.5	13	<1	1	4	6	9	13	17
50-64	203	5.3	28	<1	1	4	7	10	13	27
65+	484	6.5	33	1	1	5	8	14	17	32
B. *Operated*										
0-19 YRS	308	2.8	9	<1	1	2	3	5	7	13
20-34	438	3.2	6	1	1	2	4	6	8	16
35-49	889	3.2	15	1	1	2	3	5	8	17
50-64	1974	3.2	10	1	1	2	3	5	7	17
65+	3409	3.6	14	1	1	3	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1423	3.1	11	<1	<1	2	4	6	9	17
B. *Operated*	7588	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1616	4.8	20	<1	1	4	6	10	13	22
B. *Operated*	7018	3.4	13	1	1	2	4	6	8	18
1. SINGLE DX	9011	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	8634	3.7	14	1	1	3	4	7	10	18
A. NOT OPERATED	3039	4.0	17	<1	<1	3	5	8	12	19
B. OPERATED	14606	2.8	8	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	2520	2.4	5	<1	<1	2	3	5	6	10
20-34	1684	2.9	6	<1	<1	2	3	5	7	13
35-49	2394	2.7	8	<1	<1	2	3	5	7	14
50-64	4153	2.9	9	<1	1	2	3	5	7	15
65+	6894	3.4	13	1	1	2	4	6	9	18
GRAND TOTAL	**17645**	**3.0**	**9**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1256	3.9	6	1	2	3	5	7	8	12
20-34	370	4.5	16	1	1	4	5	9	11	21
35-49	203	4.5	14	1	1	4	6	9	13	19
50-64	215	4.5	13	1	1	4	6	8	10	21
65+	309	4.7	12	1	1	4	6	9	11	18
B. *Operated*										
0-19 YRS	196	3.0	5	<1	1	2	4	6	8	13
20-34	258	3.3	7	1	1	3	4	6	8	13
35-49	330	3.1	7	1	1	2	3	6	8	14
50-64	1168	2.8	5	1	1	2	3	5	7	12
65+	3198	2.7	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1013	4.7	11	1	2	4	6	8	10	14
20-34	322	5.1	12	1	2	4	7	10	12	17
35-49	311	5.4	18	1	1	4	7	11	13	23
50-64	512	5.6	21	1	2	4	7	10	13	24
65+	772	6.3	32	1	2	5	8	13	15	25
B. *Operated*										
0-19 YRS	285	5.2	20	1	2	4	6	10	13	24
20-34	422	5.1	42	1	2	4	6	9	12	35
35-49	458	5.2	25	1	2	4	6	12	14	29
50-64	1401	4.7	29	1	2	3	5	10	14	28
65+	3475	4.3	23	1	2	3	5	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2353	4.2	10	1	1	3	5	8	10	16
B. *Operated*	5150	2.8	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	2930	5.4	20	1	2	4	7	10	13	21
B. *Operated*	6041	4.6	26	1	2	3	5	9	13	25
1. SINGLE DX	7503	3.2	7	1	1	2	4	6	8	13
2. MULTIPLE DX	8971	4.8	24	1	2	3	6	9	13	24
A. NOT OPERATED	5283	4.9	16	1	2	4	6	9	11	19
B. OPERATED	11191	3.7	17	1	1	2	4	7	10	20
TOTAL 0-19 YRS	2750	4.2	10	1	2	4	5	8	10	14
20-34	1372	4.6	22	1	1	3	5	9	11	21
35-49	1302	4.6	18	1	1	3	6	9	13	22
50-64	3296	4.2	19	1	1	3	5	8	11	21
65+	7754	3.8	17	1	2	3	4	8	11	20
GRAND TOTAL	**16474**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.7	4	1	1	2	4	5	7	9
20-34	68	3.0	4	<1	1	3	4	6	7	10
35-49	75	3.9	7	<1	1	3	5	7	9	13
50-64	75	3.7	5	1	1	3	5	7	8	10
65+	53	4.1	7	1	2	3	6	7	8	16
B. *Operated*										
0-19 YRS	42	2.0	2	<1	<1	2	2	4	5	8
20-34	51	2.6	2	<1	1	2	3	4	5	9
35-49	43	2.8	2	1	1	2	3	4	6	9
50-64	85	3.4	6	1	2	2	4	6	8	14
65+	84	3.3	7	1	2	2	4	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	2.8	4	<1	1	2	4	6	7	10
20-34	138	5.1	29	1	1	4	6	11	13	35
35-49	156	5.0	17	1	1	4	6	9	12	26
50-64	239	5.6	20	1	2	4	7	11	16	24
65+	322	6.4	31	1	2	5	8	12	17	29
B. *Operated*										
0-19 YRS	72	2.5	3	1	1	2	3	4	7	9
20-34	105	4.5	17	1	2	3	5	10	14	22
35-49	105	4.9	37	1	1	3	6	9	12	36
50-64	197	5.2	20	1	2	4	7	11	15	22
65+	244	5.5	30	1	2	3	7	13	18	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	3.5	6	1	1	3	5	7	8	11
B. *Operated*	305	3.0	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	964	5.4	24	1	1	4	7	11	14	26
B. *Operated*	723	4.9	24	1	2	3	6	10	15	29
1. SINGLE DX	641	3.2	5	1	1	2	4	6	8	12
2. MULTIPLE DX	1687	5.2	24	1	1	4	6	11	14	28
A. NOT OPERATED	1300	4.9	20	1	1	4	6	10	13	25
B. OPERATED	1028	4.3	19	1	1	3	5	9	13	24
TOTAL 0-19 YRS	288	2.6	4	1	1	2	3	5	7	9
20-34	362	4.2	18	1	1	3	5	8	12	24
35-49	379	4.5	19	1	1	3	6	8	11	27
50-64	596	4.9	17	1	2	4	6	10	13	22
65+	703	5.5	27	1	2	4	7	11	16	30
GRAND TOTAL	**2328**	**4.6**	**20**	**1**	**1**	**3**	**6**	**9**	**13**	**24**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3222	2.9	4	<1	1	3	4	5	6	10
20-34	131	2.6	4	<1	<1	2	4	6	7	9
35-49	66	3.9	15	<1	<1	3	5	7	9	24
50-64	33	3.9	11	<1	<1	3	5	8	12	14
65+	32	4.3	7	1	1	4	6	7	10	13
B. *Operated*										
0-19 YRS	14765	1.2		<1	<1	<1	1	2	2	3
20-34	1174	2.1	1	<1	1	2	2	3	4	7
35-49	1040	2.1	1	1	1	2	2	3	4	5
50-64	1019	2.2	1	1	1	2	3	3	4	6
65+	383	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8879	3.5	6	1	1	3	4	6	8	13
20-34	318	4.1	15	<1	<1	3	5	8	10	20
35-49	193	5.0	16	<1	1	4	7	9	13	26
50-64	217	5.4	11	1	2	5	7	10	12	17
65+	243	7.1	31	1	2	6	9	13	18	32
B. *Operated*										
0-19 YRS	9955	1.7	2	<1	<1	1	2	2	3	8
20-34	1317	2.5	4	1	1	2	3	4	5	10
35-49	1112	2.8	6	1	1	2	3	4	6	13
50-64	1232	3.0	7	1	2	2	3	5	7	15
65+	544	3.9	24	1	2	3	4	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3484	2.9	4	<1	1	3	4	5	7	10
B. *Operated*	18381	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	9850	3.7	8	1	1	3	5	7	9	14
B. *Operated*	14160	2.0	4	<1	<1	2	2	3	4	11
1. SINGLE DX	21865	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	24010	2.7	7	<1	<1	2	3	5	7	13
A. NOT OPERATED	13334	3.5	7	1	1	3	4	6	8	13
B. OPERATED	32541	1.7	2	<1	<1	1	2	3	3	8
TOTAL 0-19 YRS	36821	2.0	4	<1	<1	1	2	4	5	9
20-34	2940	2.5	4	<1	1	2	3	4	6	10
35-49	2411	2.7	5	1	1	2	3	4	6	12
50-64	2501	2.9	6	1	1	2	3	5	7	13
65+	1202	4.0	21	1	1	3	4	8	12	23
GRAND TOTAL	**45875**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	406	3.6	7	<1	1	3	5	7	9	12
20-34	295	3.3	6	<1	<1	3	4	6	8	13
35-49	131	4.3	8	<1	1	4	6	7	9	15
50-64	78	4.7	17	<1	<1	4	6	9	11	25
65+	55	7.2	64	<1	2	4	8	14	21	49
B. *Operated*										
0-19 YRS	1419	1.7	6	<1	<1	1	2	3	4	10
20-34	256	2.9	8	<1	1	2	3	5	8	14
35-49	188	3.0	5	1	1	2	3	5	6	11
50-64	184	3.1	9	1	1	2	3	5	7	21
65+	97	4.3	22	<1	1	2	4	11	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	763	3.8	7	1	1	3	5	7	8	13
20-34	259	4.9	13	<1	1	4	6	9	12	18
35-49	176	4.9	11	<1	1	4	6	9	12	17
50-64	204	7.0	43	1	2	5	8	13	17	42
65+	204	10.8	143	2	3	7	12	20	32	67
B. *Operated*										
0-19 YRS	1367	2.3	8	<1	<1	2	2	4	6	15
20-34	326	3.7	9	1	1	3	4	7	9	16
35-49	248	4.1	44	1	1	3	4	7	13	23
50-64	322	5.5	56	1	2	3	5	11	20	49
65+	206	10.5	161	1	2	5	13	29	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	3.9	12	<1	<1	3	5	8	9	16
B. *Operated*	2144	2.2	7	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1606	5.4	35	<1	1	4	6	10	14	29
B. *Operated*	2469	3.8	36	<1	1	2	3	7	12	35
1. SINGLE DX	3109	2.7	9	<1	<1	2	3	6	8	14
2. MULTIPLE DX	4075	4.4	36	<1	1	3	5	9	13	32
A. NOT OPERATED	2571	4.8	27	<1	1	4	6	9	12	24
B. OPERATED	4613	3.0	23	<1	<1	2	3	6	9	26
TOTAL 0-19 YRS	3955	2.5	7	<1	<1	2	3	5	7	13
20-34	1136	3.7	10	<1	<1	3	5	7	9	16
35-49	743	4.0	20	<1	1	3	5	7	10	19
50-64	788	5.2	40	1	1	3	6	10	14	41
65+	562	9.2	127	1	2	5	10	21	34	62
GRAND TOTAL	**7184**	**3.7**	**25**	**<1**	**<1**	**2**	**4**	**7**	**10**	**26**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	3.7	6	1	1	3	4	7	8	14
20-34	634	3.8	9	1	1	3	5	7	9	14
35-49	1010	3.9	8	1	1	3	5	7	9	13
50-64	1408	3.7	7	1	1	3	5	7	8	14
65+	1399	4.2	9	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	20	2.6	1	1	2	2	3	4	5	6
20-34	182	3.1	2	1	2	3	4	5	6	8
35-49	270	3.7	5	1	2	3	4	6	9	11
50-64	346	4.1	8	2	2	3	5	7	9	14
65+	167	4.6	9	2	2	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	3.9	6	1	1	3	5	7	8	13
20-34	662	4.5	9	1	2	4	6	8	10	15
35-49	1398	4.9	13	1	2	4	6	9	11	17
50-64	3043	5.0	12	1	2	4	6	9	11	17
65+	5293	5.7	17	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	22	4.6	41	<1	1	3	4	8	19	31
20-34	73	6.9	30	2	2	6	9	14	19	27
35-49	160	6.7	23	1	2	6	9	13	16	24
50-64	343	8.1	37	2	3	6	10	16	19	34
65+	417	9.1	50	2	3	7	12	17	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4569	3.9	8	1	1	3	5	7	9	14
B. *Operated*	985	3.9	6	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	10497	5.3	15	1	2	4	7	10	12	19
B. *Operated*	1015	8.1	41	2	2	7	10	16	19	34
1. SINGLE DX	5554	3.9	8	1	1	3	5	7	9	14
2. MULTIPLE DX	11512	5.6	18	1	2	4	7	10	13	20
A. NOT OPERATED	15066	4.9	13	1	2	4	6	9	11	18
B. OPERATED	2000	6.0	28	2	2	4	8	12	16	27
TOTAL 0-19 YRS	261	3.8	9	1	1	3	4	7	8	15
20-34	1551	4.2	10	1	1	3	5	8	10	15
35-49	2838	4.5	12	1	2	4	6	8	10	16
50-64	5140	4.8	13	1	2	4	6	9	11	18
65+	7276	5.6	18	1	2	4	7	11	13	21
GRAND TOTAL	**17066**	**5.0**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	1.3		<1	<1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	11	2.5	4	<1	<1	2	4	6	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	105	2.3	1	1	1	2	3	3	4	5
20-34	857	2.3	1	1	1	2	3	3	4	5
35-49	1256	2.4	1	1	1	2	3	3	4	6
50-64	1309	2.4	1	1	1	2	3	3	4	5
65+	573	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	10	1.2		<1	<1	1	1	2	2	2
35-49	8	2.3	4	1	1	2	3	6	7	7
50-64	19	4.7	104	<1	<1	2	3	7	29	46
65+	10	4.1	8	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	23	2.4	1	1	1	2	3	4	4	4
20-34	184	2.7	2	1	1	3	3	4	5	10
35-49	294	2.8	2	1	2	3	3	4	5	7
50-64	390	2.8	4	1	2	3	3	4	5	11
65+	216	2.9	2	1	2	3	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	4100	2.4	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	49	3.3	43	<1	<1	1	3	7	8	46
B. *Operated*	1107	2.8	3	1	2	3	3	4	5	10
1. SINGLE DX	4128	2.4	1	1	1	2	3	3	4	6
2. MULTIPLE DX	1156	2.8	5	1	1	3	3	4	5	10
A. NOT OPERATED	77	2.8	29	<1	<1	1	3	6	8	36
B. OPERATED	5207	2.5	1	1	1	2	3	3	4	6
TOTAL 0-19 YRS	131	2.3	1	1	1	2	3	3	4	5
20-34	1063	2.4	1	1	1	2	3	3	4	6
35-49	1560	2.5	1	1	1	2	3	4	4	6
50-64	1729	2.5	3	1	1	2	3	3	4	6
65+	801	2.6	2	1	1	2	3	4	5	8
GRAND TOTAL	**5284**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.6	6	<1	<1	2	3	6	8	13
20-34	135	3.2	11	<1	<1	2	4	6	8	15
35-49	148	3.5	5	<1	1	3	5	6	8	10
50-64	160	3.9	8	1	1	3	5	7	9	14
65+	80	4.5	11	<1	1	4	6	8	12	15
B. *Operated*										
0-19 YRS	2673	1.9	2	<1	<1	2	2	3	3	5
20-34	1817	2.2	2	1	1	2	3	3	4	7
35-49	1297	2.3	3	1	1	2	3	3	4	7
50-64	1109	2.3	1	1	1	2	3	3	4	7
65+	463	2.4	3	1	1	2	3	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	2.9	8	<1	<1	2	3	6	10	14
20-34	154	3.6	12	<1	<1	3	4	7	10	20
35-49	136	4.2	9	<1	1	4	6	8	10	14
50-64	242	5.5	25	1	1	4	7	11	15	21
65+	288	6.3	23	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	1808	2.0	1	<1	1	2	2	3	3	7
20-34	1201	2.4	2	1	1	2	3	3	4	9
35-49	1061	2.7	7	1	1	2	3	4	6	13
50-64	1083	3.2	14	1	1	2	3	5	8	17
65+	536	3.5	21	1	1	2	3	5	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	3.5	8	<1	1	3	4	7	8	13
B. *Operated*	7359	2.1	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	959	4.9	19	<1	1	4	6	10	13	20
B. *Operated*	5689	2.6	7	1	1	2	3	4	5	13
1. SINGLE DX	7984	2.2	3	<1	1	2	3	3	4	8
2. MULTIPLE DX	6648	2.9	10	1	1	2	3	5	8	16
A. NOT OPERATED	1584	4.3	15	<1	1	3	6	9	11	19
B. OPERATED	13048	2.3	4	<1	1	2	3	3	4	10
TOTAL 0-19 YRS	4722	2.0	2	<1	1	2	2	3	3	7
20-34	3307	2.4	3	1	1	2	3	4	5	9
35-49	2642	2.6	5	1	1	2	3	4	6	11
50-64	2594	3.1	10	1	1	2	3	5	8	16
65+	1367	3.8	17	1	1	3	4	8	10	19
GRAND TOTAL	**14632**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	6.4	26	2	2	5	8	13	15	29
20-34	78	7.1	30	2	2	6	8	14	18	28
35-49	27	6.4	20	2	2	6	8	11	17	22
50-64	10	6.7	14	3	3	5	10	12	14	14
65+	21	8.7	30	2	3	7	12	18	20	22
B. *Operated*										
0-19 YRS										
20-34	4	10.0	36	5	5	9	15	17	17	17
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	7.6	59	2	2	2	15	17	17	17
65+	3	31.7	1166	2	2	24	58	69	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	7.9	60	2	2	5	11	15	19	47
20-34	85	9.4	80	2	3	6	10	21	27	45
35-49	105	7.4	31	1	2	6	9	15	20	27
50-64	147	9.1	65	2	2	7	10	19	27	45
65+	167	10.5	92	3	3	8	14	20	27	71
B. *Operated*										
0-19 YRS	6	8.3	19	2	2	8	13	13	13	13
20-34	22	13.9	100	2	4	12	16	25	39	45
35-49	31	9.9	89	2	2	7	13	27	33	34
50-64	69	15.4	149	2	2	13	21	33	38	54
65+	56	16.7	200	2	2	13	22	33	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	6.7	27	2	2	5	8	13	16	27
B. *Operated*	13	13.8	329	2	2	6	17	33	62	69
2. MULTIPLE DX										
A. *Not Operated*	614	9.0	69	2	3	6	11	18	24	45
B. *Operated*	184	14.5	149	2	2	12	20	32	37	77
1. SINGLE DX	381	6.9	38	2	2	5	8	14	17	28
2. MULTIPLE DX	798	10.3	92	2	2	7	13	21	30	47
A. NOT OPERATED	982	8.1	54	2	2	6	10	16	21	41
B. OPERATED	197	14.4	159	2	2	12	20	32	37	79
TOTAL 0-19 YRS	348	6.9	37	2	2	5	8	14	16	38
20-34	189	9.0	64	2	3	7	11	18	25	45
35-49	164	7.7	41	2	2	6	9	16	21	33
50-64	231	10.8	96	2	2	8	14	25	32	45
65+	247	12.0	131	2	3	9	16	24	33	88
GRAND TOTAL	**1179**	**9.2**	**77**	**2**	**2**	**7**	**11**	**19**	**26**	**45**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	6.0	135	1	1	3	4	9	29	59
20-34	80	4.5	12	1	2	4	6	8	10	21
35-49	111	4.0	7	1	1	3	5	7	9	14
50-64	100	5.0	14	1	2	4	6	10	12	21
65+	86	6.7	18	2	3	6	8	12	14	23
B. *Operated*										
0-19 YRS	26	5.4	53	1	1	2	5	19	23	25
20-34	129	7.7	71	2	2	7	11	14	17	43
35-49	295	7.0	31	1	2	5	11	15	17	21
50-64	468	7.5	45	2	2	4	12	17	19	31
65+	186	9.4	82	2	2	5	15	20	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	6.2	102	2	2	4	7	9	13	72
20-34	278	6.0	38	1	2	4	7	11	16	34
35-49	679	5.9	20	1	2	5	7	11	14	22
50-64	1223	7.5	40	2	2	6	10	14	18	31
65+	1707	9.9	69	2	3	8	12	19	25	42
B. *Operated*										
0-19 YRS	34	10.2	110	2	2	8	12	23	37	44
20-34	200	10.8	126	2	2	8	14	24	31	60
35-49	701	9.9	85	2	2	9	14	20	25	41
50-64	1709	12.6	142	2	2	11	17	26	34	67
65+	1198	14.8	178	2	2	12	21	31	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	5.1	21	1	2	4	6	9	12	21
B. *Operated*	1104	7.7	51	2	2	4	12	17	19	32
2. MULTIPLE DX										
A. *Not Operated*	3948	8.1	53	2	2	6	10	16	21	37
B. *Operated*	3842	12.7	145	2	2	11	17	27	35	64
1. SINGLE DX	1506	7.0	44	1	2	4	11	15	19	29
2. MULTIPLE DX	7790	10.4	103	2	2	8	14	22	29	52
A. NOT OPERATED	4350	7.9	50	2	2	6	10	15	20	37
B. OPERATED	4946	11.6	128	2	2	10	16	24	32	60
TOTAL 0-19 YRS	146	7.0	102	1	2	4	8	14	23	60
20-34	687	7.5	72	1	2	5	10	15	22	40
35-49	1786	7.5	51	2	2	5	10	16	19	34
50-64	3500	9.9	97	2	2	7	14	21	28	49
65+	3177	11.6	116	2	2	9	15	24	32	56
GRAND TOTAL	**9296**	**9.8**	**95**	**2**	**2**	**7**	**13**	**21**	**28**	**49**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	3.9	8	1	1	3	5	7	9	17
20-34	842	4.1	7	1	1	4	5	7	9	15
35-49	2010	4.6	10	1	2	4	6	8	10	16
50-64	2293	4.7	12	1	1	4	6	9	11	17
65+	1780	5.1	25	<1	1	4	6	10	13	20
B. *Operated*										
0-19 YRS	52	4.0	33	1	1	3	4	7	8	40
20-34	147	4.3	28	1	1	3	5	8	12	37
35-49	170	5.1	19	1	1	4	6	11	13	22
50-64	231	5.5	31	1	2	4	7	12	14	38
65+	107	6.1	47	1	2	4	7	13	17	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	4.6	9	1	1	4	6	8	10	14
20-34	2229	5.3	15	1	2	4	7	9	12	21
35-49	7387	5.8	17	2	2	5	7	11	13	21
50-64	12422	6.4	26	2	2	5	8	12	15	26
65+	14989	7.5	41	2	2	6	9	14	18	33
B. *Operated*										
0-19 YRS	60	8.8	126	2	2	5	11	17	22	75
20-34	416	6.8	40	1	2	5	9	13	17	34
35-49	1239	9.0	57	2	2	7	12	18	23	41
50-64	2102	9.5	69	2	2	7	12	19	24	43
65+	1920	12.5	118	2	3	10	16	25	33	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7132	4.7	14	1	1	4	6	8	11	18
B. *Operated*	707	5.1	30	1	2	3	6	11	13	32
2. MULTIPLE DX										
A. *Not Operated*	37334	6.6	30	2	2	5	8	12	16	28
B. *Operated*	5737	10.2	84	2	2	8	13	20	26	50
1. SINGLE DX	7839	4.7	16	1	1	4	6	9	11	18
2. MULTIPLE DX	43071	7.1	39	2	2	5	9	13	18	31
A. NOT OPERATED	44466	6.3	28	2	2	5	8	12	15	27
B. OPERATED	6444	9.6	81	2	2	7	12	20	25	48
TOTAL 0-19 YRS	626	4.7	24	1	1	4	6	8	11	22
20-34	3634	5.2	17	1	2	4	6	9	12	21
35-49	10806	5.9	22	2	2	5	7	11	14	23
50-64	17048	6.6	31	2	2	5	8	12	16	27
65+	18796	7.8	50	2	2	6	9	15	20	37
GRAND TOTAL	**50910**	**6.7**	**36**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.1	24	2	2	5	8	15	16	16
20-34	56	4.6	8	2	2	4	6	9	10	14
35-49	221	5.9	16	2	2	5	7	10	12	21
50-64	502	5.6	14	2	2	5	7	10	13	18
65+	832	7.0	22	2	3	6	9	13	15	23
B. *Operated*										
0-19 YRS										
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49	33	5.5	26	2	2	2	10	13	14	20
50-64	89	4.1	27	1	2	2	4	8	14	31
65+	40	6.0	39	1	2	4	8	11	17	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	8.7	53	2	3	6	10	23	25	27
20-34	194	7.4	30	2	3	6	9	14	18	32
35-49	1438	7.7	31	2	3	6	9	14	18	29
50-64	4963	8.1	36	2	3	7	10	15	19	32
65+	12835	10.2	73	3	3	8	12	19	26	49
B. *Operated*										
0-19 YRS	2	13.5	181	4	4	13	23	23	23	23
20-34	31	8.0	23	2	2	8	12	14	17	19
35-49	255	8.7	45	2	2	7	12	18	22	31
50-64	860	11.0	101	2	2	8	14	24	30	52
65+	1563	15.9	164	2	4	13	20	32	43	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1618	6.3	19	2	2	5	8	11	14	21
B. *Operated*	165	4.8	30	1	2	2	6	12	14	33
2. MULTIPLE DX										
A. *Not Operated*	19450	9.4	61	3	3	7	11	18	23	44
B. *Operated*	2711	13.6	139	2	2	11	18	28	38	68
1. SINGLE DX	1783	6.2	20	2	2	5	8	11	14	21
2. MULTIPLE DX	22161	9.9	73	2	3	8	12	19	26	48
A. NOT OPERATED	21068	9.2	59	2	3	7	11	17	23	43
B. OPERATED	2876	13.1	137	2	2	10	17	27	37	67
TOTAL 0-19 YRS	29	8.4	51	2	3	5	10	23	24	27
20-34	284	6.9	26	2	2	6	8	13	17	27
35-49	1947	7.6	31	2	3	6	9	14	18	28
50-64	6414	8.3	45	2	3	7	10	15	20	37
65+	15270	10.6	83	3	3	8	13	20	27	53
GRAND TOTAL	**23944**	**9.7**	**70**	**2**	**3**	**7**	**12**	**18**	**25**	**47**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	5	1	1	3	6	7	7	7
20-34	47	4.4	11	<1	1	3	7	8	10	17
35-49	76	6.7	20	2	2	5	9	14	15	21
50-64	97	7.8	37	1	2	7	10	17	20	31
65+	143	8.3	42	1	2	7	11	16	22	29
B. *Operated*										
0-19 YRS	18	4.2	10	1	1	3	6	9	11	12
20-34	66	6.5	40	1	1	4	9	13	17	37
35-49	120	9.8	119	2	2	7	12	23	32	54
50-64	148	8.9	87	2	2	5	13	19	25	48
65+	102	8.3	74	1	2	6	11	17	21	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	6.3	44	1	2	4	8	11	21	36
20-34	106	5.9	23	1	1	5	8	12	18	21
35-49	285	8.1	38	2	2	7	10	16	18	33
50-64	705	9.4	55	2	3	7	12	18	24	36
65+	1616	11.9	108	2	3	9	15	24	32	55
B. *Operated*										
0-19 YRS	49	11.8	94	2	2	9	16	25	35	41
20-34	264	10.7	105	1	1	8	15	24	31	41
35-49	402	12.5	116	2	2	10	17	28	37	56
50-64	872	13.3	167	2	2	10	17	29	43	79
65+	871	16.8	212	2	3	13	23	36	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	7.1	33	1	2	6	9	15	18	29
B. *Operated*	454	8.4	84	1	2	5	11	18	25	48
2. MULTIPLE DX										
A. *Not Operated*	2756	10.5	86	2	3	8	13	21	28	50
B. *Operated*	2458	14.1	171	2	2	11	19	31	42	79
1. SINGLE DX	836	7.8	61	1	2	5	10	16	22	41
2. MULTIPLE DX	5214	12.2	129	2	3	9	16	26	36	62
A. NOT OPERATED	3138	10.1	81	2	3	8	13	20	27	49
B. OPERATED	2912	13.2	162	2	2	10	18	29	41	73
TOTAL 0-19 YRS	130	7.7	63	1	2	5	10	17	26	39
20-34	483	8.4	75	1	1	6	11	19	25	40
35-49	883	10.2	87	2	2	8	13	21	30	49
50-64	1822	11.2	115	2	2	8	14	23	31	61
65+	2732	13.1	144	2	3	10	17	28	38	69
GRAND TOTAL	**6050**	**11.6**	**122**	**2**	**2**	**9**	**15**	**25**	**34**	**60**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	9.4	17	2	4	10	12	14	15	16
20-34	275	10.7	16	3	6	11	13	16	17	20
35-49	3300	11.0	18	4	6	11	13	16	18	23
50-64	7664	11.7	20	5	7	11	14	17	19	26
65+	6761	12.4	25	5	7	12	15	18	21	28
B. *Operated*										
0-19 YRS	3	6.0	48	2	2	2	11	14	14	14
20-34	65	9.9	41	2	2	10	13	18	19	36
35-49	460	11.4	45	2	2	11	14	18	21	30
50-64	955	[illegible]	39	2	2	12	15	19	23	31
65+	450	[illegible]	53	2	5	14	18	23	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	14.0	48	4	7	13	18	27	30	91
20-34	458	11.1	27	3	5	11	14	17	19	28
35-49	6919	11.7	25	4	6	11	14	18	20	27
50-64	24647	12.8	34	5	7	12	15	19	22	33
65+	40062	14.3	56	6	7	13	17	22	27	42
B. *Operated*										
0-19 YRS	16	17.5	241	1	2	14	23	49	52	52
20-34	168	12.5	99	2	2	11	16	27	30	78
35-49	2099	12.8	72	2	2	12	16	22	28	42
50-64	5944	15.5	98	2	5	14	19	26	33	55
65+	6207	20.1	148	6	9	17	25	35	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18016	11.8	22	5	7	12	14	17	20	26
B. *Operated*	1933	12.2	45	2	2	12	15	20	24	32
2. MULTIPLE DX										
A. *Not Operated*	72148	13.5	47	5	7	12	16	21	25	38
B. *Operated*	14434	17.0	124	2	6	15	21	30	38	65
1. SINGLE DX	19949	11.9	24	4	6	12	14	17	20	27
2. MULTIPLE DX	86582	14.1	61	5	7	13	17	22	28	44
A. NOT OPERATED	90164	13.2	42	5	7	12	15	20	24	37
B. OPERATED	16367	16.5	117	2	6	14	20	29	37	62
TOTAL 0-19 YRS	97	13.6	79	2	4	12	17	25	30	77
20-34	966	11.2	37	2	4	11	14	18	20	32
35-49	12778	11.7	32	3	5	11	14	18	21	30
50-64	39210	13.0	43	4	7	12	15	20	24	36
65+	53480	14.8	67	6	7	13	17	24	29	48
GRAND TOTAL	**106531**	**13.7**	**55**	**5**	**7**	**12**	**16**	**21**	**26**	**42**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.6	11	<1	<1	3	5	9	12	12
20-34	205	3.8	6	1	1	3	5	7	9	11
35-49	1823	4.2	9	1	1	3	6	8	9	15
50-64	3383	4.3	9	1	2	4	5	8	9	15
65+	3117	4.7	12	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	38	3.0	3	2	2	2	4	5	8	8
35-49	466	3.6	11	1	2	2	4	8	10	17
50-64	967	3.6	12	1	1	2	4	8	12	17
65+	278	5.0	32	1	1	3	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	6.0	28	2	2	4	6	12	17	28
20-34	594	5.2	14	1	2	4	7	10	12	18
35-49	6550	5.2	13	1	2	4	7	9	11	17
50-64	19711	5.6	15	2	2	5	7	10	13	20
65+	29492	6.5	24	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	15	10.5	44	2	3	9	16	18	22	23
20-34	190	6.0	23	2	2	4	9	12	16	20
35-49	3271	6.4	34	2	2	4	10	14	17	26
50-64	10476	7.3	48	2	2	5	11	16	19	30
65+	5794	9.8	80	2	2	8	14	20	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8539	4.4	10	1	2	4	6	8	10	16
B. *Operated*	1751	3.8	15	1	2	2	4	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	56396	6.0	20	2	2	5	8	11	14	22
B. *Operated*	19746	7.9	56	2	2	5	12	17	21	34
1. SINGLE DX	10290	4.3	11	1	2	3	6	8	10	16
2. MULTIPLE DX	76142	6.5	30	2	2	5	8	13	16	27
A. NOT OPERATED	64935	5.8	19	2	2	5	7	11	13	21
B. OPERATED	21497	7.6	54	2	2	5	11	16	21	34
TOTAL 0-19 YRS	77	6.4	32	1	2	4	8	15	18	27
20-34	1027	5.0	14	1	2	4	7	10	12	18
35-49	12110	5.3	18	1	2	4	7	11	13	20
50-64	34537	5.9	25	1	2	4	8	12	15	24
65+	38681	6.9	33	2	2	5	9	13	17	29
GRAND TOTAL	**86432**	**6.3**	**28**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.6	20	2	2	5	8	14	16	16
20-34	91	5.1	12	1	2	4	7	10	13	16
35-49	962	5.1	10	1	2	4	7	9	11	16
50-64	2665	5.5	11	2	2	5	7	10	12	17
65+	2663	6.2	17	2	2	5	8	11	14	21
B. *Operated*										
0-19 YRS										
20-34	12	5.8	35	1	1	4	7	15	20	21
35-49	192	7.5	25	2	2	7	10	13	17	26
50-64	486	7.2	23	1	2	7	10	13	16	22
65+	214	9.2	53	2	2	8	12	19	25	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.9	9	1	2	5	8	10	12	13
20-34	231	6.0	15	2	2	5	8	11	13	19
35-49	3983	6.3	18	2	2	5	8	11	14	22
50-64	14681	6.8	19	2	3	6	9	12	15	22
65+	23847	8.0	33	2	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	2	11.0		11	11	11	11	11	11	11
20-34	70	8.6	23	2	2	8	12	15	17	22
35-49	1504	9.7	58	2	2	9	13	18	22	40
50-64	5030	11.0	70	2	2	10	14	20	25	41
65+	3904	14.1	108	2	3	12	18	27	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6389	5.7	14	2	2	5	7	10	13	18
B. *Operated*	904	7.7	31	2	2	7	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	42761	7.4	27	2	3	6	9	13	16	26
B. *Operated*	10510	12.0	85	2	2	10	16	23	29	47
1. SINGLE DX	7293	6.0	16	2	2	5	8	11	13	21
2. MULTIPLE DX	53271	8.3	42	2	3	7	10	15	20	33
A. NOT OPERATED	49150	7.2	26	2	3	6	9	13	16	25
B. OPERATED	11414	11.7	82	2	2	10	15	22	28	45
TOTAL 0-19 YRS	29	6.4	13	2	2	5	9	11	13	16
20-34	404	6.2	18	1	2	5	8	12	14	20
35-49	6641	6.9	29	2	2	6	9	13	16	26
50-64	22862	7.6	33	2	2	6	10	14	18	29
65+	30628	8.6	46	2	3	7	11	16	21	35
GRAND TOTAL	**60564**	**8.0**	**39**	**2**	**3**	**7**	**10**	**15**	**19**	**32**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	6	1	1	3	5	8	8	8
20-34	65	4.0	9	1	1	3	5	8	10	14
35-49	730	4.7	12	1	2	4	6	9	12	17
50-64	1768	4.8	13	1	2	4	6	10	12	17
65+	1881	6.0	22	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	21	6.0	47	<1	1	2	10	15	22	25
20-34	180	4.8	16	2	2	2	8	11	13	17
35-49	3646	5.4	23	1	2	2	9	12	14	20
50-64	10001	6.1	31	2	2	3	10	13	16	24
65+	3655	7.4	46	2	2	4	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	7.2	34	2	2	5	9	15	20	27
20-34	234	5.6	18	1	2	4	7	10	13	26
35-49	3874	5.9	21	1	2	5	8	11	14	23
50-64	14792	6.7	25	2	2	5	9	12	15	25
65+	33624	8.6	47	2	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	35	9.6	221	1	1	3	10	21	51	67
20-34	360	5.8	31	1	2	3	9	13	17	25
35-49	7234	6.7	39	2	2	4	10	14	18	28
50-64	23423	8.3	60	2	2	7	12	17	22	36
65+	14124	11.6	108	2	2	10	16	23	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4451	5.3	17	1	2	4	7	10	13	20
B. *Operated*	17503	6.2	33	2	2	3	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	52574	7.8	40	2	3	6	10	15	19	32
B. *Operated*	45176	9.0	75	2	2	8	13	19	24	42
1. SINGLE DX	21954	6.1	30	1	2	3	9	13	16	24
2. MULTIPLE DX	97750	8.4	56	2	2	7	11	17	22	37
A. NOT OPERATED	57025	7.6	38	2	2	6	10	14	18	32
B. OPERATED	62679	8.3	65	2	2	6	12	17	22	38
TOTAL 0-19 YRS	113	7.5	94	1	1	4	9	16	24	61
20-34	839	5.4	23	1	2	3	8	11	14	24
35-49	15484	6.1	30	1	2	4	9	13	16	25
50-64	49984	7.3	43	2	2	5	10	15	19	30
65+	53284	9.2	64	2	2	7	12	18	24	41
GRAND TOTAL	**119704**	**8.0**	**52**	**2**	**2**	**6**	**11**	**16**	**21**	**35**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	9.5	15	3	5	10	12	14	15	21
20-34	434	9.2	16	3	4	9	11	14	16	19
35-49	601	10.3	21	3	5	10	13	15	18	25
50-64	686	10.6	24	4	5	10	13	16	18	29
65+	635	11.6	24	5	6	11	14	18	21	26
B. *Operated*										
0-19 YRS	6	11.5	11	7	7	11	12	17	17	17
20-34	69	12.0	48	3	6	10	14	23	25	36
35-49	109	12.3	51	4	6	11	14	22	24	42
50-64	123	12.2	44	4	5	11	15	21	27	57
65+	101	14.2	51	7	8	13	17	21	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	11.8	41	2	3	12	15	20	24	30
20-34	573	10.6	30	2	4	10	13	17	20	29
35-49	1140	11.7	38	4	6	11	14	19	22	35
50-64	2339	12.5	41	5	6	11	15	19	24	37
65+	4310	14.4	64	6	7	13	17	24	30	46
B. *Operated*										
0-19 YRS	14	14.4	115	2	5	12	17	30	41	44
20-34	144	14.5	75	4	6	12	17	25	32	45
35-49	348	15.7	105	5	7	13	19	27	34	62
50-64	658	17.3	123	6	8	14	21	30	39	62
65+	999	20.5	168	7	9	17	25	38	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2388	10.5	22	4	5	10	13	16	18	25
B. *Operated*	408	12.7	48	5	6	11	15	22	26	40
2. MULTIPLE DX										
A. *Not Operated*	8408	13.2	54	5	6	12	16	22	26	41
B. *Operated*	2163	18.3	142	7	8	15	22	33	44	69
1. SINGLE DX	2796	10.8	27	4	5	10	13	16	20	29
2. MULTIPLE DX	10571	14.3	76	5	7	12	17	24	30	51
A. NOT OPERATED	10796	12.6	48	4	6	11	15	20	25	39
B. OPERATED	2571	17.4	132	6	8	14	21	31	42	68
TOTAL 0-19 YRS	98	11.4	42	2	5	11	13	17	23	37
20-34	1220	10.6	34	3	4	10	13	17	21	33
35-49	2198	12.0	47	4	6	11	14	19	24	37
50-64	3806	13.0	57	5	6	11	15	21	26	43
65+	6045	15.1	83	6	7	13	18	25	33	55
GRAND TOTAL	**13367**	**13.6**	**68**	**5**	**6**	**12**	**16**	**23**	**28**	**48**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	12.9	98	1	2	13	18	30	31	31
20-34	36	17.7	185	2	3	13	28	35	41	54
35-49	16	26.2	260	1	2	28	31	50	56	58
50-64	27	23.6	132	4	6	27	31	36	43	48
65+	27	30.1	272	8	9	30	38	46	59	82
B. *Operated*										
0-19 YRS	2	43.0		43	43	43	43	43	43	43
20-34	4	31.5	155	13	13	36	38	40	40	40
35-49	2	16.5	61	11	11	16	22	22	22	22
50-64	2	20.0	98	13	13	20	27	27	27	27
65+	6	33.7	198	21	21	31	40	55	57	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	26.1	215	3	4	28	38	43	51	54
20-34	235	24.9	212	1	4	28	34	43	48	60
35-49	144	26.2	183	4	7	28	36	44	47	58
50-64	202	27.9	206	4	7	29	37	44	48	70
65+	361	29.2	203	6	10	30	37	48	55	81
B. *Operated*										
0-19 YRS	7	48.3	89	35	36	50	55	61	62	62
20-34	113	36.4	313	8	14	35	49	61	68	92
35-49	74	33.4	214	11	15	31	44	51	62	67
50-64	114	37.1	227	11	18	36	47	57	69	99+
65+	144	39.0	250	11	17	39	49	60	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	22.4	219	2	4	24	31	40	47	65
B. *Operated*	16	30.4	174	12	13	31	40	43	53	57
2. MULTIPLE DX										
A. *Not Operated*	979	27.4	206	4	7	29	36	45	51	67
B. *Operated*	452	37.1	255	11	16	38	48	59	66	99+
1. SINGLE DX	136	23.3	219	3	4	25	31	42	47	61
2. MULTIPLE DX	1431	30.4	242	5	9	30	41	50	57	79
A. NOT OPERATED	1099	26.8	209	4	7	29	36	44	51	67
B. OPERATED	468	36.9	253	11	16	37	47	58	65	99+
TOTAL 0-19 YRS	60	26.2	271	2	3	28	41	48	53	61
20-34	388	27.7	273	2	5	29	40	49	55	75
35-49	236	28.4	207	5	8	28	39	45	52	65
50-64	345	30.6	228	5	9	31	42	49	56	87
65+	538	31.9	237	7	12	31	41	54	60	85
GRAND TOTAL	**1567**	**29.8**	**244**	**4**	**8**	**30**	**41**	**49**	**57**	**78**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	2.6	3	<1	1	2	3	5	6	9
20-34	214	2.7	3	<1	1	2	3	5	7	9
35-49	438	2.8	5	<1	1	2	4	6	7	11
50-64	580	2.8	5	<1	1	2	4	5	7	10
65+	476	3.8	9	1	1	3	5	8	9	16
B. *Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	6	3.8	16	2	2	2	3	11	12	12
35-49	5	6.4	13	2	2	8	9	10	10	10
50-64	20	3.9	13	1	2	2	5	8	13	16
65+	16	9.1	44	2	2	8	13	18	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	3.7	20	1	1	3	4	7	9	26
20-34	324	3.7	9	1	1	3	5	7	9	14
35-49	675	4.0	10	1	1	3	5	8	10	16
50-64	1706	4.8	17	1	1	4	6	9	11	18
65+	2530	6.2	24	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	7	5.3	10	1	2	4	7	10	11	11
20-34	19	9.5	370	<1	1	4	8	15	56	87
35-49	38	9.1	71	2	2	7	12	19	29	40
50-64	121	8.8	36	2	2	8	12	16	21	27
65+	220	13.3	138	3	4	10	16	27	36	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1829	3.0	6	<1	1	2	4	6	8	12
B. *Operated*	51	5.7	27	2	2	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	5343	5.3	20	1	1	4	7	10	13	21
B. *Operated*	405	11.2	114	2	2	9	14	23	30	81
1. SINGLE DX	1880	3.1	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	5748	5.7	29	1	2	4	7	11	15	25
A. NOT OPERATED	7172	4.7	17	1	1	4	6	9	12	20
B. OPERATED	456	10.6	107	2	2	8	13	21	29	77
TOTAL 0-19 YRS	240	3.2	11	1	1	2	4	6	8	16
20-34	563	3.5	20	<1	1	3	4	7	8	14
35-49	1156	3.7	11	1	1	3	5	7	10	16
50-64	2427	4.5	17	1	1	3	6	9	11	18
65+	3242	6.4	34	1	2	5	8	12	16	29
GRAND TOTAL	**7628**	**5.1**	**25**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	3	<1	1	2	3	4	5	9
20-34	378	2.3	3	<1	1	2	3	4	5	11
35-49	714	2.8	5	<1	1	2	4	5	7	11
50-64	1670	3.5	9	<1	1	3	4	7	10	15
65+	2104	4.2	12	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	5	5.0	11	2	2	4	8	9	9	9
35-49	23	4.2	11	1	2	2	6	8	12	15
50-64	92	5.2	16	1	2	4	7	11	14	20
65+	91	7.5	29	2	2	6	11	15	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.0	20	<1	1	3	8	12	14	20
20-34	466	3.7	9	1	1	3	5	7	10	15
35-49	1427	4.4	13	1	1	3	6	9	11	18
50-64	6534	5.6	21	1	1	4	7	11	14	22
65+	18173	7.5	47	2	2	6	9	14	19	34
B. *Operated*										
0-19 YRS	10	17.5	294	2	3	12	25	47	48	48
20-34	14	8.3	39	1	2	7	15	16	17	18
35-49	117	7.1	35	1	2	5	10	15	18	60
50-64	636	10.4	84	2	2	8	13	20	30	49
65+	2122	14.2	128	3	4	11	18	27	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4894	3.6	10	1	1	3	5	7	9	16
B. *Operated*	213	6.0	22	1	2	5	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	26658	6.8	39	1	2	5	9	13	17	31
B. *Operated*	2899	13.0	119	2	3	10	17	26	35	61
1. SINGLE DX	5107	3.7	10	1	1	3	5	7	10	16
2. MULTIPLE DX	29557	7.4	50	1	2	6	9	15	19	36
A. NOT OPERATED	31552	6.3	36	1	2	5	8	12	16	29
B. OPERATED	3112	12.6	115	2	3	10	16	25	34	59
TOTAL 0-19 YRS	98	5.4	58	1	1	3	7	12	15	48
20-34	863	3.2	8	<1	1	2	4	6	9	15
35-49	2281	4.0	13	1	1	3	5	8	11	18
50-64	8932	5.5	26	1	1	4	7	11	14	24
65+	22490	7.9	56	1	2	6	10	15	21	38
GRAND TOTAL	**34664**	**6.9**	**46**	**1**	**2**	**5**	**9**	**14**	**18**	**34**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	279	3.4	11	<1	1	3	4	6	9	13
20-34	706	3.5	6	1	1	3	5	7	8	12
35-49	1225	3.9	9	1	1	3	5	8	9	14
50-64	1827	4.4	12	1	1	4	6	8	11	19
65+	2212	5.1	17	1	1	4	7	10	12	22
B. *Operated*										
0-19 YRS	33	4.6	26	1	1	3	5	11	20	22
20-34	83	5.5	15	1	2	4	8	11	12	17
35-49	214	5.5	23	1	2	4	8	11	14	25
50-64	597	6.7	26	2	2	6	9	13	16	26
65+	2093	7.7	25	2	3	7	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	407	4.3	16	1	1	3	5	9	12	21
20-34	1566	4.6	12	1	1	4	6	8	11	18
35-49	3881	5.3	19	1	2	4	7	10	12	20
50-64	10284	6.4	28	1	2	5	8	12	15	26
65+	22500	7.8	42	2	2	6	10	15	19	34
B. *Operated*										
0-19 YRS	75	9.5	86	1	2	7	12	17	36	43
20-34	194	8.6	75	2	2	7	11	16	18	45
35-49	762	9.4	94	2	2	7	11	18	25	57
50-64	3199	10.1	76	2	2	8	13	20	26	47
65+	13248	12.1	82	3	4	10	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6249	4.4	13	1	1	3	6	8	11	19
B. *Operated*	3020	7.3	25	2	2	6	9	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	38638	7.0	36	2	2	6	9	13	17	30
B. *Operated*	17478	11.5	82	3	4	9	14	22	28	50
1. SINGLE DX	9269	5.3	19	1	1	4	7	11	13	22
2. MULTIPLE DX	56116	8.4	55	2	2	7	11	16	22	38
A. NOT OPERATED	44887	6.7	33	1	2	5	8	13	17	29
B. OPERATED	20498	10.9	76	2	3	9	14	21	27	47
TOTAL 0-19 YRS	794	4.5	24	1	1	3	5	9	13	30
20-34	2549	4.6	17	1	1	4	6	9	11	18
35-49	6082	5.5	29	1	2	4	7	11	14	27
50-64	15907	6.9	39	1	2	5	9	13	17	31
65+	40053	9.1	58	2	3	7	11	17	23	40
GRAND TOTAL	**65385**	**8.0**	**51**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.9	18	<1	1	3	7	11	14	18
20-34	33	6.2	24	1	2	4	9	12	18	21
35-49	196	6.7	29	1	2	5	8	13	16	29
50-64	1255	6.9	27	1	2	6	8	12	16	27
65+	6072	7.8	39	2	3	6	10	15	19	33
B. *Operated*										
0-19 YRS	5	8.2	108	<1	<1	5	12	26	26	26
20-34	4	7.8	65	1	1	7	14	17	17	17
35-49	22	13.7	378	2	2	8	14	30	56	93
50-64	70	8.3	60	2	2	6	12	18	25	34
65+	160	14.3	202	2	3	10	17	28	41	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	388	7.0	42	1	1	5	9	15	18	37
20-34	411	8.1	44	2	2	6	10	16	20	38
35-49	2734	8.6	45	2	3	7	11	16	21	33
50-64	18459	9.2	48	2	3	7	11	17	22	35
65+	88927	10.6	70	3	4	8	13	20	26	46
B. *Operated*										
0-19 YRS	70	16.1	265	3	3	10	24	44	69	99+
20-34	94	10.3	105	1	2	7	13	22	37	83
35-49	449	12.8	108	2	2	10	17	26	35	48
50-64	2242	15.3	166	2	4	12	20	31	42	75
65+	8582	19.1	194	5	6	15	24	37	49	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7598	7.6	36	2	2	6	9	14	19	32
B. *Operated*	261	12.5	180	2	2	9	16	26	33	89
2. MULTIPLE DX										
A. *Not Operated*	110919	10.3	66	3	3	8	13	19	25	44
B. *Operated*	11437	18.1	188	4	6	15	23	36	48	86
1. SINGLE DX	7859	7.8	42	2	2	6	10	15	19	34
2. MULTIPLE DX	122356	11.0	83	3	4	9	14	21	28	51
A. NOT OPERATED	118517	10.1	65	3	3	8	13	19	25	43
B. OPERATED	11698	18.0	189	4	5	14	23	36	47	87
TOTAL 0-19 YRS	505	8.1	82	1	1	6	10	17	26	52
20-34	542	8.4	54	2	2	7	11	17	22	45
35-49	3401	9.1	57	2	3	7	11	17	23	38
50-64	22026	9.7	64	2	3	8	12	19	24	42
65+	103741	11.1	85	3	4	9	14	21	28	52
GRAND TOTAL	**130215**	**10.8**	**81**	**3**	**3**	**8**	**13**	**21**	**28**	**50**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	286	5.0	15	1	2	4	6	9	12	21
20-34	1001	4.7	13	1	2	4	6	9	11	18
35-49	1230	5.0	21	1	2	4	6	9	12	19
50-64	1131	6.1	29	1	2	5	7	11	15	34
65+	820	7.2	36	2	2	6	9	14	19	28
B. *Operated*										
0-19 YRS	189	4.4	36	1	1	2	5	9	13	29
20-34	324	5.2	22	1	2	3	8	12	15	22
35-49	766	5.1	24	1	2	2	7	12	15	22
50-64	1269	5.9	39	2	2	2	9	14	18	30
65+	703	7.4	52	2	2	3	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	390	6.1	40	1	2	4	7	11	15	33
20-34	1649	6.1	30	1	2	5	7	11	15	30
35-49	3176	6.9	34	2	2	5	9	13	17	29
50-64	6537	8.2	42	2	3	6	10	16	20	33
65+	10538	9.7	60	2	3	8	12	18	24	40
B. *Operated*										
0-19 YRS	166	7.1	60	1	2	4	10	15	22	34
20-34	605	10.0	107	2	2	8	13	20	28	68
35-49	1746	8.8	83	2	2	6	12	19	26	46
50-64	4369	9.9	98	2	2	8	14	22	28	49
65+	4607	13.4	146	2	2	11	18	28	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4468	5.6	25	1	2	4	7	10	14	25
B. *Operated*	3251	5.9	37	1	2	3	9	14	18	29
2. MULTIPLE DX										
A. *Not Operated*	22290	8.5	50	2	3	7	11	16	21	36
B. *Operated*	11493	11.1	118	2	2	9	15	24	31	57
1. SINGLE DX	7719	5.7	30	1	2	4	7	12	16	27
2. MULTIPLE DX	33783	9.4	75	2	2	7	12	19	25	45
A. NOT OPERATED	26758	8.0	47	2	2	6	10	15	21	35
B. OPERATED	14744	10.0	105	2	2	7	14	22	29	53
TOTAL 0-19 YRS	1031	5.6	36	1	2	4	7	11	15	30
20-34	3579	6.3	41	1	2	5	8	12	16	32
35-49	6918	6.9	45	2	2	5	9	14	19	35
50-64	13306	8.4	61	2	2	6	11	17	23	39
65+	16668	10.5	86	2	2	8	14	21	28	48
GRAND TOTAL	**41502**	**8.7**	**69**	**2**	**2**	**6**	**11**	**18**	**24**	**42**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	29	3.9	4	2	2	4	5	6	7	11
50-64	72	5.0	13	1	2	4	6	10	13	18
65+	167	7.3	46	1	2	5	9	14	19	42
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	27	4.9	24	2	2	3	6	10	15	24
50-64	81	6.0	81	1	2	3	8	14	17	58
65+	54	7.8	81	1	2	5	10	16	24	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.3	22	2	3	6	10	15	17	17
20-34	36	5.3	20	1	1	4	7	10	14	23
35-49	346	5.7	17	1	2	5	7	11	14	20
50-64	1594	7.2	33	2	2	6	9	14	18	28
65+	6244	9.1	62	2	3	7	11	17	23	48
B. *Operated*										
0-19 YRS										
20-34	14	6.5	74	1	2	2	5	24	26	27
35-49	186	7.4	108	2	2	4	9	16	23	64
50-64	689	8.2	60	2	2	6	11	18	23	41
65+	1125	13.9	159	2	3	10	18	29	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	6.3	33	1	2	5	8	13	16	33
B. *Operated*	164	6.4	71	1	2	3	8	14	18	48
2. MULTIPLE DX										
A. *Not Operated*	8232	8.6	55	2	3	7	11	16	21	44
B. *Operated*	2014	11.3	128	2	2	8	15	24	32	72
1. SINGLE DX	436	6.3	48	1	2	4	8	13	17	40
2. MULTIPLE DX	10246	9.1	71	2	2	7	11	18	24	49
A. NOT OPERATED	8504	8.5	55	2	3	7	11	16	21	43
B. OPERATED	2178	10.9	126	2	2	8	14	24	32	69
TOTAL 0-19 YRS	13	7.2	21	2	3	6	9	15	17	17
20-34	55	5.4	32	1	1	4	6	13	21	27
35-49	588	6.1	46	2	2	4	8	12	16	30
50-64	2436	7.4	42	2	2	6	10	15	19	33
65+	7590	9.8	79	2	3	7	12	19	26	54
GRAND TOTAL	**10682**	**9.0**	**70**	**2**	**2**	**7**	**11**	**18**	**24**	**48**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.8	15	<1	1	6	8	11	12	12
20-34	23	4.7	25	<1	<1	2	8	14	15	16
35-49	27	6.2	62	<1	<1	3	7	17	27	29
50-64	31	6.4	56	<1	1	3	9	18	21	30
65+	31	10.6	131	<1	<1	5	18	24	29	52
B. *Operated*										
0-19 YRS	12	15.8	69	5	8	14	20	27	35	36
20-34	101	16.3	140	2	4	14	21	31	40	65
35-49	171	19.2	170	3	5	17	26	34	44	70
50-64	167	20.5	217	2	3	19	27	37	43	90
65+	52	23.6	384	5	8	17	30	50	87	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.1	161	<1	1	3	7	30	39	39
20-34	28	12.6	266	1	1	8	15	20	49	82
35-49	27	13.2	175	1	1	10	22	48	99+	99+
50-64	81	12.7	246	<1	1	7	18	32	48	74
65+	134	21.2	297	2	4	17	30	46	76	99+
B. *Operated*										
0-19 YRS	10	22.2	735	5	5	10	18	73	76	76
20-34	96	24.8	308	6	9	20	30	51	62	99
35-49	186	30.5	491	3	8	25	41	71	89	99+
50-64	303	30.6	446	6	9	26	40	71	95	99+
65+	160	30.1	377	7	9	25	42	64	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	7.1	71	<1	<1	3	10	18	24	37
B. *Operated*	503	19.4	202	3	5	17	25	36	44	88
2. MULTIPLE DX										
A. *Not Operated*	278	16.7	280	1	2	13	24	40	59	99+
B. *Operated*	755	29.6	430	6	9	25	39	67	88	99+
1. SINGLE DX	623	17.0	201	1	2	15	23	33	42	85
2. MULTIPLE DX	1033	26.1	422	2	5	22	37	63	84	99+
A. NOT OPERATED	398	13.8	236	<1	1	10	19	36	51	99+
B. OPERATED	1258	25.5	364	4	7	21	34	55	77	99+
TOTAL 0-19 YRS	38	13.7	274	1	2	9	14	32	58	76
20-34	248	18.1	246	1	3	15	22	39	51	84
35-49	411	23.1	363	2	3	19	31	53	73	99+
50-64	582	23.9	391	2	3	21	32	54	82	99+
65+	377	24.4	360	3	5	20	34	52	76	99+
GRAND TOTAL	**1656**	**22.7**	**358**	**2**	**3**	**19**	**31**	**50**	**73**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	62.0		62	62	62	62	62	62	62
50-64										
65+	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	34.3	745	5	5	39	54	59	59	59
35-49	8	28.8	210	3	11	28	46	80	99+	99+
50-64	14	23.9	513	5	6	18	24	50	82	91
65+	15	26.3	208	10	10	25	34	52	56	57
B. *Operated*										
0-19 YRS	3	26.7	1346	4	4	7	53	69	69	69
20-34	9	51.4	1178	6	13	61	94	99+	99+	99+
35-49	19	45.8	589	17	21	50	88	99+	99+	99+
50-64	18	42.3	341	19	21	44	66	99+	99+	99+
65+	16	41.4	572	17	22	33	78	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	45.5	545	29	29	45	62	62	62	62
2. MULTIPLE DX										
A. *Not Operated*	40	26.6	330	5	7	24	36	54	73	99+
B. *Operated*	65	43.7	605	13	20	43	79	99+	99+	99+
1. SINGLE DX	2	45.5	545	29	29	45	62	62	62	62
2. MULTIPLE DX	105	37.1	566	7	11	35	59	99+	99+	99+
A. NOT OPERATED	40	26.6	330	5	7	24	36	54	73	99+
B. OPERATED	67	43.7	595	13	20	43	79	99+	99+	99+
TOTAL 0-19 YRS	3	26.7	1346	4	4	7	53	69	69	69
20-34	12	47.2	1052	5	6	51	78	99	99+	99+
35-49	28	41.5	524	13	21	44	72	99+	99+	99+
50-64	32	34.3	488	7	11	36	52	91	99+	99+
65+	32	33.9	429	11	15	31	50	90	99+	99+
GRAND TOTAL	**107**	**37.3**	**561**	**7**	**12**	**35**	**60**	**99**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.6	18	<1	<1	1	5	9	14	17
20-34	17	6.8	31	1	1	6	8	14	19	22
35-49	31	12.9	388	<1	1	8	13	27	66	92
50-64	80	11.2	145	<1	1	7	15	25	36	62
65+	211	13.5	157	1	2	10	18	30	43	69
B. *Operated*										
0-19 YRS	36	12.5	86	3	4	10	16	24	32	46
20-34	67	10.8	103	2	2	9	13	19	20	61
35-49	82	13.7	157	2	3	11	16	27	34	76
50-64	183	14.2	161	2	4	11	17	28	40	87
65+	310	14.9	100	5	6	12	19	30	39	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	8.4	75	1	2	7	9	17	34	35
20-34	25	12.0	139	1	1	9	19	31	36	41
35-49	100	16.0	224	1	1	12	23	34	47	73
50-64	335	16.8	230	2	4	12	21	38	49	91
65+	985	19.1	235	3	5	15	25	41	53	99+
B. *Operated*										
0-19 YRS	58	21.3	426	2	3	14	30	53	65	90
20-34	78	21.9	261	4	7	18	33	57	68	99+
35-49	129	26.4	538	4	7	18	35	64	88	98
50-64	335	24.6	348	6	8	19	36	66	92	99+
65+	755	25.8	332	7	9	21	35	57	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	12.1	166	1	1	8	16	27	39	69
B. *Operated*	678	14.0	124	3	5	11	17	27	38	71
2. MULTIPLE DX										
A. *Not Operated*	1472	18.1	232	3	4	14	24	39	52	95
B. *Operated*	1355	25.2	356	6	8	20	35	58	78	99+
1. SINGLE DX	1034	13.4	139	2	3	10	17	27	38	70
2. MULTIPLE DX	2827	21.5	304	3	5	17	29	48	67	99+
A. NOT OPERATED	1828	16.9	225	2	3	13	23	37	50	92
B. OPERATED	2033	21.5	306	4	6	16	28	49	70	99+
TOTAL 0-19 YRS	138	14.3	258	1	2	9	18	35	50	87
20-34	187	15.2	199	2	2	11	21	38	57	99+
35-49	342	19.1	372	1	3	13	24	43	65	96
50-64	933	18.6	273	2	5	14	24	45	65	99+
65+	2261	20.3	260	4	6	16	27	43	59	99+
GRAND TOTAL	**3861**	**19.3**	**272**	**3**	**5**	**14**	**25**	**43**	**60**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	18.0	72	12	12	18	24	24	24	24
65+	5	24.8	534	4	4	14	41	61	61	61
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	22.5	365	9	9	22	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	13.8	128	1	1	14	23	26	26	26
35-49	23	23.0	404	4	7	14	32	60	65	72
50-64	101	23.9	398	3	4	19	32	54	83	99+
65+	324	25.8	322	6	8	22	32	55	68	99+
B. *Operated*										
0-19 YRS	4	13.5	51	6	6	18	41	99+	99+	99+
20-34	11	36.1	339	15	20	34	46	87	98	99+
35-49	20	39.1	407	17	18	39	65	99+	99+	99+
50-64	58	40.2	597	7	11	40	64	99+	99+	99+
65+	160	32.2	369	9	11	28	45	69	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	22.9	379	4	5	14	31	56	61	61
B. *Operated*	2	22.5	365	9	9	22	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	452	25.1	342	5	7	21	32	55	70	99+
B. *Operated*	253	34.5	433	9	12	31	50	90	99+	99+
1. SINGLE DX	9	22.8	330	4	6	14	34	51	61	61
2. MULTIPLE DX	705	28.5	394	6	9	24	40	65	92	99+
A. NOT OPERATED	459	25.1	342	5	7	21	32	55	69	99+
B. OPERATED	255	34.4	432	9	11	31	50	90	99+	99+
TOTAL 0-19 YRS	4	13.5	51	6	6	18	41	99+	99+	99+
20-34	15	30.1	374	3	9	27	42	79	95	99+
35-49	43	30.5	461	7	9	29	50	90	99+	99+
50-64	161	29.7	525	3	6	24	48	80	99+	99+
65+	491	27.8	347	7	9	24	37	61	78	99+
GRAND TOTAL	**714**	**28.4**	**393**	**6**	**9**	**24**	**39**	**65**	**91**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	4	<1	<1	4	5	6	6	6
20-34	3	3.3		3	3	3	4	4	4	4
35-49	26	4.9	8	1	1	4	7	9	10	11
50-64	125	4.3	10	1	2	3	6	10	11	14
65+	249	5.0	28	1	1	3	6	11	15	29
B. *Operated*										
0-19 YRS	9	6.2	23	2	2	5	8	14	15	15
20-34	24	5.8	19	1	2	4	7	12	16	18
35-49	272	6.6	28	2	2	6	8	13	16	23
50-64	2366	6.8	29	2	2	6	8	12	15	24
65+	3678	7.2	28	2	2	6	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	46.5	1301	21	21	46	72	72	72	72
20-34	7	5.4	15	1	1	5	9	11	11	11
35-49	45	6.1	48	1	1	5	8	15	24	99+
50-64	499	7.2	72	1	2	5	9	14	19	37
65+	1320	8.5	81	2	2	6	10	17	22	48
B. *Operated*										
0-19 YRS	10	8.2	93	1	1	4	9	25	30	30
20-34	29	11.7	82	2	3	9	17	24	30	37
35-49	488	8.8	55	2	2	7	11	18	24	44
50-64	4798	9.3	61	2	2	7	12	18	23	43
65+	8644	10.5	77	2	3	8	13	21	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	4.8	21	1	1	3	6	10	13	24
B. *Operated*	6349	7.0	28	2	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	1873	8.2	80	1	2	6	10	16	22	49
B. *Operated*	13969	10.1	71	2	3	8	13	20	25	45
1. SINGLE DX	6759	6.9	28	2	2	6	9	13	16	26
2. MULTIPLE DX	15842	9.8	72	2	2	8	12	19	25	46
A. NOT OPERATED	2283	7.5	71	1	2	5	9	15	21	45
B. OPERATED	20318	9.1	60	2	2	7	11	18	23	40
TOTAL 0-19 YRS	28	9.1	202	1	1	5	8	21	34	72
20-34	63	8.4	55	1	2	5	11	19	24	36
35-49	831	7.8	46	2	2	6	10	16	21	43
50-64	7788	8.3	53	2	2	7	10	16	21	37
65+	13891	9.4	66	2	2	7	12	19	24	42
GRAND TOTAL	**22601**	**9.0**	**61**	**2**	**2**	**7**	**11**	**18**	**23**	**40**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	15.7	65	7	7	17	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	6	23.7	751	2	2	10	46	67	69	69
50-64	42	17.9	276	2	2	12	24	48	61	99+
65+	111	17.3	218	3	4	12	26	38	54	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	26.6	650	8	8	15	33	69	88	88
35-49	34	15.1	285	2	3	9	20	28	42	93
50-64	210	15.7	232	3	4	11	20	41	59	99+
65+	356	18.6	254	3	5	14	24	40	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	13.5	62	7	7	12	20	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	160	17.7	247	2	4	12	25	45	58	99+
B. *Operated*	611	17.5	256	3	4	12	23	40	58	99+
1. SINGLE DX	4	13.5	62	7	7	12	20	23	23	23
2. MULTIPLE DX	771	17.5	254	3	4	12	23	42	58	99+
A. NOT OPERATED	160	17.7	247	2	4	12	25	45	58	99+
B. OPERATED	615	17.5	255	3	4	12	23	40	58	99+
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	26.1	588	8	8	18	31	66	86	88
35-49	40	16.4	347	2	3	19	20	37	57	93
50-64	253	16.0	238	2	4	11	22	45	58	99+
65+	470	18.3	244	3	5	13	24	40	58	99+
GRAND TOTAL	**775**	**17.5**	**253**	**3**	**4**	**12**	**23**	**41**	**58**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.7	16	2	3	5	8	13	15	15
20-34	27	7.9	41	2	2	7	10	17	21	30
35-49	91	9.1	105	1	2	8	11	16	20	66
50-64	359	10.0	92	2	2	7	12	22	32	50
65+	1068	12.2	99	3	3	9	16	25	32	51
B. *Operated*										
0-19 YRS	9	8.0	24	2	2	7	12	15	17	17
20-34	44	10.1	124	2	2	7	11	26	30	61
35-49	79	9.3	166	2	2	7	11	17	22	86
50-64	149	8.2	51	2	2	6	10	16	22	34
65+	191	10.8	125	2	2	7	14	22	29	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.5	25	1	1	5	8	14	18	19
20-34	63	11.4	164	1	2	9	14	20	31	85
35-49	394	10.7	97	2	3	8	13	21	29	52
50-64	2184	13.0	154	3	4	9	15	27	39	80
65+	8708	15.4	170	3	5	11	19	31	43	80
B. *Operated*										
0-19 YRS	11	15.9	79	6	7	14	19	30	36	37
20-34	54	11.1	91	2	3	9	13	18	35	49
35-49	177	14.8	182	2	4	10	19	38	46	92
50-64	782	15.9	214	3	4	11	20	36	54	94
65+	1520	19.4	252	4	5	15	25	43	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1554	11.4	98	2	3	8	15	24	31	51
B. *Operated*	472	9.6	107	2	2	7	12	19	26	60
2. MULTIPLE DX										
A. *Not Operated*	11372	14.7	166	3	4	11	18	30	41	80
B. *Operated*	2544	17.8	235	3	4	13	23	40	57	99+
1. SINGLE DX	2026	11.0	100	2	3	8	14	23	31	51
2. MULTIPLE DX	13916	15.3	180	3	4	11	19	32	44	89
A. NOT OPERATED	12926	14.3	159	3	4	11	18	29	40	77
B. OPERATED	3016	16.5	224	2	4	12	21	38	55	99+
TOTAL 0-19 YRS	52	8.8	47	1	2	7	12	18	19	37
20-34	188	10.5	116	2	2	8	12	19	30	56
35-49	741	11.4	129	2	3	8	13	23	35	68
50-64	3474	13.1	160	2	3	9	16	28	41	81
65+	11487	15.6	177	3	4	12	20	32	44	89
GRAND TOTAL	**15942**	**14.7**	**172**	**3**	**4**	**11**	**19**	**31**	**43**	**84**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	11.0	14	4	5	12	13	15	15	15
65+	19	11.2	80	3	3	9	15	22	32	38
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	19.0	539	1	1	10	38	56	58	58
20-34	13	21.6	448	3	6	15	36	71	94	99+
35-49	118	19.7	379	3	4	13	22	47	67	86
50-64	897	19.8	273	4	5	14	25	45	58	94
65+	3749	20.7	233	5	6	17	27	43	55	99+
B. *Operated*										
0-19 YRS	4	13.5	208	2	2	9	23	34	34	34
20-34	14	21.1	296	5	6	17	25	72	93	99+
35-49	49	21.6	468	2	5	14	30	77	99	99+
50-64	181	25.5	400	4	6	19	40	63	91	99+
65+	496	27.1	308	6	8	25	40	60	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	11.2	63	3	4	10	13	20	27	38
B. *Operated*	3	13.7	156	5	5	8	23	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	4784	20.5	245	5	6	16	27	43	56	99
B. *Operated*	744	26.2	342	5	7	23	39	63	99+	99+
1. SINGLE DX	28	11.4	68	3	4	10	14	23	29	38
2. MULTIPLE DX	5528	21.3	262	5	6	17	28	46	61	99+
A. NOT OPERATED	4809	20.5	244	4	6	16	27	43	56	98
B. OPERATED	747	26.1	341	5	7	23	39	62	99+	99+
TOTAL 0-19 YRS	11	17.0	394	1	1	10	29	51	57	58
20-34	28	20.9	348	5	6	16	25	70	99+	99+
35-49	168	20.2	402	3	4	13	23	58	80	99+
50-64	1084	20.7	298	4	6	15	28	49	64	99+
65+	4265	21.4	245	5	7	17	28	45	59	99+
GRAND TOTAL	**5556**	**21.2**	**261**	**5**	**6**	**17**	**28**	**46**	**61**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.3	36	1	1	4	6	8	21	26
20-34	111	4.0	7	1	2	3	5	8	9	13
35-49	382	4.4	11	1	1	3	6	9	11	18
50-64	1424	4.4	10	1	2	4	6	8	10	15
65+	4129	5.1	16	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	33	4.5	7	2	2	5	6	9	9	11
35-49	233	5.2	11	2	2	4	7	9	12	17
50-64	836	5.4	16	2	2	4	7	10	13	19
65+	919	6.1	26	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	5.8	26	1	1	4	8	13	16	25
20-34	187	4.7	12	1	2	4	6	9	11	18
35-49	1042	5.4	17	1	2	5	7	10	12	19
50-64	5879	6.3	26	2	2	5	8	11	15	23
65+	28323	8.0	53	2	3	6	10	15	19	41
B. *Operated*										
0-19 YRS	10	11.9	124	2	2	8	12	32	35	35
20-34	56	7.9	31	2	2	7	10	14	18	30
35-49	462	7.9	45	2	2	6	10	15	18	32
50-64	2620	8.3	45	2	2	7	11	16	20	32
65+	5222	11.6	117	2	3	9	14	23	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6062	4.8	14	1	2	4	6	9	11	18
B. *Operated*	2025	5.6	20	2	2	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	35488	7.6	47	2	2	6	9	14	18	37
B. *Operated*	8370	10.4	92	2	3	8	13	20	28	58
1. SINGLE DX	8087	5.0	16	1	2	4	6	9	12	19
2. MULTIPLE DX	43858	8.2	57	2	2	6	10	15	20	42
A. NOT OPERATED	41550	7.2	44	2	2	6	9	13	18	34
B. OPERATED	10395	9.5	82	2	2	7	12	19	26	52
TOTAL 0-19 YRS	87	6.3	41	1	1	4	8	13	21	33
20-34	387	5.0	14	1	2	4	6	10	12	19
35-49	2119	5.7	23	1	2	5	7	11	14	22
50-64	10759	6.5	29	2	2	5	8	12	15	26
65+	38593	8.1	59	2	2	6	10	15	21	43
GRAND TOTAL	**51945**	**7.7**	**52**	**2**	**2**	**6**	**9**	**14**	**19**	**39**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	6.2	28	<1	1	5	8	18	59	99+
20-34	57	6.4	23	1	2	6	9	12	18	22
35-49	172	7.9	86	1	2	6	10	15	20	84
50-64	973	10.5	118	2	2	7	13	22	34	68
65+	3997	12.4	125	2	3	9	16	26	34	63
B. *Operated*										
0-19 YRS	9	6.8	34	2	2	3	11	15	17	17
20-34	24	14.0	383	2	3	9	13	25	61	95
35-49	66	9.2	90	1	2	7	12	16	29	51
50-64	185	9.4	111	2	2	6	12	19	29	77
65+	322	13.8	176	2	2	10	18	30	40	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	10.7	89	2	2	8	14	21	26	45
20-34	107	9.3	90	2	2	7	11	19	33	79
35-49	672	12.0	137	2	3	9	15	26	37	92
50-64	4583	13.1	149	3	4	9	16	28	41	81
65+	22891	15.4	170	3	4	12	20	32	44	97
B. *Operated*										
0-19 YRS	8	16.6	349	1	2	8	26	48	53	53
20-34	56	17.2	246	3	5	11	22	38	55	72
35-49	225	15.3	193	2	4	11	16	37	51	68
50-64	1106	18.5	285	3	4	13	24	48	64	99+
65+	3198	23.2	334	4	6	18	33	56	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5218	11.8	123	2	3	9	15	25	34	65
B. *Operated*	606	11.8	157	2	2	8	15	26	37	89
2. MULTIPLE DX										
A. *Not Operated*	28299	14.9	167	3	4	11	19	31	44	94
B. *Operated*	4593	21.6	320	4	5	16	30	53	72	99+
1. SINGLE DX	5824	11.8	126	2	3	9	15	25	34	65
2. MULTIPLE DX	32892	15.8	194	3	4	12	20	34	49	99+
A. NOT OPERATED	33517	14.4	161	3	4	11	18	30	42	90
B. OPERATED	5199	20.4	311	3	5	15	28	50	70	99+
TOTAL 0-19 YRS	82	9.8	98	1	2	7	14	20	40	84
20-34	244	10.9	152	2	2	7	12	23	35	74
35-49	1135	11.9	143	2	3	8	14	26	38	84
50-64	6847	13.5	171	2	3	9	17	30	45	92
65+	30408	15.8	189	3	4	12	20	34	48	99+
GRAND TOTAL	**38716**	**15.2**	**185**	**3**	**4**	**11**	**19**	**33**	**47**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	6	8.8	3	7	7	8	11	11	11	11
65+	44	13.9	112	2	3	12	19	33	36	42
B. *Operated*										
0-19 YRS										
20-34	2	23.5	145	15	15	23	32	32	32	32
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	16.0		16	16	16	16	16	16	16
65+	3	45.3	1358	17	17	32	73	87	87	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	19.4	245	2	4	13	28	46	54	56
20-34	45	15.0	214	2	4	8	19	35	50	59
35-49	271	16.8	235	3	4	12	22	36	54	99+
50-64	1895	18.9	264	3	5	14	25	41	57	98
65+	9069	20.3	250	4	6	16	27	42	57	99+
B. *Operated*										
0-19 YRS	6	11.5	30	3	4	14	17	83	99+	99+
20-34	21	25.1	395	2	4	23	36	57	65	71
35-49	72	23.3	424	5	6	15	36	64	99	99+
50-64	428	25.7	396	5	7	21	36	65	88	99+
65+	1207	30.7	420	7	10	26	45	70	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	13.5	106	2	3	11	18	33	35	42
B. *Operated*	7	30.3	689	13	13	17	32	76	87	87
2. MULTIPLE DX										
A. *Not Operated*	11297	20.0	253	4	5	15	26	42	57	99+
B. *Operated*	1734	29.0	419	6	8	24	43	69	95	99+
1. SINGLE DX	59	15.5	194	2	4	12	19	33	37	83
2. MULTIPLE DX	13031	21.2	284	4	6	16	28	47	63	99+
A. NOT OPERATED	11349	19.9	252	4	5	15	26	42	57	99+
B. OPERATED	1741	29.0	420	6	8	24	43	69	95	99+
TOTAL 0-19 YRS	24	18.0	199	2	4	14	28	49	67	99+
20-34	68	18.4	283	2	4	12	28	45	54	69
35-49	345	18.1	280	3	4	13	24	45	64	99+
50-64	2330	20.1	294	4	5	15	27	46	65	99+
65+	10323	21.5	281	4	6	17	29	47	63	99+
GRAND TOTAL	**13090**	**21.1**	**284**	**4**	**6**	**16**	**28**	**47**	**63**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.4	13	1	1	3	4	11	12	12
20-34	64	4.5	31	<1	1	3	5	8	13	37
35-49	220	4.8	13	1	2	4	6	8	10	17
50-64	426	5.2	26	1	2	4	6	10	13	21
65+	1218	7.2	48	1	2	5	9	14	19	43
B. *Operated*										
0-19 YRS	14	9.1	54	<1	1	7	12	24	24	24
20-34	66	10.8	138	1	2	8	14	22	26	72
35-49	164	9.4	75	1	2	7	12	22	27	91
50-64	411	7.4	59	1	2	5	9	16	21	35
65+	550	7.4	66	1	2	5	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	7.9	86	1	2	5	8	24	38	99+
20-34	191	6.3	57	1	1	5	8	12	14	32
35-49	754	7.5	69	2	2	6	9	13	20	42
50-64	2583	8.8	83	2	3	6	10	17	25	65
65+	13960	10.7	106	2	3	8	13	21	30	82
B. *Operated*										
0-19 YRS	21	9.8	115	1	2	7	15	53	99+	99+
20-34	106	11.3	86	2	2	9	16	24	32	42
35-49	332	12.5	153	2	2	9	17	28	36	99+
50-64	1160	12.4	159	2	2	8	15	29	42	97
65+	2578	14.6	182	2	3	11	19	32	45	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1939	6.4	39	1	2	5	8	12	17	36
B. *Operated*	1205	7.9	69	1	2	6	10	17	23	39
2. MULTIPLE DX										
A. *Not Operated*	17533	10.2	102	2	3	7	12	20	29	79
B. *Operated*	4197	13.7	172	2	3	10	18	30	43	99+
1. SINGLE DX	3144	7.0	51	1	2	5	9	14	19	38
2. MULTIPLE DX	21730	10.9	117	2	3	8	13	23	33	83
A. NOT OPERATED	19472	9.9	97	2	3	7	12	20	28	75
B. OPERATED	5402	12.4	155	2	2	9	16	28	40	88
TOTAL 0-19 YRS	91	8.1	80	1	2	5	11	25	41	99+
20-34	427	8.0	79	1	1	5	10	17	23	41
35-49	1470	8.5	86	2	2	6	10	19	25	64
50-64	4580	9.3	99	2	2	6	11	19	29	70
65+	18306	10.9	115	2	3	8	13	23	32	82
GRAND TOTAL	**24874**	**10.4**	**110**	**2**	**3**	**7**	**13**	**22**	**31**	**79**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	16	2.6	2	1	1	2	4	4	6	6
50-64	56	3.3	5	1	2	3	4	7	8	11
65+	178	6.9	110	1	2	4	7	13	20	97
B. *Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	15	6.8	22	1	1	7	10	12	15	16
35-49	146	7.7	40	1	2	7	10	14	16	31
50-64	660	7.4	38	1	2	6	11	15	17	26
65+	747	8.8	76	1	2	6	12	19	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	20.5	185	6	7	18	21	43	46	46
20-34	12	5.7	10	2	2	6	7	9	13	14
35-49	69	5.6	16	1	2	5	7	12	14	19
50-64	565	6.9	34	1	2	5	9	14	18	26
65+	3531	10.1	87	2	3	8	12	20	28	59
B. *Operated*										
0-19 YRS	12	21.4	464	2	3	12	34	59	62	63
20-34	52	8.2	62	1	2	6	11	20	25	98
35-49	517	10.5	106	2	2	9	13	22	30	61
50-64	2915	12.6	148	2	2	10	16	27	39	73
65+	5832	18.0	253	2	3	14	24	40	54	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	5.8	81	1	2	4	6	11	17	91
B. *Operated*	1571	8.1	56	1	2	6	12	16	21	37
2. MULTIPLE DX										
A. *Not Operated*	4183	9.6	80	2	3	7	12	19	27	57
B. *Operated*	9328	15.8	219	2	2	12	21	36	50	89
1. SINGLE DX	1825	7.8	60	1	2	5	11	16	21	40
2. MULTIPLE DX	13511	13.9	185	2	2	10	18	31	44	81
A. NOT OPERATED	4437	9.3	81	2	2	7	11	19	26	57
B. OPERATED	10899	14.7	203	2	2	11	19	33	47	84
TOTAL 0-19 YRS	21	18.6	342	2	2	13	25	51	60	63
20-34	83	7.3	45	1	2	6	10	15	22	81
35-49	748	9.3	86	1	2	8	12	18	26	58
50-64	4196	10.9	120	2	2	8	14	23	33	62
65+	10288	14.4	198	2	2	10	18	33	46	84
GRAND TOTAL	**15336**	**13.2**	**174**	**2**	**2**	**9**	**17**	**30**	**42**	**78**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99tn (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	56	3.1	9	<1	<1	2	3	8	10	15
65+	195	4.8	14	<1	1	4	6	10	14	18
B. *Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	10	8.4	38	2	2	7	12	18	18	18
35-49	29	12.6	35	6	7	11	15	21	26	27
50-64	558	11.1	47	2	3	11	13	17	21	33
65+	1267	12.3	53	2	3	12	15	20	23	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	8	6.4	40	1	1	5	7	17	21	21
35-49	16	4.5	9	1	1	4	6	10	11	12
50-64	212	6.1	27	1	1	5	8	13	15	28
65+	1269	8.0	52	2	2	6	10	16	21	37
B. *Operated*										
0-19 YRS	7	11.1	8	7	7	11	13	15	15	15
20-34	35	12.8	68	2	3	11	18	26	30	33
35-49	88	13.6	91	2	2	11	16	27	35	42
50-64	1792	14.8	110	2	5	12	17	26	34	63
65+	4732	17.5	155	3	6	15	21	32	44	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	4.3	14	<1	1	3	6	10	13	17
B. *Operated*	1866	11.9	51	2	3	11	14	19	22	35
2. MULTIPLE DX										
A. *Not Operated*	1507	7.7	48	1	2	6	10	15	20	36
B. *Operated*	6654	16.7	143	3	6	14	20	30	41	72
1. SINGLE DX	2124	11.0	53	2	2	11	14	19	22	33
2. MULTIPLE DX	8161	15.0	138	2	3	13	19	28	38	68
A. NOT OPERATED	1765	7.2	45	1	2	5	9	15	19	34
B. OPERATED	8520	15.7	127	2	5	13	19	28	37	67
TOTAL 0-19 YRS	12	8.9	18	1	2	10	12	14	15	15
20-34	56	10.5	65	1	2	9	16	22	27	33
35-49	136	12.1	77	1	2	10	15	26	29	42
50-64	2618	13.1	97	2	3	11	16	23	30	58
65+	7463	14.7	133	2	3	12	18	28	37	66
GRAND TOTAL	**10285**	**14.2**	**123**	**2**	**3**	**12**	**17**	**26**	**35**	**63**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	3.3	5	1	1	3	5	6	6	6
35-49	8	4.0	13	<1	<1	3	5	10	12	12
50-64	21	3.8	10	<1	1	3	5	9	11	12
65+	27	5.0	18	1	1	3	7	12	14	16
B. *Operated*										
0-19 YRS	26	3.0	7	<1	1	2	4	8	9	11
20-34	74	7.4	47	1	1	6	11	14	17	37
35-49	113	8.9	78	1	2	6	11	23	30	40
50-64	251	9.5	67	2	2	8	11	18	24	48
65+	279	9.8	78	2	2	8	12	17	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	7	4.4	4	1	1	5	6	6	6	6
35-49	16	3.9	6	1	1	4	5	8	9	9
50-64	34	4.4	15	<1	1	3	6	10	11	18
65+	78	6.6	30	1	2	5	8	14	17	29
B. *Operated*										
0-19 YRS	9	11.7	138	2	2	9	22	29	33	33
20-34	63	12.7	123	2	3	11	17	23	34	56
35-49	146	16.5	243	2	3	12	20	37	52	87
50-64	514	14.7	188	2	3	11	19	32	45	82
65+	771	16.5	190	2	4	13	20	35	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	4.4	13	<1	1	3	6	11	12	16
B. *Operated*	743	9.1	70	1	2	8	12	17	24	42
2. MULTIPLE DX										
A. *Not Operated*	139	5.5	23	1	1	4	7	12	15	21
B. *Operated*	1503	15.7	192	2	3	12	20	33	45	80
1. SINGLE DX	804	8.7	68	1	2	7	11	17	24	40
2. MULTIPLE DX	1642	14.8	186	2	3	11	19	32	44	79
A. NOT OPERATED	200	5.2	20	1	1	4	7	12	14	19
B. OPERATED	2246	13.5	162	2	2	10	17	28	40	71
TOTAL 0-19 YRS	40	5.0	47	1	1	2	5	10	23	33
20-34	148	9.4	85	1	2	6	13	20	26	52
35-49	283	12.4	176	1	2	9	16	29	39	78
50-64	820	12.4	150	2	2	9	15	26	38	69
65+	1155	13.9	162	2	2	11	17	29	40	71
GRAND TOTAL	**2446**	**12.8**	**155**	**2**	**2**	**10**	**16**	**27**	**38**	**71**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.6	12	2	2	6	10	10	10	10
20-34	49	7.4	28	1	1	6	10	13	18	27
35-49	70	5.9	17	1	1	6	9	11	14	19
50-64	170	5.1	25	1	1	3	7	11	16	25
65+	200	6.6	31	1	1	6	9	12	16	27
B. *Operated*										
0-19 YRS	9	4.6	11	2	2	2	8	9	10	10
20-34	103	7.4	27	1	2	7	10	15	18	21
35-49	539	7.9	31	1	2	8	11	14	16	26
50-64	1800	9.0	41	1	2	9	12	16	19	29
65+	1956	9.6	56	1	2	9	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.3	14	1	1	7	9	11	11	11
20-34	42	9.4	30	2	3	9	14	17	20	23
35-49	100	8.1	58	1	2	6	10	18	21	41
50-64	382	7.3	40	1	1	6	10	14	19	34
65+	854	9.5	67	2	2	8	12	17	24	44
B. *Operated*										
0-19 YRS	21	9.9	39	2	2	10	13	19	22	23
20-34	136	12.1	116	2	3	9	15	24	32	60
35-49	947	12.5	107	2	3	11	15	24	30	56
50-64	4608	13.1	114	2	2	11	16	25	34	62
65+	7230	16.2	183	2	3	13	20	33	44	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	498	6.0	27	1	1	5	9	12	16	25
B. *Operated*	4407	9.1	46	1	2	9	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	1388	8.8	58	1	2	7	11	17	22	38
B. *Operated*	12942	14.8	155	2	3	12	18	29	40	74
1. SINGLE DX	4905	8.8	45	1	2	8	12	16	20	30
2. MULTIPLE DX	14330	14.2	148	2	3	11	18	28	39	72
A. NOT OPERATED	1886	8.1	52	1	2	7	11	15	20	36
B. OPERATED	17349	13.3	133	2	2	11	16	26	36	69
TOTAL 0-19 YRS	49	7.6	27	2	2	7	10	14	18	23
20-34	330	9.6	69	1	2	8	12	18	23	47
35-49	1656	10.5	81	2	2	9	13	20	26	47
50-64	6960	11.5	94	2	2	10	15	21	28	56
65+	10240	14.2	156	2	2	11	18	29	39	74
GRAND TOTAL	**19235**	**12.8**	**128**	**2**	**2**	**10**	**16**	**25**	**34**	**67**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	7.1	38	1	2	6	9	14	18	33
20-34	121	5.0	29	1	1	3	6	11	16	26
35-49	203	4.6	15	1	1	4	6	9	11	20
50-64	311	5.0	42	<1	1	3	6	10	15	22
65+	394	5.6	25	1	1	4	8	12	16	26
B. *Operated*										
0-19 YRS	73	4.4	18	1	1	2	7	10	11	21
20-34	162	6.6	78	<1	<1	4	8	13	19	38
35-49	506	6.7	36	1	2	5	9	14	17	26
50-64	1357	7.4	47	1	2	5	10	15	20	33
65+	1529	8.6	75	1	2	7	12	18	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	6.9	34	1	2	5	8	14	20	29
20-34	229	6.4	51	1	1	4	7	12	20	38
35-49	468	7.0	40	1	2	5	8	14	18	29
50-64	1148	7.1	45	1	2	5	9	14	20	35
65+	2848	9.4	83	2	2	7	12	19	26	55
B. *Operated*										
0-19 YRS	73	10.4	167	1	2	5	13	25	28	78
20-34	269	10.0	100	1	2	7	13	22	27	56
35-49	888	10.6	122	2	2	8	13	24	33	80
50-64	3503	12.4	153	2	2	9	16	26	39	74
65+	6350	16.3	234	2	3	12	21	36	52	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1352	5.6	32	1	1	4	7	12	15	26
B. *Operated*	3627	7.7	59	1	2	6	11	16	21	37
2. MULTIPLE DX										
A. *Not Operated*	4892	8.4	68	2	2	6	10	17	23	47
B. *Operated*	11083	14.4	201	2	2	11	18	32	46	90
1. SINGLE DX	4979	7.2	52	1	2	5	10	15	20	34
2. MULTIPLE DX	15975	12.6	168	2	2	9	16	27	40	78
A. NOT OPERATED	6244	7.8	61	1	2	6	10	16	21	42
B. OPERATED	14710	12.7	174	2	2	9	16	28	41	81
TOTAL 0-19 YRS	668	7.1	50	1	2	5	9	14	20	32
20-34	781	7.5	74	1	1	5	9	18	22	43
35-49	2065	8.2	77	1	2	6	10	17	24	51
50-64	6319	10.0	113	1	2	7	13	21	30	61
65+	11121	13.1	180	2	2	9	17	29	42	81
GRAND TOTAL	**20954**	**11.3**	**146**	**2**	**2**	**8**	**14**	**25**	**35**	**73**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	7.5	20	1	3	7	10	13	16	21
20-34	1780	7.6	17	2	3	7	10	13	15	22
35-49	2138	6.0	19	2	3	7	10	14	16	22
50-64	2381	8.3	17	3	4	8	10	13	16	21
65+	2184	9.1	20	3	4	8	11	15	17	23
B. *Operated*										
0-19 YRS	82	8.7	43	1	2	8	11	18	19	37
20-34	749	7.9	27	2	2	7	10	15	18	24
35-49	794	8.2	31	1	2	7	11	15	18	28
50-64	825	9.0	29	2	3	8	12	16	19	25
65+	602	10.3	36	2	3	10	13	17	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	7.7	19	2	3	7	10	12	17	20
20-34	1529	9.2	31	2	4	8	11	15	20	30
35-49	2915	9.8	34	3	4	9	12	17	20	32
50-64	5413	10.1	33	4	4	9	12	17	20	30
65+	7788	11.1	43	4	5	10	14	18	23	36
B. *Operated*										
0-19 YRS	71	9.9	53	2	3	10	12	16	17	48
20-34	791	10.9	57	2	3	10	14	20	25	41
35-49	1354	11.6	71	3	4	10	14	21	27	45
50-64	2249	12.2	74	3	4	10	15	22	28	47
65+	2958	14.0	96	4	5	12	17	24	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8687	8.3	19	2	3	8	10	14	16	22
B. *Operated*	3052	8.8	32	2	3	8	11	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	17792	10.4	38	3	4	9	13	17	21	32
B. *Operated*	7423	12.7	82	3	4	11	15	23	29	50
1. SINGLE DX	11739	8.4	22	2	3	8	11	14	17	23
2. MULTIPLE DX	25215	11.1	52	3	4	10	14	19	23	40
A. NOT OPERATED	26479	9.7	32	3	4	9	12	16	20	30
B. OPERATED	10475	11.5	70	2	4	10	14	21	26	45
TOTAL 0-19 YRS	504	8.1	28	2	3	7	11	14	17	27
20-34	4849	8.7	31	2	3	8	11	15	19	29
35-49	7201	9.5	38	2	3	8	12	16	20	32
50-64	10868	10.1	39	3	4	9	12	17	21	33
65+	13532	11.4	53	4	5	10	14	19	24	40
GRAND TOTAL	**36954**	**10.2**	**44**	**3**	**4**	**9**	**13**	**17**	**22**	**35**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	43	6.4	62	<1	<1	4	7	16	25	38
35-49	114	7.5	42	<1	1	6	10	16	22	31
50-64	179	10.1	80	1	2	8	13	18	27	50
65+	394	12.5	88	2	3	10	17	25	31	49
B. *Operated*										
0-19 YRS	108	3.4	3	1	1	3	4	6	7	8
20-34	2685	4.1	7	2	2	4	5	6	8	14
35-49	3665	4.6	11	2	2	4	5	7	9	20
50-64	2941	5.7	36	2	2	4	6	9	14	34
65+	1083	10.3	122	2	3	5	13	26	34	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.8	94	1	1	5	12	25	27	27
20-34	97	6.5	34	1	1	5	8	12	18	31
35-49	266	8.3	50	<1	1	7	11	16	23	37
50-64	651	11.1	86	1	3	9	14	21	28	51
65+	2121	13.6	110	3	4	11	17	27	34	61
B. *Operated*										
0-19 YRS	25	9.0	80	2	3	5	11	18	26	43
20-34	621	5.9	37	2	2	4	6	10	16	37
35-49	1360	6.7	37	2	3	5	7	13	19	32
50-64	2022	9.3	84	2	3	6	11	21	28	48
65+	1843	18.0	234	3	4	14	25	39	51	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	730	10.8	81	1	2	8	15	22	29	46
B. *Operated*	10482	5.3	32	2	2	4	5	9	13	32
2. MULTIPLE DX										
A. *Not Operated*	3141	12.4	101	2	3	10	16	25	32	52
B. *Operated*	5871	11.1	138	2	3	6	14	26	36	62
1. SINGLE DX	11212	5.7	37	2	2	4	6	10	16	34
2. MULTIPLE DX	9012	11.5	126	2	3	8	15	26	35	60
A. NOT OPERATED	3871	12.1	98	2	3	10	16	24	31	52
B. OPERATED	16353	7.4	78	2	2	4	7	16	25	48
TOTAL 0-19 YRS	139	4.6	25	1	1	3	5	7	13	29
20-34	3446	4.5	15	2	2	4	5	7	9	23
35-49	5405	5.3	22	2	2	4	6	9	13	26
50-64	5793	7.7	64	2	3	5	8	16	23	43
65+	5441	14.3	161	3	3	10	19	31	40	70
GRAND TOTAL	**20224**	**8.3**	**85**	**2**	**2**	**5**	**9**	**19**	**27**	**49**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.5	1	<1	1	2	3	4	5	5
20-34	301	2.8	4	<1	1	2	4	5	6	9
35-49	386	3.1	4	<1	1	3	4	6	7	10
50-64	360	2.9	4	<1	1	2	4	6	7	10
65+	251	3.7	8	<1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	87	4.0	4	1	2	4	5	7	8	9
20-34	2207	4.7	4	2	2	4	6	7	8	10
35-49	2780	4.9	5	2	3	5	6	8	9	13
50-64	1897	5.0	5	2	3	5	6	8	9	12
65+	684	5.9	11	3	3	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.1	5	1	1	3	4	6	8	11
20-34	497	3.7	8	1	1	3	5	7	8	14
35-49	888	4.2	9	1	1	4	5	8	10	16
50-64	1145	4.5	13	1	1	3	6	8	11	18
65+	1416	5.7	24	1	2	5	7	10	13	26
B. *Operated*										
0-19 YRS	245	4.7	5	1	2	5	6	7	9	11
20-34	6159	5.1	6	2	3	5	6	8	9	14
35-49	9469	5.5	8	3	3	5	6	9	10	16
50-64	7771	6.1	13	3	3	5	7	10	12	20
65+	3740	7.5	26	3	3	6	9	13	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1335	3.1	5	<1	1	3	4	6	7	10
B. *Operated*	7655	4.9	5	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	3998	4.7	16	1	1	4	6	9	11	19
B. *Operated*	27384	5.9	12	3	3	5	7	9	12	19
1. SINGLE DX	8990	4.7	6	1	2	4	6	8	9	13
2. MULTIPLE DX	31382	5.7	13	2	3	5	7	9	12	19
A. NOT OPERATED	5333	4.3	14	1	1	3	5	8	10	18
B. OPERATED	35039	5.7	11	2	3	5	7	9	11	18
TOTAL 0-19 YRS	421	4.1	5	1	2	4	5	7	8	11
20-34	9164	4.9	6	2	2	5	6	8	9	13
35-49	13523	5.3	8	2	3	5	6	8	10	15
50-64	11173	5.6	12	2	3	5	7	9	12	19
65+	6091	6.7	24	2	3	5	8	12	16	26
GRAND TOTAL	**40372**	**5.5**	**11**	**2**	**3**	**5**	**6**	**9**	**11**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	4.5	13	1	1	3	6	10	12	16
20-34	476	6.6	25	1	1	6	9	12	15	27
35-49	514	7.0	21	1	2	6	10	13	15	21
50-64	594	7.1	27	1	2	6	10	13	15	24
65+	921	7.6	41	1	2	6	10	14	18	27
B. *Operated*										
0-19 YRS	501	3.2	9	1	1	2	3	6	9	17
20-34	1781	3.4	14	1	1	2	3	7	11	18
35-49	873	4.7	22	1	1	3	6	11	14	20
50-64	590	7.7	46	1	2	6	10	15	19	35
65+	538	10.1	84	2	2	8	13	19	25	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	5.0	24	1	1	4	6	10	14	26
20-34	771	6.8	34	1	1	5	9	13	17	25
35-49	1385	7.4	33	1	2	6	10	15	18	28
50-64	2973	7.9	37	2	2	7	10	15	19	30
65+	6522	8.9	50	2	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	229	6.4	71	1	2	4	8	14	18	42
20-34	1444	6.1	58	1	1	3	7	14	19	39
35-49	1051	9.5	91	1	2	7	13	20	27	45
50-64	1781	12.7	125	2	3	10	16	25	33	65
65+	2716	14.8	154	2	4	12	18	29	38	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2644	7.0	30	1	2	6	9	13	16	25
B. *Operated*	4283	5.1	34	1	1	3	6	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	11876	8.3	44	2	2	7	11	16	20	32
B. *Operated*	7221	11.5	127	2	2	9	15	24	32	64
1. SINGLE DX	6927	5.8	33	1	1	4	8	12	16	26
2. MULTIPLE DX	19097	9.5	78	2	2	7	12	19	25	46
A. NOT OPERATED	14520	8.0	41	1	2	7	10	15	19	31
B. OPERATED	11504	9.1	102	1	2	6	12	20	28	53
TOTAL 0-19 YRS	1094	4.4	27	1	1	3	5	10	13	23
20-34	4472	5.2	35	1	1	3	7	11	15	28
35-49	3823	7.3	48	1	2	5	10	15	19	34
50-64	5938	9.2	68	2	2	7	12	18	24	43
65+	10697	10.3	84	2	3	8	13	20	27	51
GRAND TOTAL	**26024**	**8.5**	**69**	**1**	**2**	**6**	**11**	**17**	**23**	**42**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12906	2.7	3	1	1	2	3	5	6	9
20-34	2163	3.1	4	<1	<1	3	4	5	7	9
35-49	775	3.5	7	<1	1	3	4	6	7	12
50-64	520	4.0	7	<1	1	4	5	7	9	12
65+	457	4.6	8	<1	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	2361	2.0	2	1	1	2	2	3	4	8
20-34	1061	2.4	3	1	1	2	3	4	5	10
35-49	210	3.6	15	1	1	2	4	7	9	24
50-64	133	4.4	28	<1	1	3	6	9	12	36
65+	75	3.4	8	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18962	3.5	6	1	1	3	4	6	8	12
20-34	3821	4.0	6	1	2	3	5	7	8	13
35-49	2196	4.8	11	1	2	4	6	9	10	17
50-64	2552	5.8	16	2	2	5	7	10	13	22
65+	4370	7.5	40	2	3	6	9	14	17	32
B. *Operated*										
0-19 YRS	1401	3.4	18	1	1	2	3	7	10	23
20-34	523	4.5	22	1	1	3	5	10	13	21
35-49	337	6.6	35	1	2	5	9	14	18	27
50-64	341	7.7	43	1	2	6	10	17	21	27
65+	350	12.1	123	2	2	9	15	26	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16821	2.9	4	<1	1	3	4	5	6	9
B. *Operated*	3840	2.3	4	1	1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	31901	4.4	14	1	2	4	5	8	10	18
B. *Operated*	2952	5.5	44	1	1	3	7	13	18	31
1. SINGLE DX	20661	2.8	4	1	1	2	3	5	6	9
2. MULTIPLE DX	34853	4.5	16	1	1	3	5	8	11	20
A. NOT OPERATED	48722	3.9	11	1	1	3	5	7	9	16
B. OPERATED	6792	3.7	24	1	1	2	3	8	12	25
TOTAL 0-19 YRS	35630	3.1	5	1	1	3	4	6	7	11
20-34	7568	3.5	7	1	1	3	4	6	8	12
35-49	3518	4.6	13	1	2	4	6	8	11	19
50-64	3546	5.7	19	1	2	5	7	10	14	24
65+	5252	7.5	44	2	2	6	9	14	18	36
GRAND TOTAL	**55514**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14736	3.8	5	1	2	3	5	7	8	11
20-34	1124	4.0	5	1	2	4	5	7	8	11
35-49	1138	4.6	6	2	2	4	6	8	10	13
50-64	1183	5.3	10	2	2	5	7	9	11	16
65+	1461	6.0	13	2	3	5	7	10	12	20
B. *Operated*										
0-19 YRS	43	5.6	15	1	1	5	8	12	13	15
20-34	30	5.3	17	1	2	4	8	10	15	16
35-49	61	6.5	21	1	2	5	9	13	15	21
50-64	81	6.6	18	2	2	6	9	11	15	20
65+	57	8.2	44	1	2	6	11	17	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13216	4.5	7	2	2	4	6	8	9	14
20-34	2354	5.3	12	2	2	4	7	9	12	19
35-49	3733	6.1	15	2	3	5	8	11	13	20
50-64	8907	7.2	25	2	3	6	9	13	16	26
65+	17466	8.4	36	3	3	7	10	15	19	31
B. *Operated*										
0-19 YRS	154	7.9	42	2	3	6	10	15	20	40
20-34	195	8.9	60	2	2	7	12	17	23	38
35-49	376	9.4	66	2	3	8	11	17	23	38
50-64	820	11.0	82	2	3	9	14	22	29	45
65+	1231	13.7	113	3	4	11	17	26	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19642	4.1	6	1	2	4	5	7	9	13
B. *Operated*	272	6.6	24	1	2	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	45676	6.7	25	2	2	5	8	12	15	25
B. *Operated*	2776	11.7	93	2	3	9	15	23	30	51
1. SINGLE DX	19914	4.2	7	1	2	4	5	7	9	13
2. MULTIPLE DX	48452	7.0	31	2	2	6	9	13	16	28
A. NOT OPERATED	65318	5.9	21	2	2	5	7	11	14	23
B. OPERATED	3048	11.2	89	2	3	9	14	22	29	50
TOTAL 0-19 YRS	28149	4.1	6	1	2	4	5	7	9	13
20-34	3703	5.1	14	1	2	4	6	9	12	19
35-49	5308	6.0	18	2	2	5	7	11	13	22
50-64	10991	7.3	29	2	3	6	9	13	16	28
65+	20215	8.6	41	3	3	7	10	15	19	33
GRAND TOTAL	**68366**	**6.2**	**25**	**2**	**2**	**5**	**8**	**11**	**15**	**25**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.7	1	<1	<1	1	2	3	5	5
20-34	33	1.5	1	<1	<1	1	2	3	3	3
35-49	19	1.4		<1	<1	1	2	3	3	3
50-64	12	2.2	4	<1	<1	1	3	5	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2788	2.3	1	1	1	2	3	3	4	5
20-34	5996	2.3	1	1	1	2	3	3	4	5
35-49	2724	2.3	1	1	1	2	3	3	4	6
50-64	1280	2.3	1	1	1	2	3	3	4	6
65+	311	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	1.5	2	<1	<1	1	1	3	4	10
20-34	135	1.6	3	<1	<1	1	2	3	4	11
35-49	56	1.9	3	<1	<1	1	2	4	6	10
50-64	53	2.5	9	<1	<1	1	3	5	6	20
65+	22	2.3	4	<1	<1	2	3	4	7	10
B. *Operated*										
0-19 YRS	3653	2.5	1	1	1	2	3	4	4	6
20-34	9110	2.6	2	1	1	2	3	4	5	7
35-49	5126	2.8	3	1	1	3	3	4	5	9
50-64	2972	2.9	3	1	1	3	3	4	6	11
65+	773	3.3	7	1	1	3	4	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	1.6	1	<1	<1	1	2	3	3	7
B. *Operated*	13099	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	336	1.8	4	<1	<1	1	2	3	5	10
B. *Operated*	21634	2.7	2	1	1	2	3	4	5	8
1. SINGLE DX	13189	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	21970	2.7	2	1	1	2	3	4	5	8
A. NOT OPERATED	426	1.8	3	<1	<1	1	2	3	4	10
B. OPERATED	34733	2.5	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	6536	2.4	1	1	1	2	3	4	4	6
20-34	15274	2.5	2	1	1	2	3	4	4	6
35-49	7925	2.6	2	1	1	2	3	4	5	8
50-64	4317	2.8	3	1	1	2	3	4	5	10
65+	1107	3.0	6	1	1	3	3	5	6	13
GRAND TOTAL	**35159**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	5	4.2	21	<1	<1	1	8	11	11	11
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	137	2.1	3	<1	<1	2	2	3	4	9
20-34	279	2.3	2	<1	1	2	3	4	5	8
35-49	377	2.0	1	<1	<1	2	2	3	4	6
50-64	500	2.3	4	<1	1	2	3	4	5	6
65+	347	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	2	<1	<1	1	2	4	5	5
20-34	10	1.6	1	<1	<1	1	2	3	4	4
35-49	14	1.8	2	<1	<1	1	2	4	5	5
50-64	25	2.3	4	<1	<1	2	3	6	7	8
65+	21	4.4	9	1	1	4	6	8	11	13
B. *Operated*										
0-19 YRS	241	2.8	5	1	1	2	3	5	6	15
20-34	522	2.8	4	1	1	2	3	5	5	7
35-49	785	2.8	3	1	1	2	3	5	5	8
50-64	950	3.1	11	1	1	3	3	5	6	13
65+	590	3.5	12	1	1	3	4	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.9	9	<1	<1	1	4	8	10	11
B. *Operated*	1640	2.2	3	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	81	2.6	5	<1	<1	2	3	6	7	12
B. *Operated*	3088	3.0	8	1	1	3	3	5	6	13
1. SINGLE DX	1653	2.2	3	<1	1	2	3	4	4	6
2. MULTIPLE DX	3169	3.0	8	1	1	3	3	5	6	13
A. NOT OPERATED	94	2.6	6	<1	<1	2	3	6	7	12
B. OPERATED	4728	2.7	6	1	1	2	3	4	6	11
TOTAL 0-19 YRS	392	2.5	4	<1	1	2	3	4	6	14
20-34	812	2.6	3	1	1	2	3	4	5	7
35-49	1179	2.5	2	<1	1	2	3	4	5	7
50-64	1480	2.8	9	1	1	2	3	4	5	12
65+	959	3.1	9	1	1	2	4	5	8	15
GRAND TOTAL	**4822**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	349	1.8	2	<1	<1	1	2	4	5	7
20-34	108	2.1	2	<1	1	2	3	4	4	9
35-49	22	2.8	4	<1	1	2	4	6	7	7
50-64	4	2.5		2	2	2	3	3	3	3
65+	4	2.0	4	1	1	1	3	5	5	5
B. *Operated*										
0-19 YRS	59672	1.7	1	<1	1	2	2	2	3	4
20-34	15501	2.0	1	1	1	2	2	3	3	5
35-49	1431	2.2	1	1	1	2	2	3	4	6
50-64	243	2.3	2	1	1	2	3	3	5	9
65+	106	2.2	2	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1216	1.6	2	<1	<1	1	1	3	4	8
20-34	184	2.3	4	<1	<1	2	3	4	7	11
35-49	37	3.3	6	<1	<1	2	5	7	7	11
50-64	9	3.2	13	<1	<1	2	4	10	11	11
65+	11	4.3	8	<1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	29968	1.7	1	<1	1	2	2	2	3	4
20-34	2885	2.4	3	1	1	2	3	4	5	9
35-49	436	2.8	5	1	1	2	3	5	6	13
50-64	155	3.2	12	1	1	2	4	6	7	14
65+	80	4.3	20	1	2	3	4	9	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	76953	1.8	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1457	1.8	3	<1	<1	1	2	4	5	9
B. *Operated*	33524	1.8	1	<1	1	2	2	2	3	5
1. SINGLE DX	77440	1.8	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	34981	1.8	1	<1	1	2	2	2	3	6
A. NOT OPERATED	1944	1.8	3	<1	<1	1	2	4	5	9
B. OPERATED	110477	1.8	1	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	91205	1.7	1	<1	1	2	2	2	3	4
20-34	18678	2.1	1	1	1	2	2	3	4	6
35-49	1926	2.4	2	1	1	2	3	4	5	8
50-64	411	2.7	6	1	1	2	3	4	6	11
65+	201	3.1	11	1	1	2	3	7	9	19
GRAND TOTAL	**112421**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1790	3.1	4	1	1	3	4	5	6	9
20-34	1298	3.2	4	1	1	3	4	5	7	10
35-49	608	3.4	8	1	1	3	4	6	8	14
50-64	405	3.1	6	<1	1	2	4	6	8	13
65+	230	3.6	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	2235	2.5	5	<1	1	2	3	4	6	11
20-34	3704	2.4	3	<1	1	2	3	4	5	9
35-49	3194	2.4	3	<1	1	2	3	4	5	9
50-64	3200	2.3	3	<1	1	2	2	4	5	10
65+	1559	2.7	8	1	1	2	3	4	6	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1509	3.9	6	1	1	3	5	7	9	13
20-34	1115	4.3	10	1	1	4	5	7	9	15
35-49	979	4.7	10	1	2	4	6	9	10	17
50-64	1007	5.2	15	1	2	4	6	10	12	20
65+	963	6.4	23	1	2	5	8	12	16	24
B. *Operated*										
0-19 YRS	1776	3.2	12	<1	1	2	4	6	9	17
20-34	3195	3.1	8	1	1	2	4	5	8	14
35-49	2866	3.5	17	1	1	3	4	6	9	18
50-64	3139	4.1	25	1	1	3	4	8	12	24
65+	1913	5.4	50	1	1	3	6	12	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4331	3.2	5	1	1	3	4	6	7	11
B. *Operated*	13892	2.4	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	5573	4.8	13	1	2	4	6	9	11	18
B. *Operated*	12889	3.8	21	1	1	3	4	7	11	23
1. SINGLE DX	18223	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	18462	4.1	19	1	1	3	5	8	11	22
A. NOT OPERATED	9904	4.1	10	1	1	3	5	7	10	16
B. OPERATED	26781	3.1	13	1	1	2	3	5	8	18
TOTAL 0-19 YRS	7310	3.1	7	<1	1	2	4	6	7	13
20-34	9312	3.0	6	1	1	2	4	5	7	12
35-49	7647	3.2	10	1	1	2	4	6	8	15
50-64	7751	3.4	15	1	1	2	4	7	10	19
65+	4665	4.6	31	1	1	3	5	10	14	28
GRAND TOTAL	**36685**	**3.4**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33387	4.5	7	2	2	4	6	7	9	13
20-34	7654	5.3	9	2	2	5	7	9	10	15
35-49	5459	5.9	10	2	3	5	7	10	12	17
50-64	4973	6.6	17	2	3	6	8	11	13	20
65+	7469	7.9	23	3	3	7	10	13	17	24
B. *Operated*										
0-19 YRS	171	7.9	39	1	2	7	10	14	18	38
20-34	202	8.9	32	2	2	8	12	16	19	26
35-49	371	9.5	46	2	2	8	12	17	22	35
50-64	544	9.8	44	2	2	9	13	18	23	31
65+	555	11.6	79	2	2	10	15	23	29	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27576	5.1	12	2	2	4	6	9	11	17
20-34	6779	6.5	21	2	3	5	8	11	14	23
35-49	7874	7.5	26	2	3	6	9	13	16	26
50-64	16081	8.8	36	3	4	7	11	15	19	31
65+	49572	11.3	66	3	4	9	14	20	26	44
B. *Operated*										
0-19 YRS	564	12.5	116	3	4	10	16	25	36	57
20-34	730	15.0	144	3	5	11	18	29	37	68
35-49	1245	15.0	139	3	5	12	19	29	36	72
50-64	2880	16.2	150	4	6	13	20	31	40	70
65+	6234	19.9	200	5	7	16	25	38	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58942	5.3	12	2	2	5	7	9	11	17
B. *Operated*	1843	10.0	55	2	2	9	13	19	24	37
2. MULTIPLE DX										
A. *Not Operated*	107882	8.8	49	2	3	7	11	16	21	36
B. *Operated*	11653	17.8	179	4	6	14	22	35	46	87
1. SINGLE DX	60785	5.5	14	2	2	5	7	10	12	19
2. MULTIPLE DX	119535	9.7	69	2	3	7	12	18	24	45
A. NOT OPERATED	166824	7.6	38	2	3	6	9	14	18	32
B. OPERATED	13496	16.8	170	3	5	13	21	33	44	82
TOTAL 0-19 YRS	61698	4.8	11	2	2	4	6	8	10	16
20-34	15365	6.3	25	2	3	5	8	11	14	27
35-49	14949	7.6	36	2	3	6	9	13	17	32
50-64	24478	9.3	53	3	3	7	11	17	22	38
65+	63830	11.8	83	3	4	9	14	22	28	52
GRAND TOTAL	**180320**	**8.2**	**54**	**2**	**3**	**6**	**10**	**16**	**21**	**39**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	952	2.9	3	1	1	3	4	5	6	9
20-34	626	3.2	4	1	1	3	4	6	7	10
35-49	421	3.6	4	1	2	3	4	6	7	11
50-64	394	4.2	8	1	2	4	5	7	9	14
65+	529	5.3	14	2	2	4	7	9	12	19
B. *Operated*										
0-19 YRS	9	6.0	19	2	2	4	9	13	14	14
20-34	10	4.2	14	2	2	2	5	10	13	13
35-49	1	14.0		14	14	14	14	14	14	14
50-64	5	6.4	17	2	2	5	8	13	13	13
65+	2	14.0	72	8	8	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1357	3.5	5	1	1	3	4	6	7	12
20-34	1089	3.8	9	1	1	3	5	7	8	13
35-49	864	4.9	11	2	2	4	6	9	10	18
50-64	1255	5.5	14	2	2	5	7	10	12	21
65+	2809	6.9	25	2	3	6	9	12	16	25
B. *Operated*										
0-19 YRS	19	10.5	146	2	3	7	9	30	44	47
20-34	29	7.4	38	1	1	6	11	14	21	27
35-49	33	12.8	151	2	3	10	15	22	41	63
50-64	67	13.9	195	3	3	10	17	25	34	89
65+	104	14.8	119	4	5	11	19	32	38	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2922	3.7	7	1	1	3	4	7	8	13
B. *Operated*	27	6.3	24	2	2	5	9	14	15	20
2. MULTIPLE DX										
A. *Not Operated*	7374	5.3	17	1	2	4	7	10	13	21
B. *Operated*	252	13.1	140	3	3	10	16	27	37	58
1. SINGLE DX	2949	3.7	7	1	1	3	5	7	8	14
2. MULTIPLE DX	7626	5.6	23	1	2	4	7	10	14	24
A. NOT OPERATED	10296	4.9	15	1	2	4	6	9	12	19
B. OPERATED	279	12.5	133	2	3	9	15	25	35	57
TOTAL 0-19 YRS	2337	3.3	6	1	1	3	4	6	7	11
20-34	1754	3.6	8	1	1	3	4	6	8	13
35-49	1319	4.7	15	1	2	4	6	8	10	18
50-64	1721	5.6	22	2	2	4	7	10	13	23
65+	3444	6.9	29	2	2	5	8	13	16	28
GRAND TOTAL	**10575**	**5.1**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3910	3.6	5	1	1	3	5	6	7	11
20-34	664	3.9	8	<1	1	4	5	7	8	13
35-49	798	5.0	11	1	2	4	6	9	11	17
50-64	1266	5.9	15	2	2	5	7	11	13	21
65+	1827	6.7	22	2	2	6	8	12	15	23
B. *Operated*										
0-19 YRS	48	5.2	46	<1	1	3	7	11	15	42
20-34	97	4.4	12	<1	1	4	5	8	11	19
35-49	153	4.5	15	1	1	3	6	9	11	21
50-64	300	5.1	20	<1	1	3	7	11	14	20
65+	233	6.2	69	1	1	4	8	12	16	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3675	4.1	7	1	2	4	5	7	9	13
20-34	1284	5.0	15	1	2	4	6	9	11	17
35-49	2096	6.3	21	2	2	5	8	12	15	24
50-64	5274	7.5	34	2	3	6	9	14	18	30
65+	10783	8.8	44	3	3	7	11	16	21	34
B. *Operated*										
0-19 YRS	75	7.7	34	1	2	7	10	14	17	36
20-34	172	8.1	59	2	2	6	10	16	26	48
35-49	494	7.8	54	1	2	6	10	16	21	33
50-64	1232	9.5	96	2	2	7	12	19	25	67
65+	1534	12.0	110	2	3	9	16	25	34	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8465	4.8	13	1	2	4	6	9	11	18
B. *Operated*	831	5.2	34	1	1	4	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	23112	7.3	35	2	2	6	9	14	18	30
B. *Operated*	3507	10.2	96	2	2	8	13	21	29	67
1. SINGLE DX	9296	4.8	15	1	2	4	6	9	11	19
2. MULTIPLE DX	26619	7.7	44	2	2	6	9	15	20	34
A. NOT OPERATED	31577	6.6	30	2	2	5	8	13	16	28
B. OPERATED	4338	9.3	88	1	2	7	12	20	27	60
TOTAL 0-19 YRS	7708	3.9	7	1	2	3	5	7	8	13
20-34	2217	4.9	17	1	2	4	6	9	11	19
35-49	3541	6.1	24	2	2	5	8	11	15	25
50-64	8072	7.5	41	2	2	6	9	14	18	33
65+	14377	8.8	50	2	3	7	11	17	21	38
GRAND TOTAL	**35915**	**7.0**	**38**	**2**	**2**	**5**	**9**	**13**	**18**	**32**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	5	1	1	4	4	7	7	7
20-34	14	4.8	9	2	2	4	6	8	12	13
35-49	96	5.8	22	2	2	5	7	12	15	27
50-64	493	7.6	42	2	2	6	9	14	19	34
65+	811	7.8	33	2	3	6	10	14	18	28
B. *Operated*										
0-19 YRS	9	12.3	116	2	3	10	14	30	38	38
20-34	16	10.5	23	4	6	10	14	17	20	21
35-49	38	9.0	24	<1	1	9	12	16	17	18
50-64	41	11.9	84	1	2	9	19	24	31	34
65+	23	14.1	157	3	4	10	19	39	42	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	10.6	217	<1	1	5	11	32	50	52
20-34	33	5.9	21	1	2	4	8	11	17	20
35-49	355	7.9	37	2	3	6	10	15	23	29
50-64	2493	9.5	65	2	3	7	11	17	23	41
65+	5329	10.2	71	2	3	8	13	19	25	46
B. *Operated*										
0-19 YRS	8	10.4	125	2	3	5	13	29	36	36
20-34	61	14.0	60	5	6	13	18	24	29	41
35-49	98	16.9	242	3	4	14	21	31	57	98
50-64	367	16.4	204	3	5	12	21	34	49	88
65+	624	18.6	252	3	5	15	24	41	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1420	7.5	36	2	2	6	9	14	18	31
B. *Operated*	127	11.3	75	1	2	10	16	21	31	41
2. MULTIPLE DX										
A. *Not Operated*	8221	9.8	68	2	3	8	12	19	25	44
B. *Operated*	1158	17.5	226	3	5	13	22	36	59	99+
1. SINGLE DX	1547	7.8	40	2	2	6	10	15	19	34
2. MULTIPLE DX	9379	10.8	94	2	3	8	13	21	29	62
A. NOT OPERATED	9641	9.5	64	2	3	7	12	18	24	43
B. OPERATED	1285	16.9	215	3	4	13	22	35	55	99+
TOTAL 0-19 YRS	34	9.8	130	1	1	6	11	21	38	52
20-34	124	10.4	54	2	3	9	15	20	24	36
35-49	587	9.1	81	2	2	7	11	19	25	47
50-64	3394	10.0	82	2	3	7	12	19	26	52
65+	6787	10.7	91	2	3	8	13	21	29	63
GRAND TOTAL	**10926**	**10.4**	**87**	**2**	**3**	**8**	**13**	**20**	**27**	**58**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27752	3.5	4	1	2	3	4	6	7	10
20-34	7376	4.2	7	1	2	4	5	7	9	13
35-49	6286	5.1	10	1	2	4	6	9	11	15
50-64	5770	5.8	15	2	2	5	7	10	12	18
65+	3998	6.5	18	2	2	6	8	12	14	20
B. *Operated*										
0-19 YRS	70	5.4	13	1	2	5	7	10	12	17
20-34	53	7.6	18	2	3	7	10	14	16	18
35-49	94	7.1	26	1	2	6	9	15	17	23
50-64	86	8.5	31	2	2	7	11	16	17	27
65+	60	10.7	34	2	3	10	16	19	22	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15050	4.2	8	1	2	4	5	7	9	14
20-34	5751	5.2	13	1	2	4	7	9	12	19
35-49	7357	6.5	21	2	3	5	8	12	14	24
50-64	12416	7.6	31	2	3	6	9	13	17	28
65+	14456	8.7	41	2	3	7	11	15	20	33
B. *Operated*										
0-19 YRS	195	8.2	46	2	3	7	10	14	19	33
20-34	300	10.9	80	2	3	8	14	20	25	41
35-49	515	12.4	94	3	4	10	16	24	31	55
50-64	836	14.0	150	3	4	11	16	24	35	78
65+	885	16.0	176	4	5	13	20	30	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51182	4.3	8	1	2	4	5	8	9	14
B. *Operated*	363	7.8	27	2	2	7	10	16	18	25
2. MULTIPLE DX										
A. *Not Operated*	55030	6.6	27	2	2	5	8	12	16	26
B. *Operated*	2731	13.6	138	3	4	11	17	25	35	77
1. SINGLE DX	51545	4.3	9	1	2	4	5	8	10	15
2. MULTIPLE DX	57761	6.9	35	2	2	5	8	13	17	29
A. NOT OPERATED	106212	5.5	19	1	2	4	7	10	13	22
B. OPERATED	3094	12.9	128	3	4	10	16	24	33	73
TOTAL 0-19 YRS	43067	3.8	6	1	2	3	5	6	8	12
20-34	13480	4.8	12	1	2	4	6	8	11	18
35-49	14252	6.1	21	2	2	5	8	11	14	23
50-64	19108	7.3	34	2	3	6	9	13	17	29
65+	19399	8.6	45	2	3	7	11	15	20	35
GRAND TOTAL	**109306**	**5.7**	**24**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	4.3	6	2	2	4	6	7	9	14
20-34	102	5.2	11	2	2	5	7	10	13	15
35-49	601	6.3	24	1	2	5	8	11	15	24
50-64	3462	7.0	27	2	2	6	9	13	17	27
65+	5348	7.8	35	2	3	6	10	14	18	31
B. *Operated*										
0-19 YRS	21	5.6	31	1	2	3	7	15	19	21
20-34	35	7.5	86	2	2	5	8	14	27	50
35-49	82	6.9	30	1	2	5	9	14	19	26
50-64	225	8.3	91	2	2	5	10	15	24	68
65+	225	10.7	118	1	2	8	14	22	30	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	6.3	27	1	2	5	8	13	19	31
20-34	308	7.2	33	2	2	5	9	14	19	29
35-49	2331	7.8	41	2	3	6	9	14	19	32
50-64	15998	9.0	51	2	3	7	11	16	21	37
65+	32824	10.0	66	3	3	8	12	19	25	44
B. *Operated*										
0-19 YRS	25	8.3	128	1	1	4	9	19	34	53
20-34	65	9.4	93	2	2	7	11	18	26	53
35-49	394	13.2	178	2	3	9	16	26	36	90
50-64	2075	14.0	160	2	3	11	17	31	44	99+
65+	3758	17.5	219	3	5	13	22	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9593	7.4	31	2	3	6	9	14	17	29
B. *Operated*	588	8.9	93	1	2	6	12	18	27	68
2. MULTIPLE DX										
A. *Not Operated*	51508	9.6	60	2	3	8	12	18	23	42
B. *Operated*	6317	15.9	199	3	4	12	20	34	49	99+
1. SINGLE DX	10181	7.5	35	2	3	6	9	14	18	30
2. MULTIPLE DX	57825	10.3	79	2	3	8	12	19	26	51
A. NOT OPERATED	61101	9.2	56	2	3	7	11	17	22	40
B. OPERATED	6905	15.3	194	2	4	11	19	33	47	99+
TOTAL 0-19 YRS	273	5.8	31	1	2	4	7	12	16	30
20-34	510	7.1	41	2	2	5	9	14	18	34
35-49	3408	8.1	57	2	3	6	9	15	20	39
50-64	21660	9.1	61	2	3	7	11	17	23	44
65+	42155	10.4	81	2	3	8	13	20	27	52
GRAND TOTAL	**68006**	**9.9**	**74**	**2**	**3**	**8**	**12**	**19**	**25**	**49**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	257	3.6	7	1	1	3	5	7	9	12
20-34	756	3.8	7	1	1	3	5	7	9	12
35-49	204	4.6	10	1	1	4	6	9	10	16
50-64	87	5.9	16	2	2	5	7	11	14	22
65+	45	6.6	13	2	3	6	9	11	14	17
B. *Operated*										
0-19 YRS	393	6.8	21	2	3	6	8	12	17	24
20-34	2159	6.4	16	2	3	5	8	11	15	21
35-49	610	6.9	24	2	3	5	8	13	16	26
50-64	316	7.4	30	2	3	6	9	14	19	26
65+	191	9.8	54	2	3	7	13	21	26	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.8	9	1	1	3	4	7	8	19
20-34	161	4.7	11	1	1	4	6	9	12	17
35-49	107	6.2	21	1	2	5	8	11	15	26
50-64	169	9.4	95	2	3	7	10	18	26	64
65+	337	9.9	56	2	3	8	13	20	24	34
B. *Operated*										
0-19 YRS	139	10.9	56	4	4	9	14	20	24	38
20-34	651	9.7	46	3	4	8	13	18	21	35
35-49	451	11.2	94	3	4	8	14	22	28	50
50-64	657	13.0	114	3	4	10	17	26	34	60
65+	890	14.5	146	3	4	11	19	30	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1349	4.1	9	1	1	3	5	8	10	15
B. *Operated*	3669	6.8	21	2	3	5	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	860	7.8	52	1	2	6	10	16	21	33
B. *Operated*	2788	12.3	105	3	4	9	15	25	32	54
1. SINGLE DX	5018	6.1	19	2	2	5	7	11	15	23
2. MULTIPLE DX	3648	11.2	97	2	3	8	14	23	31	53
A. NOT OPERATED	2209	5.5	29	1	1	4	7	11	15	26
B. OPERATED	6457	9.2	65	3	3	7	11	18	24	43
TOTAL 0-19 YRS	875	6.2	27	1	2	5	8	12	16	27
20-34	3727	6.4	22	2	2	5	8	12	16	23
35-49	1372	7.9	50	2	3	6	9	15	21	38
50-64	1229	10.6	90	3	3	8	13	21	28	53
65+	1463	12.6	115	3	4	9	16	26	32	53
GRAND TOTAL	**8666**	**8.2**	**58**	**2**	**3**	**6**	**10**	**17**	**22**	**39**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1358	3.8	14	1	1	3	4	7	9	15
20-34	899	4.0	12	<1	1	3	5	8	11	18
35-49	809	4.4	14	1	1	3	6	8	12	21
50-64	1097	5.1	21	1	1	4	6	10	13	24
65+	1500	6.8	41	1	2	5	9	14	17	29
B. *Operated*										
0-19 YRS	194	6.0	86	<1	1	3	7	13	17	51
20-34	428	8.0	57	1	2	6	10	17	24	35
35-49	737	7.8	48	1	2	6	10	15	19	38
50-64	1290	7.9	51	1	2	6	11	17	21	34
65+	1142	8.1	56	1	2	6	11	17	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2284	5.0	26	1	1	4	6	10	13	24
20-34	1543	5.8	27	1	1	4	7	12	15	26
35-49	2376	6.7	39	1	2	5	8	13	17	29
50-64	6005	7.8	44	2	2	6	10	15	20	35
65+	15585	10.2	71	2	3	8	13	19	25	46
B. *Operated*										
0-19 YRS	411	10.4	157	1	1	7	13	27	37	71
20-34	796	12.0	156	1	2	8	15	26	37	66
35-49	1496	12.7	143	2	2	9	17	27	39	66
50-64	3649	12.7	133	2	3	9	17	27	36	70
65+	5670	15.5	176	2	3	12	20	32	42	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5663	5.0	23	1	1	4	6	10	14	23
B. *Operated*	3791	7.8	55	1	2	6	10	16	21	35
2. MULTIPLE DX										
A. *Not Operated*	27793	8.7	60	2	2	7	11	17	22	40
B. *Operated*	12022	13.9	160	2	3	10	18	29	40	72
1. SINGLE DX	9454	6.1	38	1	1	4	8	13	17	29
2. MULTIPLE DX	39815	10.3	95	2	2	8	13	21	29	54
A. NOT OPERATED	33456	8.1	55	1	2	6	10	16	21	38
B. OPERATED	15813	12.4	141	2	2	9	16	27	36	65
TOTAL 0-19 YRS	4247	5.2	41	1	1	3	6	10	14	34
20-34	3666	7.0	63	1	1	4	8	15	21	42
35-49	5418	8.2	74	1	2	6	10	17	24	47
50-64	12041	9.1	76	1	2	7	11	19	26	48
65+	23897	11.1	100	2	3	8	14	22	30	54
GRAND TOTAL	**49269**	**9.5**	**87**	**1**	**2**	**7**	**12**	**20**	**27**	**50**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	221	3.0	4	<1	<1	3	4	5	7	9
20-34	235	3.0	6	<1	<1	2	4	6	8	12
35-49	142	3.2	9	<1	<1	2	4	7	9	16
50-64	91	3.8	16	<1	1	3	5	7	10	25
65+	37	4.2	15	<1	1	3	5	7	14	20
B. Operated										
0-19 YRS	10023	1.9	1	<1	<1	2	2	3	4	6
20-34	8873	2.2	2	<1	<1	2	2	4	5	7
35-49	2953	2.5	4	<1	1	2	3	4	5	9
50-64	1856	2.5	2	<1	1	2	3	4	5	9
65+	734	2.8	6	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	462	3.2	11	<1	<1	2	4	6	8	11
20-34	456	3.6	10	<1	<1	3	5	8	10	17
35-49	281	4.1	14	<1	<1	3	6	9	10	16
50-64	265	4.5	31	<1	1	3	5	9	13	26
65+	253	5.9	28	1	1	4	8	13	17	27
B. Operated										
0-19 YRS	4299	2.4	6	<1	<1	2	3	4	5	9
20-34	5136	2.8	8	<1	1	2	3	5	6	11
35-49	3330	2.9	9	1	1	2	3	5	7	14
50-64	3557	3.2	14	1	1	2	3	5	8	18
65+	2447	3.7	17	1	2	2	4	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	726	3.2	8	<1	<1	2	4	6	8	13
B. Operated	24439	2.1	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	1717	4.0	18	<1	<1	3	5	8	11	20
B. Operated	18769	2.9	10	<1	1	2	3	5	7	15
1. SINGLE DX	25165	2.2	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	20486	3.0	11	<1	1	2	3	5	7	16
A. NOT OPERATED	2443	3.8	15	<1	<1	3	5	8	10	18
B. OPERATED	43208	2.5	6	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	15005	2.1	3	<1	<1	2	2	4	5	7
20-34	14700	2.5	5	<1	1	2	3	4	5	9
35-49	6706	2.8	7	<1	1	2	3	5	7	12
50-64	5769	3.1	11	1	1	2	3	5	8	16
65+	3471	3.6	16	1	1	2	4	7	10	21
GRAND TOTAL	**45651**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	414	3.8	5	1	2	3	5	6	8	11
20-34	188	4.0	6	1	1	3	5	8	9	12
35-49	130	4.3	7	1	1	4	5	8	10	14
50-64	127	4.2	8	<1	1	4	5	8	10	14
65+	120	5.5	13	1	2	5	7	10	13	18
B. Operated										
0-19 YRS	631	2.5	3	<1	<1	2	3	5	6	10
20-34	683	3.1	5	<1	1	3	4	6	7	11
35-49	596	3.2	4	1	1	3	4	5	7	13
50-64	798	3.2	5	1	1	3	4	5	7	13
65+	591	3.8	9	1	2	3	4	7	9	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	649	4.3	6	1	2	4	5	7	9	13
20-34	223	4.6	9	1	2	4	6	8	11	16
35-49	209	5.7	15	1	2	5	7	10	13	20
50-64	300	6.6	22	2	2	6	8	12	16	26
65+	628	7.8	36	2	3	7	10	14	17	33
B. Operated										
0-19 YRS	290	3.7	18	<1	1	3	5	7	9	17
20-34	398	4.4	16	1	1	3	5	9	13	22
35-49	521	4.8	41	1	1	3	5	9	12	33
50-64	782	5.3	35	1	2	4	6	11	15	27
65+	826	6.5	55	1	2	4	7	14	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	979	4.2	7	1	1	4	5	7	10	14
B. Operated	3299	3.2	6	<1	1	3	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	2009	5.9	21	1	2	5	7	11	14	25
B. Operated	2817	5.2	38	1	2	3	6	10	15	31
1. SINGLE DX	4278	3.4	6	<1	1	3	4	6	8	13
2. MULTIPLE DX	4826	5.5	31	1	2	4	7	11	14	27
A. NOT OPERATED	2988	5.3	17	1	2	4	7	10	13	21
B. OPERATED	6116	4.1	22	1	1	3	4	8	11	22
TOTAL 0-19 YRS	1984	3.5	7	<1	1	3	5	7	8	12
20-34	1492	3.8	9	1	1	3	5	7	9	16
35-49	1456	4.2	20	1	1	3	5	8	10	19
50-64	2007	4.6	21	1	1	3	5	9	12	22
65+	2165	6.1	37	1	2	4	7	12	17	31
GRAND TOTAL	**9104**	**4.5**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	796	3.5	10	1	1	3	4	7	9	16
20-34	773	3.5	6	<1	1	3	4	7	8	13
35-49	1124	3.6	8	1	1	3	5	7	8	13
50-64	1004	3.9	9	1	1	3	5	7	9	15
65+	780	4.4	14	1	1	3	5	8	11	19
B. *Operated*										
0-19 YRS	275	5.0	61	<1	1	2	6	10	17	30
20-34	381	5.2	18	1	1	4	8	10	13	23
35-49	528	6.3	39	1	1	5	8	12	14	26
50-64	740	6.0	30	1	1	5	8	12	15	29
65+	981	6.0	32	1	1	4	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	916	5.2	28	1	1	4	6	10	14	33
20-34	1744	4.7	12	1	2	4	6	8	10	18
35-49	3245	5.0	13	1	2	4	6	9	12	18
50-64	4454	5.5	17	1	2	5	7	10	13	20
65+	5778	6.8	33	2	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	313	9.7	149	1	2	6	12	21	37	89
20-34	812	7.7	58	1	2	6	9	14	18	43
35-49	1718	8.4	52	2	2	7	10	16	22	37
50-64	2962	8.8	64	1	2	7	11	18	23	49
65+	4651	10.5	108	2	2	8	13	22	30	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4477	3.8	9	1	1	3	5	7	9	15
B. *Operated*	2905	5.9	33	1	1	4	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	16137	5.8	23	1	2	5	7	11	14	24
B. *Operated*	10456	9.4	85	1	2	7	12	19	26	53
1. SINGLE DX	7382	4.6	20	1	1	3	6	9	12	21
2. MULTIPLE DX	26593	7.2	50	1	2	5	9	14	19	38
A. NOT OPERATED	20614	5.3	21	1	2	4	7	10	13	23
B. OPERATED	13361	8.7	76	1	2	7	11	17	24	49
TOTAL 0-19 YRS	2300	5.2	46	1	1	3	6	10	16	39
20-34	3710	5.1	23	1	1	4	7	10	12	23
35-49	6615	5.8	27	1	2	4	7	11	15	26
50-64	9160	6.4	35	1	2	5	8	12	17	30
65+	12190	8.0	65	1	2	6	10	16	22	44
GRAND TOTAL	**33975**	**6.7**	**45**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	4.5	12	1	2	4	6	8	9	20
20-34	404	4.4	9	1	1	4	6	8	10	15
35-49	599	4.9	11	1	2	4	6	9	11	16
50-64	608	4.9	11	1	2	4	6	9	11	16
65+	521	5.9	22	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	22	5.8	9	2	2	5	8	10	12	13
20-34	192	7.7	25	2	3	7	9	14	17	25
35-49	521	8.0	31	1	2	7	10	15	18	28
50-64	566	7.8	31	1	2	7	10	15	19	28
65+	517	8.5	42	1	2	7	11	17	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	5.6	22	2	2	4	6	11	17	24
20-34	594	6.0	17	2	2	5	7	11	13	20
35-49	1225	6.4	20	2	2	5	8	12	15	20
50-64	1875	6.8	20	2	2	6	8	12	15	22
65+	3236	8.3	38	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	27	7.4	19	2	2	7	11	13	16	17
20-34	332	9.2	55	2	3	7	11	17	24	40
35-49	992	9.1	48	2	3	8	11	16	21	34
50-64	1706	10.3	64	2	3	8	13	19	24	45
65+	2661	11.8	81	3	4	10	15	23	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2233	5.0	13	1	2	4	6	9	11	18
B. *Operated*	1818	8.0	33	1	2	7	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	7011	7.3	29	2	3	6	9	13	17	28
B. *Operated*	5718	10.7	70	2	3	9	13	20	26	45
1. SINGLE DX	4051	6.4	25	1	2	5	8	12	16	25
2. MULTIPLE DX	12729	8.9	50	2	3	7	11	17	22	36
A. NOT OPERATED	9244	6.8	26	2	2	6	8	12	16	27
B. OPERATED	7536	10.1	62	2	3	8	13	19	24	40
TOTAL 0-19 YRS	231	5.4	17	1	2	4	7	10	13	20
20-34	1522	6.5	27	1	2	5	8	12	15	26
35-49	3337	7.2	31	2	2	6	9	14	17	26
50-64	4755	7.9	40	2	2	6	10	15	19	33
65+	6935	9.5	57	2	3	8	12	18	24	38
GRAND TOTAL	**16780**	**8.3**	**45**	**2**	**3**	**7**	**10**	**16**	**20**	**34**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	4.6	7	1	2	4	6	9	10	11
20-34	160	4.4	6	2	2	4	6	7	9	12
35-49	318	5.2	7	2	2	5	6	8	10	15
50-64	485	5.4	7	2	3	5	7	8	10	14
65+	563	6.9	18	2	3	6	8	11	16	22
B. *Operated*										
0-19 YRS	13	6.2	6	1	3	7	8	9	11	11
20-34	140	9.0	22	3	4	8	11	15	19	25
35-49	240	9.0	24	3	4	8	11	15	17	27
50-64	393	9.7	33	3	4	8	12	16	20	33
65+	479	11.2	50	3	4	10	15	20	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.1	4	2	2	6	6	8	8	9
20-34	193	5.6	13	2	2	5	7	9	12	23
35-49	494	6.2	12	2	3	5	8	10	13	20
50-64	1217	7.3	26	3	3	6	9	12	16	26
65+	2821	9.4	46	3	4	8	11	16	21	37
B. *Operated*										
0-19 YRS	22	9.2	65	2	3	7	10	24	28	33
20-34	153	12.6	120	3	4	9	15	24	37	53
35-49	456	11.9	122	3	4	9	13	22	31	57
50-64	1145	13.1	107	4	5	10	16	24	32	59
65+	2852	15.2	148	4	5	12	19	29	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1579	5.8	12	2	3	5	7	9	12	19
B. *Operated*	1265	10.0	37	3	4	9	13	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	4756	8.4	38	3	3	7	10	15	19	33
B. *Operated*	4628	14.2	136	4	5	11	17	27	37	73
1. SINGLE DX	2844	7.7	28	2	3	6	9	14	17	26
2. MULTIPLE DX	9384	11.2	95	3	4	8	14	21	29	55
A. NOT OPERATED	6335	7.7	33	2	3	6	9	14	18	31
B. OPERATED	5893	13.3	118	4	5	10	16	25	34	63
TOTAL 0-19 YRS	119	5.8	19	1	2	5	7	9	11	27
20-34	646	7.7	48	2	3	6	9	14	20	39
35-49	1508	8.2	54	2	3	6	10	14	19	38
50-64	3240	9.3	62	3	3	7	11	17	23	43
65+	6715	11.8	97	3	4	9	14	22	30	56
GRAND TOTAL	**12228**	**10.4**	**81**	**3**	**4**	**8**	**13**	**20**	**26**	**51**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	625	3.7	6	1	1	3	5	7	8	12
20-34	2242	4.1	6	1	2	4	5	7	9	12
35-49	2366	4.4	8	1	2	4	6	8	10	14
50-64	1703	4.8	8	1	2	4	6	8	10	15
65+	1094	5.4	12	2	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	23	5.6	8	1	2	6	8	9	11	13
20-34	317	9.3	27	2	3	8	11	16	20	28
35-49	516	9.9	36	3	4	9	12	17	21	28
50-64	399	9.3	30	2	3	9	11	16	20	30
65+	185	9.8	38	1	3	9	12	17	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	491	4.8	10	1	2	4	6	9	12	17
20-34	2536	5.2	12	2	2	4	7	9	12	17
35-49	3868	5.7	14	2	2	5	7	10	13	20
50-64	4782	6.1	17	2	2	5	8	11	13	21
65+	6101	7.7	30	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	35	9.9	129	3	3	6	12	21	29	64
20-34	531	9.7	44	2	3	8	12	17	22	37
35-49	1036	11.0	66	3	4	9	14	20	25	41
50-64	1413	11.5	75	3	4	9	14	21	28	47
65+	1496	13.0	98	3	4	10	16	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8030	4.5	8	1	2	4	6	8	10	14
B. *Operated*	1440	9.5	32	2	3	9	12	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	17778	6.4	21	2	2	5	8	11	14	23
B. *Operated*	4511	11.6	79	3	4	9	14	22	27	47
1. SINGLE DX	9470	5.3	15	1	2	4	7	10	12	20
2. MULTIPLE DX	22289	7.5	37	2	3	6	9	14	18	32
A. NOT OPERATED	25808	5.8	18	2	2	5	7	10	13	22
B. OPERATED	5951	11.1	68	3	4	9	14	20	26	45
TOTAL 0-19 YRS	1174	4.4	13	1	2	4	5	8	10	17
20-34	5626	5.4	17	1	2	4	7	10	13	21
35-49	7786	6.3	25	2	2	5	8	12	15	25
50-64	8297	6.9	31	2	2	6	8	13	16	29
65+	8876	8.3	45	2	3	7	10	15	20	37
GRAND TOTAL	**31759**	**6.8**	**32**	**2**	**2**	**5**	**8**	**13**	**17**	**28**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	4.2	5	1	2	4	5	7	8	13
20-34	895	4.7	7	2	2	4	6	8	9	13
35-49	1088	5.1	7	2	2	5	6	8	10	13
50-64	1233	5.6	9	2	3	5	7	9	11	15
65+	1244	6.6	13	2	3	6	8	11	13	20
B. *Operated*										
0-19 YRS	41	6.3	11	2	2	6	8	10	12	15
20-34	339	9.2	27	4	5	8	10	14	17	30
35-49	489	9.9	22	5	5	9	12	16	19	28
50-64	584	10.3	39	4	5	9	12	17	21	36
65+	519	13.2	58	5	6	11	16	23	28	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	5.7	14	2	2	5	7	11	12	19
20-34	705	5.4	11	2	2	5	7	9	12	18
35-49	1270	5.9	13	2	3	5	7	10	12	20
50-64	2542	7.0	21	2	3	6	9	12	15	24
65+	4656	9.2	49	3	4	8	11	16	21	41
B. *Operated*										
0-19 YRS	38	13.0	170	3	4	9	14	25	37	75
20-34	262	12.7	125	4	5	10	14	24	30	63
35-49	600	12.7	87	4	5	10	15	23	29	51
50-64	1219	14.7	120	4	6	12	18	27	37	70
65+	2435	18.5	188	5	7	14	23	36	48	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4614	5.5	9	2	2	5	7	9	11	16
B. *Operated*	1972	10.7	40	4	5	9	12	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	9296	7.8	35	2	3	6	9	14	18	32
B. *Operated*	4554	16.4	159	5	6	13	20	31	43	77
1. SINGLE DX	6586	7.1	24	2	3	6	9	12	16	26
2. MULTIPLE DX	13850	10.6	92	3	3	8	13	20	28	56
A. NOT OPERATED	13910	7.1	28	2	3	6	8	12	16	28
B. OPERATED	6526	14.7	129	4	6	11	17	27	38	67
TOTAL 0-19 YRS	356	5.9	33	1	2	5	7	11	14	26
20-34	2201	6.6	33	2	2	5	8	11	15	28
35-49	3447	7.4	34	2	3	6	9	13	17	29
50-64	5578	8.7	53	3	3	7	10	16	21	40
65+	8854	11.6	103	3	4	9	14	22	31	59
GRAND TOTAL	**20436**	**9.5**	**73**	**2**	**3**	**7**	**11**	**18**	**25**	**49**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.6	3	1	2	3	5	6	6	6
20-34	45	6.0	13	2	3	5	7	10	13	19
35-49	66	6.2	13	2	2	5	7	12	14	17
50-64	87	6.5	11	2	2	6	9	11	13	17
65+	109	8.8	33	3	3	7	11	16	19	35
B. *Operated*										
0-19 YRS	7	8.1	30	<1	1	9	11	16	17	17
20-34	61	11.2	32	2	6	10	13	20	22	29
35-49	151	13.4	50	5	6	12	16	21	26	41
50-64	187	14.3	65	5	7	13	18	22	26	52
65+	153	15.3	67	5	7	14	17	26	31	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.0	28	2	2	3	11	14	14	14
20-34	44	9.0	82	2	3	7	11	13	20	60
35-49	122	6.8	14	2	3	6	9	11	13	23
50-64	194	7.3	15	2	3	7	10	12	14	20
65+	400	10.4	49	3	4	9	13	20	25	34
B. *Operated*										
0-19 YRS	4	14.0	21	10	10	13	17	20	20	20
20-34	66	15.8	76	6	7	14	21	30	32	45
35-49	254	16.2	119	5	7	13	21	29	39	77
50-64	414	18.6	154	6	7	16	23	34	42	69
65+	632	21.2	202	6	8	17	26	41	51	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	7.0	21	2	3	6	9	12	16	22
B. *Operated*	559	13.9	59	5	6	12	17	22	28	43
2. MULTIPLE DX										
A. *Not Operated*	767	8.9	39	2	3	7	11	16	21	32
B. *Operated*	1370	19.2	170	6	7	16	24	36	47	83
1. SINGLE DX	879	11.4	56	3	4	10	15	20	25	37
2. MULTIPLE DX	2137	15.5	147	3	5	12	20	30	40	66
A. NOT OPERATED	1087	8.4	34	2	3	7	10	15	19	31
B. OPERATED	1929	17.7	143	6	7	15	22	32	42	70
TOTAL 0-19 YRS	31	6.5	27	1	2	4	10	14	17	20
20-34	216	11.1	64	2	3	9	14	21	25	40
35-49	593	12.4	85	3	4	10	16	23	30	50
50-64	882	14.0	116	3	5	11	18	25	35	56
65+	1294	16.1	152	4	5	13	20	31	42	65
GRAND TOTAL	**3016**	**14.3**	**124**	**3**	**4**	**11**	**18**	**27**	**36**	**60**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2854	2.8	3	1	1	2	4	5	6	9
20-34	4485	3.4	6	1	1	3	4	6	8	11
35-49	3282	3.9	7	1	1	3	5	7	9	13
50-64	2118	4.2	10	1	1	3	5	7	9	15
65+	1304	4.9	15	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	72	4.9	10	1	2	4	6	9	11	17
20-34	328	5.8	17	<1	1	5	8	11	14	20
35-49	419	7.0	32	<1	2	6	9	13	16	27
50-64	372	6.7	34	<1	1	5	9	13	18	29
65+	267	7.3	41	<1	1	5	9	14	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3915	3.5	5	1	1	3	4	6	8	11
20-34	7905	4.6	11	1	2	4	6	8	10	16
35-49	9252	5.4	14	2	2	4	7	10	12	19
50-64	9724	5.9	17	2	2	5	7	11	13	21
65+	11571	7.2	33	2	3	6	9	13	16	30
B. *Operated*										
0-19 YRS	173	7.0	31	2	2	6	9	12	16	36
20-34	1229	7.9	38	2	3	6	10	15	18	30
35-49	2033	9.1	49	2	3	8	11	16	21	35
50-64	2557	9.6	56	2	3	8	12	18	23	41
65+	3122	11.2	71	3	4	9	14	21	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14043	3.7	7	1	1	3	5	7	8	13
B. *Operated*	1458	6.6	30	<1	1	5	8	12	17	28
2. MULTIPLE DX										
A. *Not Operated*	42367	5.7	20	1	2	5	7	10	13	22
B. *Operated*	9114	9.7	58	2	3	8	12	18	24	40
1. SINGLE DX	15501	3.9	10	1	1	3	5	7	9	16
2. MULTIPLE DX	51481	6.4	29	2	2	5	8	12	16	28
A. NOT OPERATED	56410	5.2	18	1	2	4	6	10	12	20
B. OPERATED	10572	9.3	55	2	3	8	11	17	23	39
TOTAL 0-19 YRS	7014	3.3	6	1	1	3	4	6	7	12
20-34	13947	4.6	13	1	1	4	6	8	11	18
35-49	14986	5.6	20	1	2	4	7	10	13	22
50-64	14771	6.3	26	1	2	5	8	12	15	26
65+	16264	7.8	42	2	3	6	9	15	19	34
GRAND TOTAL	**66982**	**5.8**	**26**	**1**	**2**	**4**	**7**	**11**	**15**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	618	3.2	5	1	1	3	4	6	7	11
20-34	942	3.6	6	1	1	3	4	7	8	12
35-49	786	4.1	9	1	1	3	5	7	9	15
50-64	548	4.2	9	1	1	3	5	8	10	15
65+	384	5.0	13	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	322	4.5	8	2	2	4	5	8	9	12
20-34	99	9.0	58	2	3	7	11	18	29	37
35-49	163	11.3	44	3	4	10	14	20	23	39
50-64	154	12.8	90	2	3	11	17	24	31	46
65+	142	15.4	122	2	3	14	22	31	36	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	725	3.6	7	1	1	3	4	7	8	13
20-34	1586	4.8	14	1	2	4	6	9	11	19
35-49	1843	5.3	15	1	2	4	7	10	13	20
50-64	2029	5.9	21	1	2	5	7	11	15	23
65+	2548	7.0	34	2	2	6	9	13	17	31
B. *Operated*										
0-19 YRS	123	8.2	55	2	3	6	10	14	19	49
20-34	307	10.8	80	2	3	8	14	20	28	44
35-49	591	12.6	94	2	3	10	16	24	31	51
50-64	785	15.3	146	3	5	12	19	30	40	65
65+	1041	19.4	220	3	5	16	25	38	49	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3278	3.9	8	1	1	3	5	7	9	15
B. *Operated*	880	9.5	70	2	3	7	12	21	27	42
2. MULTIPLE DX										
A. *Not Operated*	8731	5.7	22	1	2	4	7	11	14	23
B. *Operated*	2847	15.4	163	3	4	12	20	32	41	70
1. SINGLE DX	4158	5.1	26	1	1	4	6	10	15	29
2. MULTIPLE DX	11578	8.1	74	2	2	5	10	17	24	46
A. NOT OPERATED	12009	5.2	19	1	2	4	6	10	13	22
B. OPERATED	3727	14.0	148	2	3	11	18	29	38	65
TOTAL 0-19 YRS	1788	4.0	11	1	1	3	5	7	9	15
20-34	2934	5.2	25	1	2	4	6	10	13	28
35-49	3383	6.6	39	1	2	5	8	14	18	32
50-64	3516	8.0	68	1	2	5	10	17	23	44
65+	4115	10.2	113	2	2	7	13	22	32	56
GRAND TOTAL	**15736**	**7.3**	**63**	**1**	**2**	**5**	**9**	**15**	**22**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	2.9	7	<1	1	2	4	5	7	13
20-34	132	2.7	5	<1	1	2	3	5	6	13
35-49	48	3.3	6	<1	1	3	4	7	8	12
50-64	21	5.0	13	<1	1	4	7	11	13	14
65+	11	4.3	16	<1	<1	3	5	10	15	15
B. *Operated*										
0-19 YRS	18698	3.7	3	2	2	3	4	5	7	10
20-34	12910	4.0	3	2	2	4	5	6	7	10
35-49	3561	4.5	5	2	2	4	5	7	8	12
50-64	1535	5.3	7	2	3	5	6	8	10	16
65+	539	6.5	11	3	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	2.8	5	1	1	2	4	5	6	13
20-34	74	3.4	6	1	1	3	5	7	8	11
35-49	27	4.3	7	1	1	4	6	8	10	12
50-64	19	5.7	11	1	2	5	8	10	13	14
65+	28	9.4	33	2	3	9	12	14	25	26
B. *Operated*										
0-19 YRS	2740	5.3	11	2	3	4	6	9	12	19
20-34	2558	5.7	16	2	3	5	7	9	12	20
35-49	1037	7.0	23	3	3	6	8	13	16	25
50-64	815	8.4	37	3	4	7	10	15	18	33
65+	565	10.8	68	4	4	9	13	19	24	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	3.0	7	<1	1	2	4	6	7	14
B. *Operated*	37243	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	240	4.2	13	1	1	3	6	9	11	15
B. *Operated*	7715	6.4	24	2	3	5	7	11	15	24
1. SINGLE DX	37649	4.0	4	2	2	4	5	6	7	11
2. MULTIPLE DX	7955	6.3	23	2	3	5	7	11	15	24
A. NOT OPERATED	646	3.5	9	<1	1	3	4	7	9	14
B. OPERATED	44958	4.4	8	2	2	4	5	7	9	15
TOTAL 0-19 YRS	21724	3.9	4	2	2	4	4	6	7	12
20-34	15674	4.2	6	2	2	4	5	6	8	12
35-49	4673	5.0	10	2	3	4	6	8	10	18
50-64	2390	6.4	20	3	3	5	7	11	14	22
65+	1143	8.7	44	3	4	7	10	15	20	32
GRAND TOTAL	**45604**	**4.4**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	7.4	18	2	2	7	11	13	14	20
20-34	54	7.7	16	2	3	7	10	15	16	19
35-49	31	7.3	13	2	3	7	9	12	13	19
50-64	29	7.9	14	3	3	8	10	13	15	16
65+	20	10.6	22	2	5	10	15	16	18	20
B. *Operated*										
0-19 YRS	3698	7.3	14	3	3	7	9	12	14	20
20-34	2165	7.1	12	3	3	7	9	11	13	18
35-49	1249	8.0	14	3	4	7	10	12	14	22
50-64	1026	9.1	18	4	5	8	11	14	17	25
65+	537	10.9	29	5	6	10	13	17	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	8.9	32	2	2	8	14	16	18	21
20-34	23	8.9	12	3	5	9	12	13	15	16
35-49	22	9.2	23	4	5	8	11	16	19	23
50-64	23	13.4	73	3	4	12	18	23	33	35
65+	36	10.4	29	3	5	10	13	18	22	26
B. *Operated*										
0-19 YRS	1566	10.3	41	4	5	9	12	17	22	33
20-34	1095	10.4	41	4	5	9	12	18	22	34
35-49	849	11.6	51	5	6	10	14	18	23	41
50-64	1171	13.8	82	6	7	11	16	24	30	57
65+	1197	16.3	101	7	8	13	20	29	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	7.8	17	2	3	7	10	13	15	20
B. *Operated*	8675	7.8	16	3	4	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	127	10.2	35	3	4	9	13	17	21	33
B. *Operated*	5878	12.4	68	5	6	10	15	22	28	47
1. SINGLE DX	8882	7.8	16	3	4	7	10	12	15	22
2. MULTIPLE DX	6005	12.4	67	4	6	10	15	22	28	47
A. NOT OPERATED	334	8.7	25	2	3	8	11	15	17	24
B. OPERATED	14553	9.7	42	3	4	8	11	16	21	36
TOTAL 0-19 YRS	5360	8.2	23	3	4	7	10	13	16	26
20-34	3337	8.2	24	3	4	7	10	13	17	26
35-49	2151	9.5	32	4	5	8	11	15	19	31
50-64	2249	11.5	57	4	5	10	13	19	25	44
65+	1790	14.5	84	6	7	12	17	26	33	53
GRAND TOTAL	**14887**	**9.6**	**42**	**3**	**4**	**8**	**11**	**16**	**21**	**36**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	311	2.3	2	1	1	2	3	4	5	7
20-34	243	2.5	3	1	1	2	3	4	6	9
35-49	71	2.9	4	1	1	3	4	5	6	13
50-64	29	3.7	6	1	1	3	4	8	9	11
65+	11	3.5	4	1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	1761	4.2	4	2	2	4	5	6	8	12
20-34	1172	4.5	6	2	2	4	5	7	9	13
35-49	326	5.2	7	2	3	5	6	8	10	15
50-64	147	6.8	23	3	3	5	8	11	17	31
65+	56	7.4	16	3	4	6	9	13	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	2.8	4	1	1	2	4	5	7	10
20-34	138	3.1	6	1	1	3	4	6	8	12
35-49	39	3.9	4	1	2	4	5	7	7	8
50-64	33	4.7	10	1	2	4	6	9	11	16
65+	23	6.6	23	1	2	5	8	15	17	18
B. *Operated*										
0-19 YRS	921	5.3	13	2	3	4	6	9	11	17
20-34	785	6.1	18	3	3	5	7	10	13	21
35-49	221	7.8	22	3	3	6	9	14	17	26
50-64	152	9.9	50	3	4	8	12	20	24	30
65+	108	12.1	64	4	5	10	15	22	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	665	2.5	3	1	1	2	3	5	6	9
B. *Operated*	3462	4.6	6	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	421	3.4	7	1	1	3	4	6	8	16
B. *Operated*	2187	6.5	24	2	3	5	8	11	15	25
1. SINGLE DX	4127	4.3	6	1	2	4	5	7	9	14
2. MULTIPLE DX	2608	6.0	22	2	2	5	7	11	14	24
A. NOT OPERATED	1086	2.9	5	1	1	2	4	5	7	11
B. OPERATED	5649	5.3	14	2	3	4	6	9	12	20
TOTAL 0-19 YRS	3181	4.2	7	1	2	4	5	7	9	14
20-34	2338	4.8	11	1	2	4	6	8	10	16
35-49	657	5.7	14	2	2	5	7	10	13	21
50-64	361	7.7	36	2	3	6	9	15	20	30
65+	198	9.7	50	3	3	8	12	19	22	30
GRAND TOTAL	**6735**	**4.9**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	1.4	1	<1	<1	1	2	2	3	5
20-34	79	2.1	2	<1	<1	2	3	4	4	10
35-49	68	2.2	2	<1	<1	2	3	4	5	8
50-64	79	2.8	5	<1	<1	2	4	6	8	10
65+	99	3.5	14	<1	1	2	4	8	10	20
B. *Operated*										
0-19 YRS	13699	2.0	2	<1	<1	2	2	4	4	6
20-34	13581	3.4	2	1	2	3	4	5	6	8
35-49	12835	3.8	3	2	2	4	5	6	6	9
50-64	18746	4.1	3	2	2	4	5	6	7	10
65+	13825	4.6	5	2	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	591	1.5	4	<1	<1	1	1	2	4	11
20-34	121	2.2	5	<1	<1	1	3	5	7	11
35-49	150	2.5	6	<1	<1	2	3	5	6	14
50-64	289	3.4	13	<1	<1	2	4	7	9	18
65+	594	4.6	32	1	1	3	6	10	13	26
B. *Operated*										
0-19 YRS	6865	2.2	3	<1	<1	2	3	4	5	9
20-34	4314	4.1	5	2	2	4	5	6	8	12
35-49	6388	4.7	8	2	2	4	5	7	9	15
50-64	13530	5.3	12	2	3	5	6	9	11	18
65+	16104	6.8	26	2	3	5	8	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	2.3	5	<1	<1	1	3	4	6	11
B. *Operated*	72686	3.6	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1745	3.0	17	<1	<1	1	4	6	9	19
B. *Operated*	47201	5.2	17	1	2	4	6	9	12	21
1. SINGLE DX	73183	3.6	4	1	1	3	4	6	7	10
2. MULTIPLE DX	48946	5.1	17	1	2	4	6	9	12	21
A. NOT OPERATED	2242	2.9	15	<1	<1	1	3	6	9	17
B. OPERATED	119887	4.2	10	1	2	4	5	7	9	16
TOTAL 0-19 YRS	21327	2.1	2	<1	<1	2	2	4	4	7
20-34	18095	3.5	3	1	2	3	4	5	6	9
35-49	19441	4.0	5	2	2	4	5	6	7	12
50-64	32644	4.6	7	2	2	4	5	7	9	15
65+	30622	5.8	18	2	3	5	7	10	13	23
GRAND TOTAL	**122129**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	1.9	8	<1	<1	1	2	3	4	19
20-34	12	2.1	3	1	1	1	3	5	6	6
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	24	2.0	2	<1	<1	1	3	4	5	6
65+	53	3.2	7	<1	1	2	5	6	8	14
B. *Operated*										
0-19 YRS	1001	2.2	2	<1	1	2	3	4	5	7
20-34	452	3.9	3	2	2	4	5	6	7	11
35-49	380	4.4	6	2	2	4	5	7	9	11
50-64	712	4.8	6	2	2	4	6	7	9	13
65+	1060	6.4	13	2	3	5	8	10	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.3	3	<1	<1	2	3	5	6	8
20-34	10	2.9	5	<1	<1	2	4	6	8	8
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	28	3.8	9	1	1	3	6	8	9	11
65+	130	6.1	45	1	1	4	8	11	16	39
B. *Operated*										
0-19 YRS	579	3.0	10	1	1	2	4	6	8	16
20-34	206	4.7	8	2	2	4	6	8	9	15
35-49	233	6.4	19	2	3	5	8	12	14	23
50-64	742	7.5	35	3	3	6	9	13	18	31
65+	2232	10.6	87	3	4	8	12	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	2.4	6	<1	<1	1	3	5	6	15
B. *Operated*	3605	4.4	9	1	1	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	211	4.8	32	1	1	3	6	10	14	30
B. *Operated*	3992	8.4	66	1	2	6	10	16	22	42
1. SINGLE DX	3741	4.3	9	1	1	4	5	8	10	16
2. MULTIPLE DX	4203	8.2	65	1	2	6	10	16	21	42
A. NOT OPERATED	347	3.9	23	<1	1	2	5	9	11	25
B. OPERATED	7597	6.5	43	1	2	5	8	12	17	35
TOTAL 0-19 YRS	1661	2.4	5	<1	1	2	3	4	6	10
20-34	680	4.1	5	1	2	4	5	7	8	12
35-49	622	5.1	12	2	2	4	6	9	11	21
50-64	1506	6.1	23	2	3	5	7	10	13	27
65+	3475	9.0	66	2	3	7	11	17	22	43
GRAND TOTAL	**7944**	**6.4**	**43**	**1**	**1**	**5**	**8**	**12**	**17**	**34**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	5	<1	<1	1	2	4	8	10
20-34	9	2.9	9	1	1	2	4	8	10	10
35-49	10	3.1	10	1	1	2	3	9	10	10
50-64	8	2.0	2	<1	<1	1	3	4	4	4
65+	6	5.3	29	<1	<1	4	5	15	16	16
B. *Operated*										
0-19 YRS	2197	2.0	1	<1	<1	2	2	3	4	6
20-34	870	3.2	3	1	1	3	4	5	6	9
35-49	1086	3.5	5	1	2	3	4	6	7	10
50-64	828	3.8	4	1	2	3	5	6	7	11
65+	355	4.5	9	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	1.7	3	<1	<1	1	1	4	5	10
20-34	23	2.2	6	<1	<1	1	3	5	9	10
35-49	45	2.7	4	<1	<1	2	4	6	6	11
50-64	53	5.2	24	<1	1	4	7	13	17	22
65+	70	6.5	40	1	1	5	7	15	17	33
B. *Operated*										
0-19 YRS	452	2.6	4	<1	1	2	3	5	7	10
20-34	436	4.7	11	1	2	4	6	8	9	15
35-49	815	4.9	11	2	2	4	6	9	11	17
50-64	928	6.1	23	2	2	5	7	11	14	23
65+	634	8.4	49	2	3	7	10	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.8	9	<1	<1	1	3	6	10	16
B. *Operated*	5336	3.0	4	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	294	3.7	20	<1	<1	2	5	8	12	22
B. *Operated*	3265	5.6	24	1	2	4	7	10	14	23
1. SINGLE DX	5387	3.0	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	3559	5.4	24	1	2	4	7	10	14	23
A. NOT OPERATED	345	3.5	18	<1	<1	2	4	8	11	22
B. OPERATED	8601	4.0	13	1	1	3	5	7	10	17
TOTAL 0-19 YRS	2770	2.1	2	<1	<1	2	2	3	4	8
20-34	1338	3.7	6	1	2	3	4	6	8	10
35-49	1956	4.1	8	1	2	3	5	7	9	14
50-64	1817	5.0	16	1	2	4	6	9	11	19
65+	1065	7.0	38	2	2	5	8	14	17	32
GRAND TOTAL	**8946**	**3.9**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	2	<1	<1	1	2	4	4	4
20-34	12	3.8	9	1	1	3	4	8	11	12
35-49	26	3.0	4	<1	<1	3	4	7	7	8
50-64	42	3.2	7	<1	<1	2	4	6	9	14
65+	49	4.4	14	1	1	3	5	8	14	21
B. *Operated*										
0-19 YRS	475	2.4	2	<1	1	2	3	4	6	7
20-34	1434	4.1	5	1	2	4	5	7	8	11
35-49	2301	5.2	8	2	2	5	6	8	10	15
50-64	2812	6.0	11	2	3	5	7	10	11	18
65+	1860	6.6	12	3	3	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.2	9	<1	<1	2	4	8	10	10
20-34	50	3.2	10	<1	<1	2	4	7	11	15
35-49	116	4.7	30	<1	1	4	6	9	11	30
50-64	236	5.5	48	1	1	4	7	10	14	30
65+	376	6.0	33	1	1	4	7	12	18	33
B. *Operated*										
0-19 YRS	124	4.0	15	<1	1	3	5	8	14	18
20-34	918	5.9	14	2	3	5	7	9	13	23
35-49	2010	7.4	24	2	3	6	9	13	16	26
50-64	3141	8.3	31	3	4	7	10	14	18	30
65+	2980	10.1	52	3	4	8	12	18	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.6	9	<1	1	3	4	7	9	17
B. *Operated*	8882	5.4	10	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	788	5.5	36	1	1	4	7	11	15	30
B. *Operated*	9173	8.4	37	3	3	7	10	15	19	31
1. SINGLE DX	9016	5.4	10	2	2	5	7	9	11	16
2. MULTIPLE DX	9961	8.1	37	2	3	7	10	15	19	31
A. NOT OPERATED	922	5.2	32	1	1	4	6	10	14	29
B. OPERATED	18055	6.9	26	2	3	6	8	12	16	26
TOTAL 0-19 YRS	614	2.8	5	<1	1	2	3	5	6	14
20-34	2414	4.7	9	1	2	4	6	8	10	16
35-49	4453	6.1	17	2	2	5	8	10	13	21
50-64	6231	7.1	24	2	3	6	9	12	16	25
65+	5265	8.5	40	2	3	7	10	15	19	32
GRAND TOTAL	**18977**	**6.8**	**26**	**2**	**2**	**6**	**8**	**12**	**16**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	3	1	2	3	4	5	6	8
20-34	222	3.9	5	1	2	3	5	7	8	12
35-49	603	4.0	8	1	2	3	5	7	9	16
50-64	840	4.1	6	1	2	4	5	7	9	13
65+	686	4.7	10	2	2	4	6	8	10	17
B. *Operated*										
0-19 YRS	33	3.5	9	<1	1	2	5	7	9	14
20-34	81	7.8	15	2	3	8	9	12	15	22
35-49	178	8.0	14	3	4	8	9	13	14	20
50-64	237	8.0	16	2	3	8	10	12	15	27
65+	166	10.3	45	2	3	9	13	18	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	4.5	6	2	2	4	6	9	10	13
20-34	877	4.8	10	1	2	4	6	9	11	16
35-49	2822	4.9	11	1	2	4	6	9	11	17
50-64	5167	5.3	12	2	2	4	7	9	11	18
65+	7815	6.3	21	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	34	8.3	35	2	2	7	10	16	23	26
20-34	444	9.1	41	2	4	8	11	16	22	29
35-49	1150	9.5	38	2	4	8	11	16	20	33
50-64	1928	9.7	42	2	3	9	12	17	21	35
65+	2017	11.2	81	2	3	9	14	21	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2376	4.2	8	1	2	4	5	7	9	14
B. *Operated*	695	8.3	24	2	3	8	10	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	16757	5.7	16	2	2	5	7	10	13	20
B. *Operated*	5573	10.2	56	2	3	9	12	18	24	40
1. SINGLE DX	3071	5.1	14	1	2	4	7	9	12	19
2. MULTIPLE DX	22330	6.8	30	2	2	5	8	12	16	28
A. NOT OPERATED	19133	5.5	15	2	2	5	7	10	12	19
B. OPERATED	6268	9.9	53	2	3	8	12	18	23	39
TOTAL 0-19 YRS	168	4.9	15	1	2	4	6	9	12	23
20-34	1624	6.0	22	1	2	5	8	11	14	24
35-49	4753	6.0	21	2	2	5	8	11	14	23
50-64	8172	6.3	22	2	2	5	8	12	15	24
65+	10684	7.2	36	2	3	6	9	13	17	31
GRAND TOTAL	**25401**	**6.6**	**28**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	7	<1	<1	2	3	7	9	9
20-34	15	3.8	10	1	1	3	4	7	12	14
35-49	30	5.5	28	1	1	3	6	12	16	26
50-64	18	5.5	25	<1	<1	4	8	14	15	16
65+	18	4.9	7	1	1	5	6	8	10	11
B. *Operated*										
0-19 YRS	86	2.7	2	1	1	2	4	5	5	9
20-34	299	3.7	3	1	2	3	4	6	7	10
35-49	452	4.3	6	2	2	4	5	7	9	13
50-64	467	4.6	6	2	2	4	5	7	9	15
65+	457	5.6	17	2	2	5	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	1	<1	<1	2	3	4	4	4
20-34	23	4.3	6	1	1	4	6	8	9	10
35-49	43	5.3	17	1	2	4	7	11	13	21
50-64	57	5.0	15	1	1	4	6	9	12	21
65+	112	5.5	15	1	2	5	7	11	13	22
B. *Operated*										
0-19 YRS	49	5.0	80	1	2	3	4	8	10	64
20-34	149	6.4	37	2	3	5	7	12	16	28
35-49	251	6.6	25	2	3	5	8	11	15	35
50-64	389	7.0	24	2	3	6	9	12	15	29
65+	629	8.9	46	3	3	7	10	17	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.8	18	<1	1	3	6	11	14	22
B. *Operated*	1761	4.5	9	2	2	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	243	5.1	15	1	1	4	7	10	12	21
B. *Operated*	1467	7.6	38	2	3	6	9	14	19	35
1. SINGLE DX	1851	4.5	9	1	2	4	5	8	9	15
2. MULTIPLE DX	1710	7.2	36	2	3	6	9	13	18	33
A. NOT OPERATED	333	5.0	16	1	1	4	6	10	13	21
B. OPERATED	3228	5.9	25	2	2	5	7	10	14	27
TOTAL 0-19 YRS	152	3.4	28	<1	1	3	4	5	8	13
20-34	486	4.5	15	1	2	4	5	7	10	19
35-49	776	5.1	15	2	2	4	6	9	12	22
50-64	931	5.6	16	2	2	5	7	10	13	20
65+	1216	7.3	34	2	3	6	9	13	18	30
GRAND TOTAL	**3561**	**5.8**	**24**	**2**	**2**	**5**	**7**	**10**	**14**	**26**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	1	1	1	2	3	3	3
20-34	8	2.0	1	1	1	2	3	4	4	4
35-49	27	3.2	14	<1	<1	2	4	7	10	19
50-64	43	3.7	14	<1	1	3	5	7	11	19
65+	87	4.9	22	1	2	3	6	10	13	28
B. *Operated*										
0-19 YRS	179	2.9	4	<1	1	2	3	5	7	12
20-34	439	4.1	7	1	2	3	5	7	9	15
35-49	757	4.9	11	2	2	4	6	9	11	18
50-64	935	6.0	14	2	3	5	8	10	13	20
65+	1097	8.2	30	3	3	7	10	14	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	1	<1	<1	2	3	4	4	4
20-34	17	4.1	6	1	1	4	5	7	9	10
35-49	49	5.0	18	1	2	4	6	10	13	22
50-64	127	6.4	36	1	2	5	8	13	17	33
65+	374	8.0	43	2	2	6	10	16	21	36
B. *Operated*										
0-19 YRS	55	7.0	48	1	2	5	9	13	22	39
20-34	208	6.5	31	2	2	5	8	12	17	30
35-49	710	8.0	46	2	3	6	10	15	18	27
50-64	1353	10.0	59	3	4	8	12	18	25	45
65+	2553	13.4	119	4	5	10	16	26	36	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.0	18	<1	1	3	5	8	12	19
B. *Operated*	3407	6.1	20	2	2	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	580	7.2	39	1	2	5	9	15	19	30
B. *Operated*	4879	11.3	93	3	4	9	14	21	29	59
1. SINGLE DX	3579	6.0	20	2	2	5	8	11	14	23
2. MULTIPLE DX	5459	10.8	89	2	3	8	13	21	28	54
A. NOT OPERATED	752	6.4	36	1	2	5	8	13	18	30
B. OPERATED	8286	9.1	69	2	3	7	11	17	24	45
TOTAL 0-19 YRS	254	3.7	16	<1	1	3	4	7	10	23
20-34	672	4.8	15	1	2	4	6	8	11	19
35-49	1543	6.3	30	2	2	5	8	12	15	23
50-64	2458	8.2	44	2	3	7	10	15	22	38
65+	4111	11.3	93	3	4	9	14	21	30	57
GRAND TOTAL	**9038**	**8.9**	**67**	**2**	**3**	**7**	**11**	**17**	**23**	**44**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	589	3.0	6	1	1	2	4	6	8	12
20-34	890	4.5	10	1	1	4	6	8	10	15
35-49	1364	4.8	12	1	2	4	6	8	11	20
50-64	1736	5.2	19	1	2	4	7	9	11	17
65+	2269	5.9	16	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	498	7.0	19	2	3	6	9	11	14	22
20-34	691	10.0	30	4	5	9	12	16	20	30
35-49	866	11.4	43	5	6	10	13	19	25	39
50-64	976	11.9	38	6	7	10	14	19	23	32
65+	1243	14.5	73	6	7	12	17	24	29	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	391	4.6	24	1	1	3	6	9	11	23
20-34	955	5.8	22	1	2	5	7	10	14	26
35-49	1572	6.6	31	2	2	5	8	12	15	28
50-64	3099	7.0	28	2	2	6	9	12	16	28
65+	7835	9.0	49	2	3	7	11	17	22	37
B. *Operated*										
0-19 YRS	458	10.0	60	3	4	8	12	18	24	45
20-34	969	13.2	100	5	6	11	16	24	31	58
35-49	1459	15.1	130	5	6	12	17	27	37	67
50-64	2649	17.5	146	6	7	14	21	32	43	74
65+	5513	20.0	170	7	9	16	24	37	48	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6848	5.1	15	1	2	4	6	9	12	18
B. *Operated*	4274	11.7	51	4	5	10	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	13852	7.9	41	2	2	6	10	15	19	34
B. *Operated*	11048	17.7	156	6	7	14	22	33	43	75
1. SINGLE DX	11122	7.6	39	1	2	6	10	15	19	30
2. MULTIPLE DX	24900	12.3	116	2	3	9	15	25	33	61
A. NOT OPERATED	20700	7.0	34	1	2	6	9	13	17	30
B. OPERATED	15322	16.1	134	5	7	13	19	29	39	70
TOTAL 0-19 YRS	1936	6.0	33	1	1	5	8	11	15	30
20-34	3505	8.4	55	2	2	7	10	16	21	37
35-49	5261	9.3	73	2	2	7	11	18	24	45
50-64	8460	10.5	90	2	3	8	13	21	28	52
65+	16860	12.6	116	2	3	10	16	25	33	61
GRAND TOTAL	**36022**	**10.8**	**97**	**2**	**3**	**8**	**14**	**22**	**29**	**55**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21825	3.1	5	1	1	3	4	5	6	10
20-34	9314	3.0	4	1	1	2	4	5	7	10
35-49	4282	3.4	6	1	1	3	4	6	8	11
50-64	3073	3.8	7	1	1	3	5	7	9	13
65+	3139	4.3	13	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	393	5.1	26	1	2	4	6	8	12	42
20-34	717	5.7	23	1	2	5	7	10	13	25
35-49	338	6.8	31	1	2	6	9	13	16	31
50-64	296	7.3	27	1	2	6	10	15	18	25
65+	197	7.9	36	1	2	7	10	15	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28059	3.8	7	1	2	3	5	6	8	13
20-34	9427	3.8	10	1	1	3	5	7	9	14
35-49	6739	4.8	12	1	2	4	6	9	11	17
50-64	9071	5.5	18	1	2	4	7	10	13	22
65+	18064	7.0	36	2	2	6	9	13	17	30
B. *Operated*										
0-19 YRS	607	8.4	113	2	3	6	9	17	31	99+
20-34	942	8.5	51	2	3	7	10	16	20	33
35-49	919	9.7	74	2	3	7	11	19	26	47
50-64	1236	10.7	74	2	3	9	14	20	27	48
65+	1879	14.3	125	3	4	11	18	27	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41633	3.2	6	1	1	3	4	6	7	11
B. *Operated*	1941	6.2	28	1	2	5	8	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	71360	4.9	18	1	2	4	6	9	12	21
B. *Operated*	5583	11.1	97	2	3	8	14	22	30	59
1. SINGLE DX	43574	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	76943	5.4	27	1	2	4	6	10	14	27
A. NOT OPERATED	112993	4.3	14	1	1	3	5	8	11	18
B. OPERATED	7524	9.9	84	2	3	7	12	20	27	52
TOTAL 0-19 YRS	50884	3.6	8	1	1	3	4	6	8	13
20-34	20400	3.7	11	1	1	3	5	7	9	15
35-49	12278	4.8	18	1	1	4	6	9	11	21
50-64	13676	5.7	24	1	2	4	7	11	14	25
65+	23279	7.3	45	2	2	5	9	14	19	35
GRAND TOTAL	**120517**	**4.7**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.4	6	2	2	4	6	8	9	9
20-34	260	4.8	6	1	2	4	6	8	9	12
35-49	1632	5.1	8	1	2	5	6	8	10	15
50-64	3523	5.3	11	1	2	5	7	9	11	15
65+	4933	5.5	15	1	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	7	6.0	9	2	2	5	9	10	10	10
20-34	124	9.3	15	4	5	8	11	15	18	21
35-49	542	10.9	31	4	5	10	13	18	21	31
50-64	1108	11.9	37	3	5	11	14	19	22	35
65+	1030	13.3	66	2	4	12	17	22	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.1	14	1	2	5	9	11	13	15
20-34	240	5.9	13	2	2	5	8	11	13	18
35-49	1852	6.0	15	2	2	5	7	11	13	19
50-64	7017	6.2	18	2	2	5	8	11	14	21
65+	20955	7.5	33	2	3	6	9	14	17	30
B. *Operated*										
0-19 YRS	15	10.2	68	1	2	8	13	18	31	35
20-34	211	11.7	67	5	6	10	14	19	21	51
35-49	1158	13.1	59	4	6	12	16	22	28	42
50-64	3704	14.2	86	4	5	12	17	25	31	52
65+	6735	16.7	153	3	5	14	21	31	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10361	5.3	12	1	2	5	7	9	11	16
B. *Operated*	2811	12.1	47	3	5	11	15	20	23	37
2. MULTIPLE DX										
A. *Not Operated*	30096	7.1	28	2	3	6	9	13	16	27
B. *Operated*	11823	15.5	124	4	5	13	19	28	37	62
1. SINGLE DX	13172	6.8	27	1	2	5	9	13	16	25
2. MULTIPLE DX	41919	9.4	69	2	3	7	12	18	24	45
A. NOT OPERATED	40457	6.6	25	2	2	6	8	12	15	25
B. OPERATED	14634	14.8	111	3	5	12	18	27	35	59
TOTAL 0-19 YRS	67	6.7	27	2	2	6	9	12	15	32
20-34	835	7.5	33	2	3	6	9	14	17	22
35-49	5184	7.8	35	2	3	6	10	15	18	31
50-64	15352	8.3	48	2	2	6	11	16	21	35
65+	33653	9.2	71	2	3	7	11	18	24	46
GRAND TOTAL	**55091**	**8.8**	**61**	**2**	**3**	**7**	**11**	**17**	**22**	**41**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	3.3	4	1	1	3	4	6	7	11
20-34	239	3.2	5	<1	1	3	4	6	7	10
35-49	198	3.3	5	<1	1	3	4	7	8	10
50-64	125	3.9	10	<1	1	3	5	7	9	17
65+	73	4.6	19	1	1	4	5	9	11	28
B. *Operated*										
0-19 YRS	656	3.0	4	1	1	3	4	5	7	10
20-34	4194	3.5	4	1	1	3	4	6	7	11
35-49	3882	3.6	6	1	1	3	4	6	8	13
50-64	2197	3.9	8	1	2	3	5	6	8	15
65+	799	4.6	14	2	2	4	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.1	11	<1	1	3	5	8	10	16
20-34	260	4.3	13	1	1	3	6	8	11	19
35-49	299	5.4	27	1	2	4	7	10	14	27
50-64	314	5.4	17	1	2	4	7	10	14	21
65+	321	7.8	67	2	2	6	10	15	21	49
B. *Operated*										
0-19 YRS	311	4.6	33	1	1	3	5	7	10	31
20-34	3151	4.6	14	1	2	4	5	8	10	19
35-49	3887	4.9	14	2	2	4	6	8	11	18
50-64	3409	5.7	26	2	2	4	6	10	13	27
65+	1804	8.2	76	2	3	6	9	16	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	3.5	7	<1	1	3	5	6	8	13
B. *Operated*	11728	3.7	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1318	5.7	32	1	1	4	7	11	15	29
B. *Operated*	12562	5.5	28	2	2	4	6	9	13	27
1. SINGLE DX	12489	3.7	6	1	1	3	4	6	8	12
2. MULTIPLE DX	13880	5.5	28	2	2	4	6	10	14	27
A. NOT OPERATED	2079	4.9	24	1	1	4	6	9	13	25
B. OPERATED	24290	4.6	18	1	2	4	5	8	11	22
TOTAL 0-19 YRS	1217	3.6	12	1	1	3	4	6	8	15
20-34	7844	3.9	9	1	1	3	5	7	8	15
35-49	8266	4.3	11	1	2	4	5	7	9	16
50-64	6045	5.0	19	1	2	4	6	9	12	23
65+	2997	7.1	60	2	2	5	8	14	20	43
GRAND TOTAL	**26369**	**4.6**	**19**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3212	3.7	11	1	1	3	5	7	9	17
20-34	5323	4.8	17	1	1	4	6	9	11	21
35-49	3832	4.9	16	1	1	4	6	9	12	21
50-64	2685	4.8	17	1	1	4	6	9	12	20
65+	2887	5.0	21	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	1000	7.0	56	1	1	5	9	14	21	38
20-34	2790	8.2	49	1	2	6	11	16	22	33
35-49	2116	8.2	54	1	2	6	11	16	22	35
50-64	1804	8.3	64	1	1	6	11	17	23	41
65+	1833	9.3	75	1	2	7	12	19	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2599	4.3	17	1	1	3	5	8	10	20
20-34	6540	5.8	25	1	2	4	7	11	14	24
35-49	6899	5.9	24	1	2	5	7	11	14	24
50-64	7929	6.2	25	2	2	5	8	11	15	25
65+	16273	7.3	43	2	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	1078	10.9	135	1	2	7	13	24	36	63
20-34	4806	10.7	105	2	3	8	13	22	30	54
35-49	4785	11.4	116	2	3	8	14	23	33	61
50-64	5660	12.4	141	2	3	9	16	26	37	72
65+	8069	15.4	188	2	4	11	19	32	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17939	4.7	16	1	1	4	6	9	12	21
B. *Operated*	9543	8.3	59	1	2	6	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*	40240	6.4	33	1	2	5	8	12	16	29
B. *Operated*	24398	12.8	148	2	3	9	16	27	38	70
1. SINGLE DX	27482	5.9	34	1	1	4	7	12	16	29
2. MULTIPLE DX	64638	8.8	86	2	2	6	10	18	26	52
A. NOT OPERATED	58179	5.9	28	1	2	4	7	11	15	27
B. OPERATED	33941	11.5	127	2	2	8	14	24	34	63
TOTAL 0-19 YRS	7889	5.3	42	1	1	3	6	10	15	35
20-34	19459	7.1	51	1	2	5	8	14	20	37
35-49	17632	7.4	58	1	2	5	9	15	21	39
50-64	18078	8.2	73	1	2	6	10	17	24	49
65+	29062	9.4	97	2	2	7	11	20	28	55
GRAND TOTAL	**92120**	**8.0**	**72**	**1**	**2**	**5**	**10**	**16**	**23**	**46**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0	288	1	1	13	25	25	25	25
20-34	112	7.9	52	2	2	6	9	19	23	35
35-49	244	9.6	68	1	2	7	13	21	27	39
50-64	307	9.3	55	2	3	7	12	18	24	37
65+	128	8.4	38	2	2	7	11	17	19	30
B. *Operated*										
0-19 YRS										
20-34	46	9.4	142	1	2	4	11	23	34	54
35-49	73	7.5	62	1	1	4	10	19	25	36
50-64	112	8.5	73	1	1	6	11	21	26	40
65+	39	12.4	94	1	1	11	16	25	32	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	15.4	141	3	4	11	27	29	35	42
20-34	718	11.9	109	2	3	8	17	28	30	52
35-49	2109	11.9	98	2	3	9	16	26	29	45
50-64	3075	13.0	114	3	4	10	17	25	33	57
65+	1548	13.3	114	3	4	10	17	26	32	60
B. *Operated*										
0-19 YRS	3	11.0	169	3	3	4	20	26	26	26
20-34	198	15.8	206	2	4	11	19	30	43	83
35-49	648	15.7	169	2	3	12	21	32	42	63
50-64	1035	16.4	191	2	3	13	21	34	49	74
65+	481	17.1	182	3	4	14	22	31	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	9.0	56	2	2	7	12	19	24	38
B. *Operated*	270	9.0	86	1	1	6	12	22	26	44
2. MULTIPLE DX										
A. *Not Operated*	7471	12.6	110	3	4	9	16	26	32	54
B. *Operated*	2365	16.3	184	2	3	13	21	32	44	73
1. SINGLE DX	1063	9.0	64	1	2	7	12	19	25	38
2. MULTIPLE DX	9836	13.5	130	2	4	10	18	28	35	60
A. NOT OPERATED	8264	12.3	106	2	3	9	16	26	31	52
B. OPERATED	2635	15.5	179	2	3	12	21	31	43	69
TOTAL 0-19 YRS	26	14.7	140	1	3	9	26	28	32	42
20-34	1074	12.1	127	2	3	8	17	28	33	55
35-49	3074	12.4	113	2	3	9	16	27	32	52
50-64	4529	13.4	131	2	3	10	17	27	36	62
65+	2196	13.8	128	3	4	11	18	26	34	61
GRAND TOTAL	**10899**	**13.1**	**125**	**2**	**3**	**10**	**17**	**27**	**34**	**58**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	5.0	10	1	1	4	7	10	11	12
20-34	89	5.1	29	1	1	3	7	11	13	30
35-49	149	7.7	64	1	2	5	9	16	21	45
50-64	249	8.0	50	1	1	6	11	17	22	35
65+	203	8.5	77	1	1	7	11	16	21	42
B. *Operated*										
0-19 YRS	79	3.8	21	1	1	2	4	8	12	27
20-34	434	2.9	10	1	1	2	3	6	9	16
35-49	401	3.2	14	1	1	2	3	7	12	19
50-64	487	4.8	37	1	1	2	6	12	18	28
65+	229	7.1	68	1	1	4	9	18	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	6.2	37	1	1	4	8	13	20	33
20-34	300	8.8	67	2	2	7	11	17	23	36
35-49	817	9.7	78	2	3	7	12	19	26	42
50-64	1889	10.7	81	2	3	8	13	21	28	50
65+	2024	12.4	111	3	4	9	15	24	32	56
B. *Operated*										
0-19 YRS	54	6.6	36	1	2	5	9	14	16	33
20-34	373	8.5	79	1	1	6	11	19	26	44
35-49	689	10.5	116	1	1	7	14	24	33	50
50-64	1438	11.6	136	1	2	9	16	26	32	58
65+	1272	15.1	176	2	2	12	21	32	41	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	7.6	58	1	1	6	10	16	21	37
B. *Operated*	1630	4.2	30	1	1	2	4	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	5086	11.0	93	2	3	8	14	21	29	53
B. *Operated*	3826	12.2	144	1	2	9	16	27	35	58
1. SINGLE DX	2345	5.2	41	1	1	3	7	12	17	29
2. MULTIPLE DX	8912	11.5	115	2	2	9	15	24	32	55
A. NOT OPERATED	5801	10.6	90	2	3	8	13	21	28	52
B. OPERATED	5456	9.8	123	1	1	6	14	24	31	54
TOTAL 0-19 YRS	214	5.2	29	1	1	3	7	11	16	31
20-34	1196	6.3	54	1	1	3	8	15	21	35
35-49	2056	8.5	85	1	1	6	11	18	26	48
50-64	4063	10.1	98	1	2	8	13	22	28	51
65+	3728	12.8	134	2	3	10	16	27	35	61
GRAND TOTAL	**11257**	**10.2**	**106**	**1**	**2**	**7**	**13**	**22**	**30**	**52**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	5.0	11	2	2	4	6	9	11	19
20-34	791	6.0	17	2	2	5	8	10	14	21
35-49	382	6.8	21	2	2	6	8	12	15	22
50-64	365	7.2	28	2	2	6	9	14	18	28
65+	217	8.2	44	2	2	7	10	15	19	30
B. *Operated*										
0-19 YRS	29	6.6	51	1	2	3	8	16	21	33
20-34	166	6.8	42	1	1	4	10	17	20	28
35-49	178	6.6	54	1	1	4	9	18	23	32
50-64	190	8.8	89	1	1	6	13	20	26	45
65+	148	9.8	94	1	1	8	14	20	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	6.0	21	1	2	5	8	11	15	25
20-34	692	7.3	29	2	3	6	9	13	16	30
35-49	924	9.7	75	2	3	7	12	20	25	50
50-64	1702	10.1	74	2	3	8	12	20	27	49
65+	1721	11.1	85	3	4	9	13	22	28	46
B. *Operated*										
0-19 YRS	44	11.8	173	1	2	5	19	31	46	51
20-34	233	12.8	117	2	2	10	17	28	37	48
35-49	364	13.6	184	2	2	10	16	29	41	81
50-64	709	15.9	216	2	2	12	21	35	46	91
65+	621	16.7	179	2	4	14	21	34	45	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2070	6.4	22	2	2	5	8	12	15	24
B. *Operated*	711	7.9	70	1	1	5	11	18	24	39
2. MULTIPLE DX										
A. *Not Operated*	5252	9.8	72	2	3	7	12	19	26	45
B. *Operated*	1971	15.3	188	2	3	11	20	32	44	77
1. SINGLE DX	2781	6.8	35	1	2	5	9	14	18	29
2. MULTIPLE DX	7223	11.3	109	2	3	8	14	23	32	56
A. NOT OPERATED	7322	8.9	60	2	3	7	11	17	23	41
B. OPERATED	2682	13.3	167	1	2	10	18	29	40	70
TOTAL 0-19 YRS	601	5.9	31	1	2	4	7	11	16	31
20-34	1882	7.4	40	1	2	6	9	14	19	35
35-49	1848	9.6	89	2	2	7	12	20	26	51
50-64	2966	11.1	112	2	3	8	14	23	31	58
65+	2707	12.1	111	2	3	9	15	24	32	58
GRAND TOTAL	**10004**	**10.1**	**93**	**2**	**2**	**7**	**12**	**21**	**28**	**51**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	3.4	5	<1	1	3	4	6	8	11
20-34	1446	3.2	4	1	1	3	4	6	7	10
35-49	1416	3.3	5	1	1	3	4	6	8	11
50-64	1543	3.9	7	1	1	3	5	7	9	13
65+	1453	5.2	15	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	1151	7.0	8	4	4	6	8	11	13	17
20-34	13594	6.9	6	4	5	6	8	10	12	15
35-49	12454	7.3	8	4	5	7	8	11	12	17
50-64	11967	8.0	10	5	5	7	9	12	14	19
65+	6933	9.8	21	5	6	9	11	15	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	4.3	8	1	1	4	5	8	9	14
20-34	1328	4.1	12	1	1	3	5	7	9	14
35-49	1729	4.7	10	1	1	4	6	9	10	16
50-64	3574	5.7	19	1	2	5	7	10	13	22
65+	7509	7.5	33	2	3	6	9	13	17	31
B. *Operated*										
0-19 YRS	641	8.9	22	4	5	8	10	14	17	25
20-34	8292	8.6	20	4	5	8	10	13	16	24
35-49	11047	9.3	25	5	5	8	11	15	18	28
50-64	16872	10.8	36	5	6	9	13	18	21	34
65+	18956	14.3	76	6	7	12	17	24	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6067	3.9	8	1	1	3	5	7	9	14
B. *Operated*	46099	7.7	11	4	5	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	14308	6.3	26	1	2	5	8	12	15	25
B. *Operated*	55808	11.4	50	5	6	9	14	19	24	39
1. SINGLE DX	52166	7.3	12	3	4	7	9	11	13	19
2. MULTIPLE DX	70116	10.3	49	3	4	9	13	18	23	37
A. NOT OPERATED	20375	5.6	22	1	2	4	7	10	14	23
B. OPERATED	101907	9.7	35	5	5	8	11	16	20	33
TOTAL 0-19 YRS	2169	7.0	15	2	3	6	8	12	14	20
20-34	24660	7.1	13	3	4	6	8	11	13	19
35-49	26646	7.8	18	3	4	7	9	12	15	23
50-64	33956	8.9	28	3	4	8	11	15	18	28
65+	34851	11.6	63	3	5	10	14	20	26	43
GRAND TOTAL	**122282**	**9.0**	**36**	**3**	**4**	**8**	**11**	**15**	**19**	**32**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.9	6	1	1	3	5	7	7	15
20-34	1139	3.6	5	1	1	3	5	7	8	11
35-49	1032	4.0	7	1	1	3	5	7	9	13
50-64	846	4.4	8	1	1	4	6	8	10	14
65+	805	5.7	18	2	2	5	7	10	13	18
B. *Operated*										
0-19 YRS	140	7.8	18	3	4	7	9	13	16	21
20-34	1395	7.7	12	4	5	7	9	12	14	20
35-49	1425	8.2	14	4	5	7	9	13	15	22
50-64	1056	9.2	17	5	5	8	11	14	17	23
65+	791	11.0	29	6	6	10	13	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	4.9	13	1	2	4	6	8	11	19
20-34	1033	4.5	10	1	2	4	6	8	10	15
35-49	1243	5.2	12	1	2	4	7	9	11	16
50-64	1803	6.0	19	2	2	5	8	11	13	20
65+	2993	8.2	35	2	3	7	10	14	18	30
B. *Operated*										
0-19 YRS	118	9.5	24	4	5	8	11	17	20	26
20-34	1663	9.3	24	4	5	8	11	15	18	25
35-49	2163	10.4	42	5	5	9	12	17	22	34
50-64	2438	12.1	54	5	6	10	15	20	25	40
65+	2953	15.8	101	6	7	13	19	28	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3993	4.3	10	1	1	4	6	8	10	15
B. *Operated*	4807	8.7	18	4	5	8	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	7222	6.5	25	2	2	5	8	12	15	26
B. *Operated*	9335	12.4	67	5	6	10	15	21	27	46
1. SINGLE DX	8800	6.7	19	1	2	6	9	12	15	21
2. MULTIPLE DX	16557	9.8	57	2	3	8	12	18	23	39
A. NOT OPERATED	11215	5.7	21	1	2	5	7	11	13	22
B. OPERATED	14142	11.1	53	5	5	9	13	19	24	40
TOTAL 0-19 YRS	579	6.2	19	1	2	5	8	12	15	22
20-34	5230	6.7	19	1	2	6	8	12	15	21
35-49	5863	7.6	29	2	3	7	9	14	17	27
50-64	6143	8.8	40	2	3	7	11	16	20	32
65+	7542	11.2	74	3	4	9	14	21	27	46
GRAND TOTAL	**25357**	**8.7**	**46**	**2**	**3**	**7**	**11**	**16**	**21**	**35**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.4	70	<1	1	3	8	15	29	33
20-34	108	3.5	5	1	1	3	5	6	7	10
35-49	128	3.9	8	1	1	4	5	7	9	13
50-64	143	4.3	12	1	1	4	6	8	10	15
65+	217	5.3	19	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	43	9.0	12	5	5	8	10	13	18	19
20-34	452	8.5	16	3	4	8	11	13	16	22
35-49	385	8.4	20	2	4	8	10	14	17	23
50-64	508	9.5	37	2	3	9	12	16	19	31
65+	823	12.0	59	2	3	11	15	22	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	6	2	2	5	7	8	8	8
20-34	90	4.8	9	1	1	4	6	9	11	13
35-49	102	5.2	11	1	2	5	7	9	11	18
50-64	239	5.4	11	1	2	5	7	10	12	17
65+	693	8.4	43	2	3	7	11	15	18	33
B. *Operated*										
0-19 YRS	38	11.9	32	5	6	11	14	18	19	35
20-34	336	10.4	31	5	5	9	12	16	20	33
35-49	408	12.6	95	5	6	11	14	20	25	71
50-64	881	13.8	83	4	6	12	17	22	29	65
65+	2383	17.9	132	5	7	15	22	31	40	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	610	4.5	14	1	1	4	6	8	11	22
B. *Operated*	2211	10.0	40	2	3	9	13	17	22	31
2. MULTIPLE DX										
A. *Not Operated*	1129	7.2	33	2	2	6	9	13	16	28
B. *Operated*	4046	15.8	115	4	6	13	19	27	35	64
1. SINGLE DX	2821	8.8	40	1	2	8	12	16	21	30
2. MULTIPLE DX	5175	13.9	110	3	4	12	18	26	33	60
A. NOT OPERATED	1739	6.2	28	1	2	5	8	12	14	26
B. OPERATED	6257	13.8	96	3	5	12	17	25	31	56
TOTAL 0-19 YRS	100	9.5	31	2	4	8	12	16	18	34
20-34	986	8.2	25	2	3	8	11	14	16	26
35-49	1023	9.2	57	2	2	8	12	16	20	43
50-64	1771	10.7	66	2	3	9	14	19	24	42
65+	4116	14.5	115	2	4	12	19	27	33	58
GRAND TOTAL	**7996**	**12.1**	**91**	**2**	**3**	**10**	**15**	**23**	**29**	**53**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.4	31	1	2	7	8	13	21	25
20-34	131	4.9	10	1	1	4	6	9	11	16
35-49	116	5.1	12	1	2	4	7	9	10	18
50-64	166	6.0	14	1	2	5	8	11	13	17
65+	265	6.3	18	1	2	5	9	12	15	20
B. *Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	90	8.5	49	1	1	7	13	18	23	29
35-49	138	8.3	45	1	2	7	11	19	22	30
50-64	134	9.3	57	2	2	8	13	19	22	35
65+	191	13.3	95	2	2	12	19	27	33	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	8.6	97	2	2	5	10	19	26	51
20-34	140	6.5	23	1	2	5	9	12	18	22
35-49	216	6.5	20	1	2	5	8	13	16	23
50-64	455	7.6	28	2	2	6	10	14	17	27
65+	1094	9.5	47	2	3	8	12	17	23	32
B. *Operated*										
0-19 YRS	33	16.5	186	2	3	13	19	32	53	55
20-34	148	11.9	73	2	3	11	16	23	27	34
35-49	289	13.1	95	2	3	11	16	25	33	49
50-64	523	16.5	175	2	5	13	21	31	41	76
65+	1051	19.9	185	3	6	17	26	37	48	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	5.8	15	1	2	5	8	10	14	20
B. *Operated*	555	10.3	70	1	2	8	15	21	27	37
2. MULTIPLE DX										
A. *Not Operated*	1934	8.5	40	2	3	7	11	16	20	30
B. *Operated*	2044	17.4	170	2	4	14	23	33	44	72
1. SINGLE DX	1250	7.8	44	1	2	6	10	16	21	33
2. MULTIPLE DX	3978	13.1	127	2	3	10	17	27	35	57
A. NOT OPERATED	2629	7.8	35	2	2	6	10	14	18	29
B. OPERATED	2599	15.9	157	2	3	13	21	31	40	68
TOTAL 0-19 YRS	81	11.5	132	2	2	8	15	25	37	55
20-34	509	8.0	46	1	2	6	11	17	21	31
35-49	759	9.1	62	2	2	7	12	18	24	40
50-64	1278	11.2	110	2	2	9	14	22	30	54
65+	2601	13.7	132	2	3	11	18	28	36	57
GRAND TOTAL	**5228**	**11.8**	**112**	**2**	**3**	**9**	**15**	**25**	**32**	**54**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	349	5.5	12	2	2	5	7	10	12	21
20-34	2395	6.1	21	2	2	5	7	10	13	24
35-49	2370	6.6	23	2	3	6	8	11	15	24
50-64	1518	6.9	25	2	3	6	8	12	16	24
65+	1044	7.2	20	2	3	6	9	13	15	22
B. *Operated*										
0-19 YRS	39	9.5	76	2	2	7	11	22	33	35
20-34	224	11.8	114	2	2	10	15	22	29	60
35-49	347	11.6	146	1	2	9	15	25	35	69
50-64	294	11.7	139	1	2	9	15	25	35	65
65+	184	11.8	97	2	2	10	15	22	32	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	6.6	33	2	2	5	8	12	14	32
20-34	3592	7.6	31	2	3	6	9	13	18	29
35-49	5445	8.2	35	2	3	7	10	15	18	31
50-64	4602	8.6	37	3	3	7	11	15	19	31
65+	4195	9.7	50	3	4	8	12	17	22	36
B. *Operated*										
0-19 YRS	67	16.4	216	2	3	11	23	38	50	97
20-34	669	16.6	199	3	5	12	21	33	46	76
35-49	1316	18.7	239	4	5	14	24	39	54	95
50-64	1446	19.5	271	4	6	15	23	41	59	92
65+	1371	19.6	197	4	7	16	24	37	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7676	6.5	22	2	2	5	8	12	15	24
B. *Operated*	1088	11.6	126	1	2	9	15	24	33	62
2. MULTIPLE DX										
A. *Not Operated*	18123	8.5	39	2	3	7	10	15	19	33
B. *Operated*	4869	18.9	232	4	5	15	23	38	53	89
1. SINGLE DX	8764	7.1	38	2	2	6	9	13	18	31
2. MULTIPLE DX	22992	10.7	97	3	3	8	13	20	28	58
A. NOT OPERATED	25799	7.9	35	2	3	7	10	14	18	30
B. OPERATED	5957	17.5	220	2	4	14	22	36	50	86
TOTAL 0-19 YRS	744	7.1	51	2	2	5	8	12	19	40
20-34	6880	8.1	56	2	3	6	9	15	21	40
35-49	9478	9.4	79	2	3	7	11	18	25	53
50-64	7860	10.4	101	2	3	8	12	19	27	60
65+	6794	11.4	94	3	4	9	14	22	29	56
GRAND TOTAL	**31756**	**9.7**	**84**	**2**	**3**	**7**	**12**	**19**	**25**	**53**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	443	3.1	6	1	1	3	4	6	7	11
20-34	598	3.6	8	1	1	3	5	7	8	15
35-49	655	4.4	9	1	1	4	6	8	10	14
50-64	858	4.7	11	1	1	4	6	8	10	18
65+	1518	6.1	20	1	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	32	5.4	15	<1	1	5	7	11	14	15
20-34	56	6.8	37	2	2	6	8	12	14	42
35-49	69	8.1	46	2	2	7	11	14	25	38
50-64	125	7.3	26	1	2	7	10	12	15	28
65+	182	10.4	52	2	3	9	14	20	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	638	4.2	11	1	1	3	5	8	10	16
20-34	1591	4.7	14	1	2	4	6	9	11	21
35-49	2465	6.0	21	2	2	5	7	11	14	25
50-64	4890	6.6	26	2	2	5	8	12	15	26
65+	12947	8.5	46	2	3	7	10	16	20	36
B. *Operated*										
0-19 YRS	66	8.4	64	1	2	6	11	18	21	46
20-34	297	9.1	63	2	2	7	12	18	22	39
35-49	605	10.6	78	2	3	8	13	21	27	41
50-64	1315	11.7	112	3	4	9	14	22	31	77
65+	3328	14.2	134	3	5	11	18	28	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4072	4.8	14	1	1	4	6	9	11	19
B. *Operated*	464	8.5	42	2	2	7	11	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	22531	7.4	38	2	2	6	9	14	18	32
B. *Operated*	5611	12.9	121	3	4	10	16	26	34	67
1. SINGLE DX	4536	5.2	18	1	1	4	7	10	12	22
2. MULTIPLE DX	28142	8.5	59	2	3	6	10	16	22	40
A. NOT OPERATED	26603	7.0	35	2	2	6	9	13	17	31
B. OPERATED	6075	12.6	117	3	4	9	15	25	33	65
TOTAL 0-19 YRS	1179	4.0	14	1	1	3	5	8	10	19
20-34	2542	5.0	22	1	1	4	6	10	13	23
35-49	3794	6.5	32	1	2	5	8	12	17	31
50-64	7188	7.3	45	2	2	6	9	14	18	33
65+	17975	9.3	66	2	3	7	11	18	24	45
GRAND TOTAL	**32678**	**8.0**	**55**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	4.1	11	1	1	3	5	7	10	19
20-34	42	6.0	12	1	2	5	9	12	12	13
35-49	39	6.5	64	1	2	5	7	10	20	48
50-64	44	7.5	30	1	2	6	10	15	19	24
65+	44	9.9	98	2	3	6	12	20	30	50
B. *Operated*										
0-19 YRS	35	3.9	12	1	1	3	6	8	11	14
20-34	32	7.0	20	1	2	7	10	12	15	18
35-49	44	9.4	96	1	2	6	12	20	23	59
50-64	38	11.4	168	1	1	8	14	20	35	73
65+	25	11.7	89	2	3	9	14	23	32	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	5.4	18	1	2	4	7	11	13	22
20-34	106	7.8	58	2	3	5	9	13	28	41
35-49	177	10.0	104	2	2	7	11	22	28	56
50-64	261	10.6	99	2	3	8	12	23	29	47
65+	320	11.8	87	3	4	9	15	24	31	55
B. *Operated*										
0-19 YRS	37	16.1	442	2	2	11	22	92	99+	99+
20-34	101	14.5	229	2	4	10	14	29	38	85
35-49	147	13.5	160	2	2	10	16	28	42	52
50-64	180	17.4	233	2	4	13	22	37	48	86
65+	176	18.7	242	4	5	14	23	38	51	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	5.4	29	1	2	4	6	10	14	26
B. *Operated*	174	8.6	86	1	1	6	11	17	22	55
2. MULTIPLE DX										
A. *Not Operated*	1191	9.2	77	2	2	6	11	19	27	48
B. *Operated*	641	16.3	233	2	4	12	21	35	49	89
1. SINGLE DX	630	6.3	47	1	1	4	8	13	18	41
2. MULTIPLE DX	1832	11.7	143	2	3	8	14	25	34	76
A. NOT OPERATED	1647	8.1	67	2	2	6	10	17	25	44
B. OPERATED	815	14.7	211	2	3	10	18	31	45	87
TOTAL 0-19 YRS	686	5.4	44	1	2	4	6	11	14	35
20-34	281	9.8	120	1	3	7	11	18	30	71
35-49	407	10.9	124	2	2	7	13	25	30	54
50-64	523	12.7	156	2	3	9	15	27	38	61
65+	565	13.8	147	3	4	10	18	27	40	79
GRAND TOTAL	**2462**	**10.3**	**124**	**2**	**2**	**7**	**12**	**23**	**30**	**58**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	473	5.2	21	<1	<1	4	7	11	13	19
20-34	88	5.4	15	1	2	4	7	10	12	20
35-49	64	5.6	19	1	2	4	7	12	15	20
50-64	64	7.2	61	1	2	5	8	12	27	42
65+	52	8.5	40	2	2	7	11	20	22	28
B. *Operated*										
0-19 YRS	188	4.1	15	1	2	3	5	9	12	20
20-34	209	4.5	20	1	2	3	5	9	14	24
35-49	132	4.4	22	1	1	3	4	10	13	26
50-64	100	6.6	42	1	2	4	9	13	23	30
65+	60	8.0	83	2	2	4	10	20	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	6.6	29	1	2	5	9	13	17	25
20-34	226	6.1	25	1	2	5	8	11	15	25
35-49	196	7.2	27	2	2	6	10	13	18	27
50-64	312	8.6	56	2	2	7	11	15	21	39
65+	660	11.2	86	2	3	9	14	22	28	54
B. *Operated*										
0-19 YRS	142	9.0	81	2	2	5	12	22	29	39
20-34	387	8.1	85	<1	1	5	10	18	26	42
35-49	323	9.9	111	<1	2	6	14	22	32	59
50-64	451	11.5	121	2	2	8	15	26	37	57
65+	435	15.4	176	2	3	11	21	33	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	5.7	26	<1	1	4	8	12	14	23
B. *Operated*	689	5.0	29	1	2	3	6	11	16	27
2. MULTIPLE DX										
A. *Not Operated*	1732	8.7	59	2	2	7	11	17	24	43
B. *Operated*	1738	11.2	129	1	2	8	15	25	34	58
1. SINGLE DX	1430	5.3	27	<1	1	4	7	11	15	26
2. MULTIPLE DX	3470	10.0	96	2	2	7	13	21	28	53
A. NOT OPERATED	2473	7.8	51	1	2	6	10	15	21	36
B. OPERATED	2427	9.5	108	1	2	6	12	22	30	54
TOTAL 0-19 YRS	1141	5.9	32	<1	1	4	8	12	16	28
20-34	910	6.5	50	1	2	4	8	13	19	32
35-49	715	7.7	68	1	2	5	10	17	23	47
50-64	927	9.7	89	2	2	7	12	21	28	53
65+	1207	12.5	122	2	3	9	16	26	34	59
GRAND TOTAL	**4900**	**8.6**	**80**	**1**	**2**	**6**	**11**	**19**	**26**	**48**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	5.2	10	1	2	4	7	10	11	15
20-34	29	4.0	12	<1	1	3	5	7	9	19
35-49	12	7.1	30	2	2	5	10	16	19	19
50-64	4	4.5	10	2	2	3	6	9	9	9
65+	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*										
0-19 YRS	19	5.4	21	1	2	3	7	13	16	17
20-34	14	5.1	15	<1	1	5	6	10	15	16
35-49	12	7.4	30	2	3	6	8	16	21	22
50-64	4	12.8	25	8	8	12	17	18	18	18
65+	5	6.2	28	2	2	4	9	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	6.8	23	1	2	6	9	13	17	23
20-34	30	5.9	13	2	2	5	7	12	15	16
35-49	32	6.5	36	2	2	4	7	13	18	31
50-64	34	8.8	44	2	3	7	10	14	19	38
65+	67	11.6	102	2	4	9	14	26	31	53
B. *Operated*										
0-19 YRS	32	9.8	31	2	3	9	12	19	22	22
20-34	38	10.0	60	2	2	8	14	18	27	36
35-49	25	9.4	47	2	2	7	14	16	24	25
50-64	51	13.5	82	2	5	11	18	28	29	40
65+	52	17.1	334	2	2	12	21	50	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	5.2	11	1	2	4	7	10	11	18
B. *Operated*	54	6.4	25	1	2	5	8	15	17	22
2. MULTIPLE DX										
A. *Not Operated*	311	7.9	46	2	2	6	10	15	20	38
B. *Operated*	198	12.6	138	2	2	10	16	25	35	78
1. SINGLE DX	298	5.4	14	1	2	4	7	11	13	19
2. MULTIPLE DX	509	9.8	87	2	2	7	12	20	27	54
A. NOT OPERATED	555	6.7	33	1	2	5	8	13	17	29
B. OPERATED	252	11.3	120	2	2	8	14	22	31	63
TOTAL 0-19 YRS	396	6.2	19	1	2	5	8	11	15	21
20-34	111	6.7	35	1	2	5	8	15	18	34
35-49	81	7.6	38	2	2	5	12	16	20	29
50-64	93	11.3	68	2	3	9	14	23	29	40
65+	126	13.6	201	2	3	9	17	29	49	95
GRAND TOTAL	**807**	**8.2**	**64**	**2**	**2**	**6**	**10**	**16**	**21**	**43**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.0	4	1	1	1	2	4	7	10
20-34	48	3.5	12	<1	<1	2	4	8	12	15
35-49	93	3.3	13	1	1	2	3	8	11	20
50-64	203	2.5	10	<1	<1	1	3	6	8	18
65+	302	3.2	15	<1	<1	2	3	8	12	19
B. *Operated*										
0-19 YRS	72	10.7	145	1	2	5	16	25	35	62
20-34	261	6.9	64	<1	<1	4	9	18	25	36
35-49	252	6.8	65	<1	<1	4	9	17	23	39
50-64	396	6.8	66	<1	1	4	8	16	19	35
65+	350	7.6	84	<1	1	5	9	17	28	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	5.3	79	<1	1	3	6	10	13	60
20-34	253	5.3	38	<1	1	4	7	11	17	36
35-49	392	6.2	53	1	1	4	7	13	19	34
50-64	886	7.6	58	1	1	5	9	17	22	40
65+	2172	9.8	102	1	1	7	13	21	29	54
B. *Operated*										
0-19 YRS	207	13.0	278	1	1	7	15	32	68	99+
20-34	1163	11.1	180	<1	<1	6	15	28	41	68
35-49	1262	12.2	188	1	2	8	16	30	41	87
50-64	2237	11.7	153	<1	2	8	15	27	38	75
65+	2143	15.6	224	2	3	11	21	36	51	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	684	3.0	12	<1	<1	2	3	7	10	19
B. *Operated*	1331	7.2	75	<1	1	4	9	17	25	42
2. MULTIPLE DX										
A. *Not Operated*	3787	8.5	84	1	1	6	11	19	26	47
B. *Operated*	7012	12.9	193	<1	2	8	17	31	43	86
1. SINGLE DX	2015	5.8	58	<1	<1	3	7	14	20	37
2. MULTIPLE DX	10799	11.4	159	1	1	7	15	27	38	75
A. NOT OPERATED	4471	7.6	77	<1	1	5	10	18	24	45
B. OPERATED	8343	12.0	178	<1	1	8	16	29	41	81
TOTAL 0-19 YRS	401	9.9	201	1	1	5	12	25	43	87
20-34	1725	9.4	143	<1	<1	5	12	24	35	62
35-49	1999	9.9	147	<1	1	6	12	24	35	73
50-64	3722	9.7	121	<1	1	6	12	23	32	62
65+	4967	11.7	162	1	1	8	15	27	38	76
GRAND TOTAL	**12814**	**10.5**	**147**	**<1**	**1**	**7**	**14**	**25**	**36**	**70**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.4	3	<1	<1	1	4	5	6	6
20-34	20	4.4	14	<1	1	3	5	11	13	14
35-49	27	5.3	16	<1	1	5	6	9	16	16
50-64	52	6.5	29	1	1	5	9	16	17	20
65+	103	7.9	62	1	1	7	10	17	21	43
B. *Operated*										
0-19 YRS	12	9.1	78	1	2	6	15	23	26	27
20-34	23	7.4	38	1	2	5	13	17	20	21
35-49	25	5.1	23	<1	1	3	7	10	14	22
50-64	83	7.8	63	1	1	4	14	20	24	78
65+	80	11.3	140	<1	1	7	16	28	33	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.4	16	<1	<1	3	6	11	13	17
20-34	95	8.1	78	1	2	5	10	18	24	50
35-49	162	8.5	61	1	2	7	11	17	22	36
50-64	481	10.7	93	1	2	8	13	22	28	51
65+	2000	13.5	122	2	4	11	17	26	35	62
B. *Operated*										
0-19 YRS	40	12.2	171	<1	1	8	16	25	43	62
20-34	147	13.7	129	2	3	10	21	31	39	99+
35-49	206	16.0	225	2	3	12	21	37	44	81
50-64	424	18.5	238	1	3	15	25	39	49	74
65+	891	21.9	277	3	5	18	29	46	58	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	6.4	41	1	1	5	9	15	18	32
B. *Operated*	223	8.8	88	1	1	5	13	22	28	50
2. MULTIPLE DX										
A. *Not Operated*	2786	12.3	114	2	3	10	16	25	31	59
B. *Operated*	1708	19.4	254	2	4	15	27	41	52	87
1. SINGLE DX	448	7.6	66	1	1	5	10	18	22	47
2. MULTIPLE DX	4494	15.0	179	2	3	11	20	31	43	76
A. NOT OPERATED	3011	11.9	111	1	2	9	16	24	31	58
B. OPERATED	1931	18.2	246	2	3	14	25	39	51	84
TOTAL 0-19 YRS	123	7.0	85	<1	1	4	9	17	22	52
20-34	285	10.7	107	1	2	7	14	24	32	66
35-49	420	11.8	154	1	2	8	15	26	38	57
50-64	1040	13.4	165	1	2	9	18	29	39	69
65+	3074	15.6	182	2	4	12	21	32	44	78
GRAND TOTAL	**4942**	**14.3**	**173**	**2**	**3**	**11**	**19**	**31**	**41**	**75**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1204	4.1	3	2	2	4	5	6	7	10
20-34	1729	4.4	4	2	2	4	5	7	8	11
35-49	512	4.9	5	2	2	4	6	8	9	13
50-64	303	5.6	8	2	3	5	7	9	11	16
65+	242	6.5	21	2	3	6	8	11	13	26
B. *Operated*										
0-19 YRS	87	5.3	6	2	2	5	7	9	9	14
20-34	93	6.2	10	3	3	6	7	10	13	17
35-49	45	8.2	14	2	4	8	10	13	15	18
50-64	27	8.4	18	4	4	8	10	13	19	22
65+	28	8.6	37	3	4	7	10	15	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1036	5.0	6	2	2	5	6	8	9	13
20-34	1970	5.2	8	2	3	5	6	9	10	15
35-49	956	6.5	14	3	3	6	8	11	14	21
50-64	1131	7.5	26	3	3	6	9	13	15	25
65+	2139	9.4	42	3	4	8	11	16	21	35
B. *Operated*										
0-19 YRS	187	6.9	18	2	3	6	8	11	14	25
20-34	369	9.4	48	3	4	8	11	16	21	38
35-49	261	10.9	47	4	5	9	14	18	23	38
50-64	284	12.6	54	5	5	11	16	21	28	50
65+	454	15.6	91	5	7	13	19	28	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3990	4.6	6	2	2	4	6	7	9	13
B. *Operated*	280	6.7	14	2	3	6	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	7232	6.9	25	2	3	6	8	12	15	27
B. *Operated*	1555	11.8	66	4	5	10	14	21	28	42
1. SINGLE DX	4270	4.7	7	2	2	4	6	8	9	14
2. MULTIPLE DX	8787	7.8	35	2	3	6	9	14	18	33
A. NOT OPERATED	11222	6.1	19	2	3	5	7	11	14	23
B. OPERATED	1835	11.0	62	3	4	9	14	20	26	41
TOTAL 0-19 YRS	2514	4.7	6	2	2	4	6	7	9	13
20-34	4161	5.3	12	2	2	5	6	9	11	18
35-49	1774	6.7	20	2	3	6	8	12	15	23
50-64	1745	8.1	32	3	3	7	10	14	18	31
65+	2863	10.1	55	3	4	8	13	18	24	40
GRAND TOTAL	**13057**	**6.8**	**28**	**2**	**3**	**5**	**8**	**12**	**16**	**28**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1344	4.1	4	2	2	4	5	7	7	10
20-34	1901	4.3	5	2	2	4	5	7	8	11
35-49	543	4.9	7	2	2	4	6	8	9	15
50-64	335	5.6	12	2	3	5	7	10	12	18
65+	325	6.5	24	2	2	6	8	11	14	32
B. *Operated*										
0-19 YRS	161	5.1	11	1	1	5	7	9	12	17
20-34	268	6.6	19	1	2	6	9	13	16	19
35-49	128	7.0	35	1	2	6	9	13	21	31
50-64	126	7.8	30	2	2	7	10	14	19	27
65+	104	9.8	65	2	2	8	13	22	27	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1026	4.7	7	2	2	4	6	8	9	14
20-34	2120	5.3	10	2	2	5	7	9	11	16
35-49	999	6.7	36	2	3	5	8	11	14	27
50-64	1204	7.7	27	2	3	7	10	13	16	29
65+	2196	9.3	43	3	4	8	11	17	21	36
B. *Operated*										
0-19 YRS	311	7.7	50	1	2	6	9	14	18	38
20-34	670	8.3	46	2	3	7	10	15	19	36
35-49	496	11.2	107	2	3	8	13	23	31	59
50-64	720	12.7	99	2	4	10	16	24	31	65
65+	803	15.5	140	3	5	12	19	30	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4448	4.6	7	2	2	4	6	7	9	14
B. *Operated*	787	7.0	30	1	2	6	9	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	7545	7.0	29	2	3	6	8	12	16	27
B. *Operated*	3000	11.7	103	2	3	9	15	23	31	58
1. SINGLE DX	5235	4.9	11	2	2	4	6	8	10	18
2. MULTIPLE DX	10545	8.3	54	2	3	6	10	16	21	40
A. NOT OPERATED	11993	6.1	22	2	2	5	7	11	14	24
B. OPERATED	3787	10.7	91	2	3	8	13	22	29	55
TOTAL 0-19 YRS	2842	4.8	12	2	2	4	6	8	10	17
20-34	4959	5.4	15	2	2	5	7	9	11	19
35-49	2166	7.3	50	2	3	6	8	13	18	36
50-64	2385	8.9	53	2	3	7	11	17	22	40
65+	3428	10.5	73	3	4	8	13	20	26	50
GRAND TOTAL	**15780**	**7.2**	**43**	**2**	**2**	**5**	**8**	**14**	**18**	**35**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.5	3	1	1	2	3	5	5	9
20-34	1770	2.4	3	<1	1	2	3	4	6	9
35-49	2090	2.4	3	<1	1	2	3	5	6	8
50-64	1271	2.5	3	<1	1	2	3	5	6	8
65+	460	3.1	7	1	1	2	4	6	7	13
B. *Operated*										
0-19 YRS	88	7.3	30	2	3	6	9	12	15	35
20-34	994	8.0	19	2	3	8	10	13	16	22
35-49	1228	8.2	22	2	3	8	10	13	16	24
50-64	1238	8.6	24	2	3	8	11	14	16	24
65+	571	9.6	27	2	3	9	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	3.5	7	1	1	3	4	7	9	14
20-34	1171	3.2	6	1	1	3	4	6	7	11
35-49	1548	3.5	8	1	1	3	4	7	9	13
50-64	1603	4.2	19	1	1	3	5	8	11	18
65+	1228	5.8	31	1	2	4	7	11	15	29
B. *Operated*										
0-19 YRS	104	10.7	115	2	3	8	13	22	35	55
20-34	948	9.4	46	2	3	8	11	17	22	37
35-49	1417	9.8	50	2	3	9	12	17	22	37
50-64	2045	10.5	54	2	3	9	13	18	23	40
65+	1754	12.0	78	2	3	10	15	23	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5814	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	4119	8.4	23	2	3	8	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	5677	4.1	17	1	1	3	5	8	11	18
B. *Operated*	6268	10.6	61	2	3	9	13	20	25	40
1. SINGLE DX	9933	4.9	20	1	1	3	8	11	13	19
2. MULTIPLE DX	11945	7.5	50	1	2	6	10	15	21	35
A. NOT OPERATED	11491	3.3	11	1	1	2	4	6	8	15
B. OPERATED	10387	9.8	47	2	3	9	12	17	22	36
TOTAL 0-19 YRS	542	5.1	40	1	1	3	6	11	14	38
20-34	4883	5.1	24	1	1	3	7	11	14	24
35-49	6283	5.5	29	1	1	4	8	11	15	25
50-64	6157	6.8	39	1	1	5	9	14	17	31
65+	4013	8.8	59	1	2	7	11	18	23	36
GRAND TOTAL	**21878**	**6.4**	**38**	**1**	**1**	**4**	**9**	**13**	**17**	**30**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	722	2.3	2	1	1	2	3	4	5	7
20-34	6827	2.1	2	1	1	2	3	4	5	7
35-49	7877	2.1	2	1	1	2	3	4	5	7
50-64	4621	2.4	3	1	1	2	3	4	5	8
65+	1346	2.7	4	1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	407	5.3	10	2	2	5	7	10	11	16
20-34	4118	5.7	12	2	2	5	8	10	12	17
35-49	5272	6.0	14	2	2	5	8	11	13	18
50-64	4043	6.6	18	2	2	6	9	12	14	20
65+	1509	7.4	22	2	2	7	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	2.9	3	1	1	2	4	6	6	7
20-34	1970	2.6	3	1	1	2	3	5	6	9
35-49	2688	2.9	4	1	1	2	4	5	7	10
50-64	2837	3.3	6	1	1	3	4	6	8	12
65+	1512	4.0	9	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	144	7.2	18	2	3	6	10	12	16	30
20-34	1767	7.3	28	2	3	6	9	13	16	24
35-49	2639	7.6	29	2	2	7	10	14	17	25
50-64	3300	8.8	37	2	3	8	11	16	20	30
65+	2343	10.8	65	2	3	9	14	20	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21393	2.2	2	1	1	2	3	4	5	7
B. *Operated*	15349	6.2	15	2	2	5	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	9211	3.1	5	1	1	2	4	6	7	12
B. *Operated*	10193	8.7	41	2	3	7	11	16	20	32
1. SINGLE DX	36742	3.9	12	1	1	3	5	8	11	16
2. MULTIPLE DX	19404	6.0	32	1	1	4	8	13	16	26
A. NOT OPERATED	30604	2.5	3	1	1	2	3	5	6	9
B. OPERATED	25542	7.2	27	2	2	6	9	13	16	25
TOTAL 0-19 YRS	1477	3.7	9	1	1	3	5	8	10	15
20-34	14682	3.8	12	1	1	3	5	8	10	16
35-49	18476	4.1	14	1	1	3	5	9	11	17
50-64	14801	5.1	22	1	1	4	7	11	14	21
65+	6710	6.9	41	1	2	5	9	14	18	31
GRAND TOTAL	**56146**	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**20**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.5	8	1	1	3	4	7	9	17
20-34	201	2.9	5	1	1	2	4	6	8	12
35-49	174	3.1	7	1	1	2	4	6	8	14
50-64	210	3.9	13	1	1	3	5	8	10	16
65+	206	5.5	38	1	1	3	6	12	15	28
B. *Operated*										
0-19 YRS	1226	6.4	20	<1	1	7	9	12	14	19
20-34	773	7.2	27	1	1	7	10	14	17	24
35-49	648	6.7	29	1	2	5	9	13	17	25
50-64	727	6.3	28	1	1	4	9	14	17	25
65+	521	7.0	48	1	2	4	10	16	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	4.3	16	<1	1	3	5	8	12	21
20-34	356	4.2	13	1	1	3	5	8	10	21
35-49	364	5.4	22	1	1	4	7	10	15	24
50-64	706	6.9	33	1	2	5	9	14	19	28
65+	1672	9.8	86	2	3	7	12	19	26	49
B. *Operated*										
0-19 YRS	1379	7.5	35	1	1	7	10	14	17	28
20-34	1205	9.0	47	2	2	8	11	17	21	36
35-49	1247	10.0	75	2	2	8	13	20	25	46
50-64	2030	10.3	84	1	2	8	13	21	26	46
65+	2642	12.2	123	2	2	9	16	25	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	3.8	16	1	1	3	5	8	11	18
B. *Operated*	3895	6.6	28	1	1	6	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	3394	7.7	59	1	2	5	9	16	21	39
B. *Operated*	8503	10.2	84	1	2	8	13	20	27	48
1. SINGLE DX	4851	6.1	27	1	1	5	9	12	16	24
2. MULTIPLE DX	11897	9.5	79	1	2	7	12	19	25	46
A. NOT OPERATED	4350	6.8	52	1	1	5	8	14	20	36
B. OPERATED	12398	9.1	69	1	2	8	12	18	24	42
TOTAL 0-19 YRS	3066	6.5	27	<1	1	6	9	12	15	25
20-34	2535	7.3	37	1	2	6	10	14	18	28
35-49	2433	7.9	55	1	2	6	10	16	22	35
50-64	3673	8.5	64	1	2	6	11	18	23	38
65+	5041	10.6	103	2	2	8	14	22	30	55
GRAND TOTAL	**16748**	**8.5**	**66**	**1**	**2**	**7**	**11**	**17**	**23**	**41**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.2	2	1	1	2	3	4	6	7
20-34	460	2.2	3	<1	1	2	3	4	5	8
35-49	486	2.2	3	<1	1	2	3	4	5	7
50-64	311	2.4	3	1	1	2	3	5	5	9
65+	75	2.8	4	1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS	33	5.9	26	1	1	5	8	13	19	20
20-34	255	5.0	15	1	2	4	7	9	11	15
35-49	322	5.7	15	1	2	5	8	11	13	16
50-64	380	5.5	14	1	2	5	8	10	13	18
65+	306	5.8	21	1	2	4	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.7	4	<1	1	2	3	6	7	9
20-34	212	3.0	4	1	1	2	4	6	7	10
35-49	281	3.1	4	1	1	3	4	6	7	11
50-64	264	4.0	9	1	1	3	5	8	10	14
65+	201	6.1	37	1	2	4	7	12	18	35
B. *Operated*										
0-19 YRS	40	5.7	16	<1	1	6	7	12	14	18
20-34	207	7.0	67	1	2	5	9	13	18	31
35-49	351	7.9	52	2	2	6	10	15	22	31
50-64	661	7.6	38	2	2	6	10	15	18	27
65+	1276	10.2	80	2	3	8	13	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1384	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	1296	5.5	16	1	2	4	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	983	3.9	14	1	1	3	5	7	10	19
B. *Operated*	2535	8.9	65	2	2	7	11	17	22	40
1. SINGLE DX	2680	3.9	12	1	1	3	5	9	11	16
2. MULTIPLE DX	3518	7.5	56	1	2	5	10	15	20	37
A. NOT OPERATED	2367	3.0	8	1	1	2	4	6	7	14
B. OPERATED	3831	7.8	51	2	2	6	10	15	20	35
TOTAL 0-19 YRS	150	4.0	14	1	1	3	6	8	11	20
20-34	1134	3.9	21	1	1	3	5	8	10	19
35-49	1440	4.6	23	1	1	3	6	10	13	23
50-64	1616	5.5	25	1	1	4	8	12	15	22
65+	1858	8.7	68	2	2	7	11	17	23	42
GRAND TOTAL	**6198**	**5.9**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**29**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	413	3.1	5	1	1	3	4	5	6	9
20-34	377	2.9	5	<1	<1	2	4	5	6	13
35-49	185	3.3	7	<1	1	3	4	6	8	15
50-64	176	3.6	5	<1	1	3	5	7	8	10
65+	242	5.0	12	1	2	4	7	9	12	16
B. *Operated*										
0-19 YRS	531	2.4	4	<1	1	2	3	5	6	10
20-34	922	3.1	7	<1	1	2	4	6	8	13
35-49	926	3.1	6	<1	1	2	4	6	8	13
50-64	1048	3.2	8	1	1	2	4	6	8	14
65+	1341	4.0	11	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	522	3.8	5	1	1	3	5	7	8	12
20-34	697	4.3	9	1	2	4	5	8	9	16
35-49	508	5.5	16	1	2	4	7	10	13	21
50-64	700	5.9	15	2	2	5	7	11	14	21
65+	2150	8.2	43	2	3	7	10	15	19	35
B. *Operated*										
0-19 YRS	874	3.1	6	<1	1	2	4	6	8	12
20-34	1883	4.5	23	1	1	3	6	9	12	23
35-49	1951	5.1	25	1	1	4	6	10	13	22
50-64	2707	5.7	33	1	2	4	7	12	15	28
65+	4960	7.5	54	2	2	5	9	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1393	3.5	7	<1	1	3	4	6	8	13
B. *Operated*	4768	3.3	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	4577	6.5	30	2	2	5	8	12	16	28
B. *Operated*	12375	6.0	39	1	1	4	7	12	17	32
1. SINGLE DX	6161	3.3	8	1	1	2	4	6	8	14
2. MULTIPLE DX	16952	6.1	36	1	2	4	8	12	16	31
A. NOT OPERATED	5970	5.8	26	1	2	4	7	11	14	26
B. OPERATED	17143	5.2	32	1	1	3	6	11	15	28
TOTAL 0-19 YRS	2340	3.1	5	<1	1	2	4	6	7	11
20-34	3879	4.0	15	1	1	3	5	8	10	18
35-49	3570	4.5	19	1	1	3	6	9	12	21
50-64	4631	5.1	24	1	1	4	6	10	14	24
65+	8693	7.1	46	2	2	5	9	14	19	35
GRAND TOTAL	**23113**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.0	2	<1	<1	1	3	4	4	8
20-34	33	2.1	3	<1	<1	1	3	4	6	7
35-49	22	2.7	4	<1	<1	2	4	6	7	8
50-64	32	3.1	8	1	1	2	4	6	11	12
65+	70	3.5	7	1	1	3	5	6	7	15
B. *Operated*										
0-19 YRS	2476	1.8	3	<1	<1	1	2	3	4	8
20-34	1370	3.1	8	<1	1	2	4	6	8	14
35-49	1043	3.2	6	<1	1	2	4	6	8	13
50-64	1150	3.6	11	1	1	3	4	7	9	17
65+	1415	4.3	13	1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	1.6	2	<1	<1	1	2	3	3	9
20-34	52	3.8	9	<1	1	3	6	9	10	13
35-49	41	4.3	14	1	1	3	5	10	14	15
50-64	87	4.9	15	1	1	4	6	11	14	18
65+	329	6.3	22	1	2	5	9	12	15	22
B. *Operated*										
0-19 YRS	2169	2.1	5	<1	<1	1	2	4	5	9
20-34	1719	3.8	12	1	1	3	5	8	10	17
35-49	1669	4.3	14	1	1	3	5	9	12	19
50-64	2357	5.0	22	1	2	4	6	10	13	23
65+	4246	7.1	51	2	2	5	9	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	2.9	5	<1	1	2	4	6	7	12
B. *Operated*	7454	3.0	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	577	5.2	19	<1	1	4	7	11	14	20
B. *Operated*	12160	4.9	30	1	1	3	6	10	14	25
1. SINGLE DX	7644	3.0	8	<1	1	2	4	6	8	14
2. MULTIPLE DX	12737	4.9	29	1	1	3	6	10	14	25
A. NOT OPERATED	767	4.6	17	<1	1	3	6	10	13	18
B. OPERATED	19614	4.2	23	<1	1	3	5	9	12	22
TOTAL 0-19 YRS	4746	1.9	4	<1	<1	1	2	3	5	9
20-34	3174	3.5	10	<1	1	2	4	7	10	15
35-49	2775	3.8	12	1	1	3	5	8	10	17
50-64	3626	4.5	18	1	1	3	6	9	12	22
65+	6060	6.4	41	1	2	4	8	13	17	30
GRAND TOTAL	**20381**	**4.2**	**22**	**<1**	**1**	**3**	**5**	**9**	**12**	**22**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2692	3.3	4	1	1	3	4	6	7	10
20-34	1760	3.3	5	<1	1	3	4	6	7	11
35-49	819	3.9	8	<1	1	3	5	7	9	13
50-64	888	4.4	10	<1	1	4	6	8	10	15
65+	1801	5.6	22	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	2000	2.5	6	<1	<1	2	3	5	7	12
20-34	1918	3.1	8	<1	1	2	4	6	9	14
35-49	1880	3.3	9	<1	1	2	4	7	9	15
50-64	2185	3.5	10	<1	1	2	4	7	9	15
65+	2718	4.7	16	1	1	3	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4099	4.2	9	1	2	4	5	7	9	15
20-34	3992	4.8	17	1	1	4	6	9	11	20
35-49	2900	6.1	27	1	2	5	7	11	14	27
50-64	5129	7.1	37	2	2	6	9	13	17	30
65+	20826	9.3	58	2	3	7	11	17	22	42
B. *Operated*										
0-19 YRS	2709	3.5	18	<1	1	2	4	8	10	18
20-34	3433	5.2	36	1	1	3	7	11	15	29
35-49	3736	5.8	41	1	1	4	7	12	16	33
50-64	6307	6.8	50	1	2	5	9	15	19	37
65+	12388	9.9	93	2	2	7	12	21	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7960	4.0	11	<1	1	3	5	8	9	16
B. *Operated*	10701	3.5	11	<1	1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	36946	7.7	47	2	2	6	10	14	19	36
B. *Operated*	28573	7.5	68	1	2	5	9	16	22	45
1. SINGLE DX	18661	3.7	11	<1	1	3	5	7	9	16
2. MULTIPLE DX	65519	7.6	56	1	2	6	10	15	20	40
A. NOT OPERATED	44906	7.0	42	1	2	5	9	14	18	33
B. OPERATED	39274	6.4	56	1	1	4	8	14	20	39
TOTAL 0-19 YRS	11500	3.5	10	<1	1	3	4	7	9	14
20-34	11103	4.4	20	<1	1	3	5	9	12	22
35-49	9335	5.2	28	1	1	4	7	10	14	27
50-64	14509	6.3	38	1	2	5	8	12	17	31
65+	37733	9.0	67	2	2	7	11	17	23	45
GRAND TOTAL	**84180**	**6.8**	**49**	**1**	**2**	**5**	**8**	**14**	**19**	**36**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.8	2	1	1	3	4	5	5	5
35-49	17	4.1	11	1	1	3	5	8	12	14
50-64	99	3.1	7	1	1	2	4	5	10	14
65+	260	3.7	10	<1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	25	5.6	7	2	2	6	7	9	11	12
20-34	61	3.1	7	1	1	2	4	6	9	14
35-49	577	4.0	8	1	1	3	5	8	9	14
50-64	8550	5.8	11	1	2	5	7	10	12	16
65+	15094	6.9	16	2	3	6	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	17	2	2	4	8	10	10	10
20-34	11	4.1	8	1	1	4	5	9	11	11
35-49	41	3.8	7	1	1	3	4	7	10	13
50-64	552	4.6	16	1	1	4	5	9	11	21
65+	2016	6.4	42	1	1	4	6	14	19	33
B. *Operated*										
0-19 YRS	36	7.4	31	1	2	6	9	15	22	23
20-34	92	5.4	17	1	2	4	7	11	13	23
35-49	785	5.9	22	1	1	5	8	12	15	21
50-64	12473	7.6	29	2	2	7	9	14	17	27
65+	33971	9.9	52	3	4	8	12	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	3.5	9	1	1	3	4	7	10	15
B. *Operated*	24307	6.4	14	2	2	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	2623	6.0	37	1	1	4	7	13	18	31
B. *Operated*	47357	9.2	47	2	3	8	11	17	21	36
1. SINGLE DX	24689	6.4	14	2	2	6	8	11	13	19
2. MULTIPLE DX	49980	9.1	47	2	3	7	11	16	21	36
A. NOT OPERATED	3005	5.7	34	1	1	4	7	12	16	30
B. OPERATED	71664	8.3	37	2	3	7	10	15	19	32
TOTAL 0-19 YRS	64	6.6	21	1	2	6	8	11	17	23
20-34	170	4.4	13	1	1	3	6	9	12	20
35-49	1420	5.0	17	1	1	4	6	10	13	20
50-64	21674	6.8	22	2	2	6	8	12	15	24
65+	51341	8.9	43	2	3	7	11	16	20	35
GRAND TOTAL	**74669**	**8.2**	**38**	**2**	**3**	**7**	**10**	**15**	**19**	**32**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.7	6	1	2	3	4	6	10	12
20-34	282	3.5	5	1	1	3	4	7	8	11
35-49	292	4.2	6	1	2	4	5	7	8	13
50-64	314	4.7	7	2	2	4	6	7	10	15
65+	164	4.8	7	1	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	80	2.6	4	<1	1	2	3	5	6	10
20-34	549	2.7	8	<1	1	2	3	5	8	13
35-49	697	2.6	4	<1	1	2	3	5	7	10
50-64	607	3.2	7	1	1	2	4	6	9	13
65+	348	3.7	9	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.6	6	1	2	3	4	6	8	14
20-34	324	4.4	9	1	2	4	6	8	10	15
35-49	488	4.8	8	2	2	4	6	8	10	16
50-64	726	5.1	8	2	2	5	7	8	10	15
65+	769	6.2	24	2	2	5	7	11	13	23
B. *Operated*										
0-19 YRS	77	4.2	14	1	1	3	6	9	12	19
20-34	669	3.8	12	1	1	3	5	8	10	15
35-49	1043	4.3	15	1	1	3	6	9	12	21
50-64	1523	5.3	22	1	1	4	7	10	14	24
65+	1344	7.3	40	2	2	6	9	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1089	4.2	6	1	2	4	5	7	9	14
B. *Operated*	2281	2.9	7	<1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	2340	5.3	14	2	2	5	7	9	11	18
B. *Operated*	4656	5.4	26	1	1	4	7	11	14	24
1. SINGLE DX	3370	3.4	7	1	1	3	4	6	8	12
2. MULTIPLE DX	6996	5.4	22	1	2	4	7	10	13	23
A. NOT OPERATED	3429	5.0	12	1	2	4	6	8	11	16
B. OPERATED	6937	4.6	21	1	1	3	6	9	13	23
TOTAL 0-19 YRS	227	3.5	8	1	1	3	4	7	9	14
20-34	1824	3.5	9	1	1	3	4	7	9	14
35-49	2520	3.9	11	1	1	3	5	8	10	16
50-64	3170	4.8	15	1	1	4	6	9	11	19
65+	2625	6.3	31	1	2	5	8	12	15	27
GRAND TOTAL	**10366**	**4.7**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.6	2	<1	<1	1	2	3	4	8
20-34	10	5.4	24	1	1	4	8	13	17	17
35-49	5	4.4	9	<1	<1	4	6	9	9	9
50-64	6	4.2	11	<1	<1	3	7	9	9	9
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	1388	2.2	2	<1	1	2	3	4	5	7
20-34	534	3.0	2	1	2	3	4	5	5	8
35-49	610	3.0	2	1	1	3	4	5	5	8
50-64	1085	3.3	3	1	2	3	4	5	6	10
65+	720	3.6	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	1.4	1	<1	<1	1	2	2	3	6
20-34	14	2.3	5	<1	1	1	2	5	8	9
35-49	15	3.5	8	<1	<1	3	4	5	10	12
50-64	19	2.7	3	<1	<1	2	3	5	7	8
65+	27	4.6	12	1	2	3	5	11	13	13
B. *Operated*										
0-19 YRS	1120	2.3	2	<1	1	2	3	4	5	8
20-34	276	3.8	8	1	2	3	4	6	7	19
35-49	408	3.8	6	1	2	3	5	6	8	12
50-64	928	4.7	11	2	2	4	5	9	11	18
65+	919	5.7	21	2	2	4	6	10	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.9	9	<1	<1	1	4	8	9	17
B. *Operated*	4337	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	182	2.3	5	<1	<1	1	3	5	7	13
B. *Operated*	3651	4.1	12	1	1	3	5	7	10	18
1. SINGLE DX	4393	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	3833	4.0	12	1	1	3	5	7	10	18
A. NOT OPERATED	238	2.4	6	<1	<1	1	3	5	8	13
B. OPERATED	7988	3.4	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	2648	2.2	2	<1	<1	2	3	4	5	7
20-34	834	3.3	4	1	1	3	4	5	6	11
35-49	1038	3.3	4	1	1	3	4	6	7	11
50-64	2038	3.9	7	1	2	3	5	7	9	14
65+	1668	4.8	14	2	2	4	5	8	11	21
GRAND TOTAL	**8226**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	515	4.1	7	1	1	4	5	7	9	12
20-34	938	4.4	6	1	1	4	6	8	9	12
35-49	496	4.8	13	1	2	4	6	8	9	13
50-64	386	5.8	9	2	3	5	7	10	11	14
65+	300	6.1	11	2	3	6	7	10	12	19
B. *Operated*										
0-19 YRS	185	3.5	5	1	1	3	4	6	8	12
20-34	342	4.3	17	1	1	3	5	8	10	16
35-49	268	4.4	10	1	2	3	6	8	10	15
50-64	220	5.0	12	1	2	4	6	10	12	17
65+	181	6.1	20	2	2	4	8	12	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	4.5	10	1	2	4	6	8	9	13
20-34	397	5.1	10	1	2	5	7	9	11	16
35-49	330	5.8	12	2	2	5	7	10	12	19
50-64	498	6.5	10	2	3	6	8	10	12	18
65+	704	8.2	27	3	4	7	10	14	17	28
B. *Operated*										
0-19 YRS	101	4.3	11	1	1	3	5	8	10	19
20-34	282	5.6	18	1	2	4	7	11	14	21
35-49	317	6.2	23	2	2	5	8	12	16	20
50-64	390	7.7	35	2	2	6	10	15	19	30
65+	515	9.4	44	2	3	8	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2635	4.8	9	1	2	4	6	8	10	13
B. *Operated*	1196	4.6	14	1	2	3	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	2075	6.5	18	2	3	6	8	11	14	21
B. *Operated*	1605	7.4	34	2	2	6	10	15	18	29
1. SINGLE DX	3831	4.7	10	1	2	4	6	8	10	15
2. MULTIPLE DX	3680	6.9	25	2	2	6	9	13	16	25
A. NOT OPERATED	4710	5.6	14	1	2	5	7	10	12	19
B. OPERATED	2801	6.2	27	1	2	4	8	13	16	26
TOTAL 0-19 YRS	947	4.1	8	1	1	3	5	7	9	12
20-34	1959	4.7	11	1	2	4	6	8	10	16
35-49	1411	5.3	15	1	2	4	7	9	12	18
50-64	1494	6.4	17	2	2	5	8	11	14	22
65+	1700	7.9	30	2	3	7	10	14	18	29
GRAND TOTAL	**7511**	**5.8**	**19**	**1**	**2**	**5**	**7**	**11**	**13**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1067	1.6	1	<1	<1	1	2	2	3	4
20-34	267	1.9	1	<1	<1	2	2	3	3	6
35-49	161	1.9	1	<1	1	2	2	3	3	5
50-64	129	2.0	1	<1	<1	2	2	3	4	5
65+	85	2.3	1	<1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	2162	1.7	2	<1	<1	2	2	2	3	5
20-34	892	1.9	1	<1	1	2	2	3	3	4
35-49	506	2.0	2	<1	1	2	2	3	3	6
50-64	340	2.1	2	<1	1	2	2	3	4	11
65+	214	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	1.9	6	<1	<1	1	2	3	5	15
20-34	92	2.2	2	<1	1	2	3	3	4	9
35-49	116	3.1	9	<1	1	2	4	6	10	16
50-64	170	2.8	4	1	1	2	3	5	7	12
65+	141	4.5	36	1	2	3	4	9	14	33
B. *Operated*										
0-19 YRS	684	2.0	1	<1	<1	2	2	3	4	7
20-34	539	2.5	4	1	1	2	3	4	6	12
35-49	526	2.8	6	1	1	2	3	5	7	12
50-64	571	3.6	10	1	2	2	4	7	10	16
65+	626	5.3	35	1	2	3	6	11	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1709	1.7	1	<1	<1	2	2	3	3	5
B. *Operated*	4114	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	726	2.8	12	<1	<1	2	3	5	8	15
B. *Operated*	2946	3.2	13	1	1	2	3	6	9	19
1. SINGLE DX	5823	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	3672	3.2	13	<1	1	2	3	6	9	19
A. NOT OPERATED	2435	2.1	5	<1	<1	2	2	3	4	11
B. OPERATED	7060	2.4	7	<1	1	2	2	4	6	13
TOTAL 0-19 YRS	4120	1.7	2	<1	<1	2	2	2	3	6
20-34	1790	2.1	2	<1	1	2	2	3	4	8
35-49	1309	2.4	4	<1	1	2	2	4	6	11
50-64	1210	2.9	6	<1	1	2	3	5	8	13
65+	1066	4.4	27	1	1	3	4	9	13	27
GRAND TOTAL	**9495**	**2.3**	**6**	**<1**	**<1**	**2**	**2**	**4**	**5**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	2.0	2	<1	<1	1	2	4	5	8
20-34	221	2.6	4	<1	1	2	3	5	6	9
35-49	158	2.8	6	<1	1	2	3	6	8	13
50-64	125	3.0	8	<1	1	2	3	8	10	13
65+	75	3.3	10	<1	1	2	5	6	12	15
B. *Operated*										
0-19 YRS	2493	2.2	2	1	1	2	3	4	5	8
20-34	2019	2.6	4	<1	1	2	3	4	6	10
35-49	1320	3.0	8	1	1	2	4	5	7	11
50-64	1329	3.7	8	1	2	3	4	7	8	12
65+	564	4.1	15	1	2	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	3.0	6	<1	1	2	4	6	8	12
20-34	198	4.3	17	1	1	3	6	8	11	21
35-49	185	4.1	21	<1	1	3	5	9	11	26
50-64	207	4.2	18	1	1	3	5	9	12	22
65+	239	6.3	37	1	1	4	8	14	19	37
B. *Operated*										
0-19 YRS	866	2.8	5	1	1	2	3	5	7	10
20-34	1221	3.8	16	1	1	3	4	7	10	23
35-49	1192	4.7	30	1	1	3	5	9	12	28
50-64	1735	5.5	33	1	2	4	6	10	13	32
65+	1058	7.0	70	2	2	5	8	15	22	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	848	2.5	5	<1	1	2	3	5	7	12
B. *Operated*	7725	2.8	6	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	969	4.6	23	1	1	3	6	10	13	25
B. *Operated*	6072	4.9	34	1	1	3	5	9	13	32
1. SINGLE DX	8573	2.8	6	1	1	2	3	5	7	11
2. MULTIPLE DX	7041	4.8	32	1	1	3	6	9	13	31
A. NOT OPERATED	1817	3.6	15	<1	1	2	4	8	11	21
B. OPERATED	13797	3.7	19	1	1	3	4	7	10	22
TOTAL 0-19 YRS	3768	2.4	3	<1	1	2	3	4	5	9
20-34	3659	3.1	9	1	1	2	3	5	8	15
35-49	2855	3.8	19	1	1	3	4	7	10	21
50-64	3396	4.6	23	1	2	3	5	8	11	25
65+	1936	5.9	50	1	2	4	7	12	17	40
GRAND TOTAL	**15614**	**3.7**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	47	2.4	6	<1	<1	1	3	5	8	12
35-49	84	2.2	3	<1	<1	2	3	4	6	8
50-64	30	2.1	3	<1	<1	2	3	4	6	8
65+	14	3.9	11	1	1	3	4	8	13	14
B. *Operated*										
0-19 YRS	446	2.0	1	<1	<1	2	2	3	4	5
20-34	3714	2.3	2	<1	<1	2	3	4	5	8
35-49	9107	2.4	3	<1	1	2	3	4	5	8
50-64	4315	2.4	2	<1	1	2	3	4	5	8
65+	1644	2.6	2	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	6	<1	<1	3	5	7	9	9
20-34	60	3.6	8	<1	<1	3	5	8	10	11
35-49	122	4.1	12	1	1	3	5	9	11	17
50-64	66	3.9	10	<1	1	3	5	8	10	15
65+	56	4.2	9	1	1	4	6	9	10	14
B. *Operated*										
0-19 YRS	139	2.6	4	<1	1	2	3	5	7	11
20-34	1649	3.2	5	<1	1	2	4	6	8	13
35-49	4701	3.5	9	1	1	3	4	6	9	15
50-64	3006	3.6	10	1	2	3	4	7	9	15
65+	1618	4.2	15	2	2	3	5	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	2.3	4	<1	<1	2	3	5	7	11
B. *Operated*	19226	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	316	3.9	10	<1	1	3	5	8	10	15
B. *Operated*	11113	3.6	9	1	1	3	4	7	9	15
1. SINGLE DX	19409	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	11429	3.6	9	1	1	3	4	7	9	15
A. NOT OPERATED	499	3.4	8	<1	<1	2	5	7	9	14
B. OPERATED	30339	2.8	5	<1	1	2	3	5	7	11
TOTAL 0-19 YRS	605	2.2	2	<1	<1	2	2	3	5	7
20-34	5470	2.6	4	<1	1	2	3	5	6	10
35-49	14014	2.8	5	<1	1	2	3	5	6	11
50-64	7417	2.9	5	1	1	2	3	5	7	11
65+	3332	3.4	9	1	2	2	4	6	9	15
GRAND TOTAL	**30838**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	3.5	4	1	1	3	4	7	8	9
20-34	287	3.3	5	<1	<1	3	4	5	6	12
35-49	122	3.7	7	<1	<1	3	5	8	9	11
50-64	52	2.9	5	<1	<1	2	4	7	8	9
65+	34	3.6	8	<1	<1	2	6	8	8	12
B. *Operated*										
0-19 YRS	1561	2.9	4	1	1	3	4	4	5	8
20-34	2928	3.1	5	<1	1	3	4	5	6	11
35-49	1944	2.9	4	<1	1	2	4	5	6	9
50-64	1467	3.0	4	1	1	2	4	5	6	11
65+	821	3.1	5	<1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.0	7	<1	1	4	5	8	9	12
20-34	228	3.9	9	<1	1	3	5	8	9	15
35-49	193	4.2	18	<1	<1	3	5	9	12	23
50-64	144	4.1	17	1	1	3	5	10	13	18
65+	165	7.0	80	1	1	5	9	15	20	33
B. *Operated*										
0-19 YRS	334	3.8	6	1	2	3	4	6	8	14
20-34	1284	4.0	15	1	1	3	5	7	9	16
35-49	1566	4.2	10	1	2	3	5	7	9	17
50-64	1412	4.7	19	1	2	4	5	8	11	21
65+	885	5.5	42	1	2	4	6	10	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	3.4	6	<1	<1	3	4	7	8	11
B. *Operated*	8721	3.0	4	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	799	4.7	28	<1	1	3	6	10	13	21
B. *Operated*	5481	4.4	19	1	2	3	5	8	11	20
1. SINGLE DX	9335	3.0	4	<1	1	3	4	5	6	10
2. MULTIPLE DX	6280	4.5	20	1	1	3	5	8	11	21
A. NOT OPERATED	1413	4.1	19	<1	1	3	5	8	11	19
B. OPERATED	14202	3.6	10	1	1	3	4	6	8	15
TOTAL 0-19 YRS	2083	3.1	4	1	1	3	4	5	6	10
20-34	4727	3.4	8	<1	1	3	4	6	7	13
35-49	3825	3.5	8	<1	1	3	4	6	8	14
50-64	3075	3.8	12	1	1	3	4	7	9	17
65+	1905	4.5	31	1	1	3	5	9	12	26
GRAND TOTAL	**15615**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1372	2.6	3	1	1	2	3	5	6	8
20-34	2481	2.5	3	1	1	2	3	5	6	8
35-49	488	2.8	4	1	1	2	3	5	7	11
50-64	39	3.0	3	1	1	3	4	5	7	8
65+	8	3.5	10	1	1	2	5	9	10	10
B. *Operated*										
0-19 YRS	1994	4.4	6	1	2	4	6	7	9	12
20-34	6450	4.6	7	1	1	5	6	8	9	13
35-49	1663	5.9	9	2	2	6	7	9	11	15
50-64	304	6.7	6	2	4	7	8	10	11	14
65+	130	8.3	16	3	4	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	695	3.2	4	1	1	3	4	6	8	10
20-34	1669	3.2	6	1	1	3	4	6	8	12
35-49	473	4.0	9	1	1	3	5	8	10	15
50-64	59	4.6	12	1	2	4	6	8	12	18
65+	41	8.3	84	1	2	5	10	17	34	42
B. *Operated*										
0-19 YRS	1663	5.3	9	1	2	5	7	9	10	15
20-34	10569	5.8	10	1	2	6	7	9	11	17
35-49	4587	7.2	14	2	4	7	8	11	14	21
50-64	690	8.6	17	4	5	8	10	13	17	26
65+	345	12.0	67	5	6	10	14	19	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4388	2.6	3	1	1	2	3	5	6	9
B. *Operated*	10541	4.9	7	1	1	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	2937	3.4	7	1	1	3	4	7	8	13
B. *Operated*	17854	6.3	14	2	2	6	8	10	13	19
1. SINGLE DX	14929	4.2	7	1	1	4	6	7	9	13
2. MULTIPLE DX	20791	5.9	14	1	2	6	7	10	12	19
A. NOT OPERATED	7325	2.9	5	1	1	2	4	5	7	10
B. OPERATED	28395	5.8	12	1	2	5	7	9	11	18
TOTAL 0-19 YRS	5724	4.1	7	1	1	4	5	7	9	13
20-34	21169	4.8	9	1	1	5	6	8	10	15
35-49	7211	6.4	13	1	2	6	8	10	13	19
50-64	1092	7.6	15	2	4	7	9	12	14	24
65+	524	10.7	58	3	5	9	13	18	23	42
GRAND TOTAL	**35720**	**5.2**	**12**	**1**	**1**	**5**	**7**	**9**	**11**	**17**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3470	4.3	6	2	2	4	5	7	8	12
20-34	8772	4.6	8	2	2	4	6	7	9	13
35-49	1081	5.4	10	2	2	5	7	9	11	16
50-64	80	6.7	25	2	3	6	8	11	18	27
65+	30	6.0	15	1	2	5	7	11	14	18
B. *Operated*										
0-19 YRS	991	5.4	12	1	2	5	7	10	12	16
20-34	5463	4.9	11	1	1	5	7	9	10	16
35-49	1353	5.9	17	1	2	6	8	11	13	21
50-64	196	7.2	39	1	2	6	9	14	18	33
65+	64	9.6	69	1	2	8	12	22	28	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1936	5.1	8	2	2	5	6	8	10	15
20-34	5819	5.3	10	2	2	5	7	9	11	16
35-49	1192	6.4	21	2	3	5	8	11	13	21
50-64	163	7.1	17	2	3	7	9	12	15	22
65+	92	9.3	56	2	3	7	11	18	28	35
B. *Operated*										
0-19 YRS	1508	6.4	19	1	2	6	8	11	14	20
20-34	14281	6.1	17	1	2	6	7	10	13	20
35-49	4696	7.8	26	2	2	7	9	13	17	27
50-64	565	10.4	62	3	4	8	12	20	25	44
65+	216	15.5	148	3	5	11	21	32	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13433	4.6	8	2	2	4	6	8	9	13
B. *Operated*	8067	5.2	14	1	1	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	9202	5.5	12	2	2	5	7	9	11	17
B. *Operated*	21266	6.7	23	1	2	6	8	11	15	24
1. SINGLE DX	21500	4.8	10	1	2	4	6	8	10	15
2. MULTIPLE DX	30468	6.3	20	1	2	6	8	11	14	22
A. NOT OPERATED	22635	4.9	9	2	2	4	6	8	10	15
B. OPERATED	29333	6.3	21	1	2	6	8	11	14	23
TOTAL 0-19 YRS	7905	5.0	10	1	2	4	6	9	11	16
20-34	34335	5.4	13	1	2	5	7	9	11	17
35-49	8322	7.0	23	2	2	6	8	12	15	25
50-64	1004	8.9	50	2	3	7	10	17	22	37
65+	402	12.4	116	2	3	9	16	27	34	75
GRAND TOTAL	**51968**	**5.7**	**16**	**1**	**2**	**5**	**7**	**10**	**12**	**20**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.4	4	<1	1	3	4	5	6	13
20-34	279	3.1	5	<1	1	3	4	6	8	11
35-49	60	3.1	4	1	1	3	4	6	7	10
50-64	6	3.2	2	<1	<1	3	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	232	3.2	5	1	1	2	5	6	8	11
20-34	5065	4.3	7	<1	1	4	6	7	8	11
35-49	2524	5.7	6	1	2	6	7	8	9	12
50-64	156	5.8	7	1	2	6	7	9	9	11
65+	24	5.6	8	<1	1	6	8	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	5	1	1	3	5	7	8	11
20-34	341	3.8	11	<1	1	3	5	8	10	19
35-49	144	3.6	6	<1	<1	3	5	7	8	11
50-64	9	5.6	42	<1	<1	2	7	17	21	21
65+	5	5.6	16	1	1	6	9	10	10	10
B. *Operated*										
0-19 YRS	283	4.3	9	1	1	4	6	8	10	12
20-34	12166	5.7	9	1	2	6	7	9	10	15
35-49	12218	6.9	9	2	4	7	8	10	11	17
50-64	1425	7.8	17	4	5	7	8	11	14	22
65+	174	9.3	30	3	5	8	11	16	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	3.2	5	<1	1	3	4	6	7	11
B. *Operated*	8001	4.7	7	<1	1	5	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	543	3.8	10	<1	1	3	5	7	9	17
B. *Operated*	26266	6.4	10	1	2	6	8	9	11	17
1. SINGLE DX	8394	4.6	7	<1	1	5	7	8	9	11
2. MULTIPLE DX	26809	6.3	10	1	2	6	8	9	11	17
A. NOT OPERATED	936	3.5	8	<1	1	3	5	7	9	14
B. OPERATED	34267	6.0	10	1	2	6	7	9	10	16
TOTAL 0-19 YRS	607	3.8	7	1	1	3	5	7	9	12
20-34	17851	5.2	9	1	1	6	7	8	9	14
35-49	14946	6.7	8	2	4	7	8	9	11	17
50-64	1596	7.5	17	2	5	7	8	11	13	22
65+	203	8.8	28	2	4	8	10	14	21	30
GRAND TOTAL	**35203**	**5.9**	**10**	**1**	**2**	**6**	**7**	**9**	**10**	**16**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	1	2	2	3	4	5	5	5
20-34	23	3.5	10	<1	<1	3	5	6	9	15
35-49	5	2.8	2	1	1	3	4	5	5	5
50-64										
65+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
0-19 YRS	59	2.3	2	1	1	2	3	4	5	8
20-34	671	2.6	4	<1	1	2	3	5	7	10
35-49	478	2.6	3	<1	1	2	3	6	7	8
50-64	195	2.4	3	<1	<1	2	3	4	6	9
65+	67	2.5	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.6	7	1	2	5	6	8	10	11
20-34	64	3.5	5	<1	<1	3	5	6	7	12
35-49	18	4.7	11	1	1	4	7	10	11	11
50-64	8	4.1	6	1	1	4	6	7	7	7
65+	8	6.3	7	2	3	6	8	10	10	10
B. *Operated*										
0-19 YRS	101	3.5	10	1	1	2	4	8	10	18
20-34	2479	4.4	10	1	1	3	6	8	10	14
35-49	2427	5.1	12	1	1	5	7	9	11	16
50-64	796	4.6	16	1	1	3	7	9	11	20
65+	248	5.5	22	1	2	4	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.8	13	<1	<1	3	5	6	13	18
B. *Operated*	1470	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	119	4.1	6	<1	1	3	5	8	9	11
B. *Operated*	6051	4.8	12	1	1	4	7	9	11	16
1. SINGLE DX	1504	2.6	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	6170	4.7	12	1	1	4	7	9	10	16
A. NOT OPERATED	153	4.0	8	<1	1	3	5	7	10	15
B. OPERATED	7521	4.3	11	1	1	3	6	8	10	15
TOTAL 0-19 YRS	186	3.3	7	1	1	2	4	7	8	15
20-34	3237	4.0	9	<1	1	3	6	8	9	14
35-49	2928	4.7	12	1	1	4	7	9	10	15
50-64	999	4.2	14	<1	1	2	6	8	11	18
65+	324	4.9	19	1	2	3	7	10	13	23
GRAND TOTAL	**7674**	**4.3**	**11**	**1**	**1**	**3**	**6**	**8**	**10**	**15**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	3.3	5	1	1	3	4	6	7	10
20-34	671	3.4	4	<1	1	3	5	6	7	10
35-49	149	3.5	6	<1	<1	3	5	7	8	12
50-64	29	4.0	7	<1	1	4	5	7	11	11
65+	27	5.2	17	<1	<1	4	7	12	14	17
B. *Operated*										
0-19 YRS	405	2.5	2	<1	1	2	3	4	5	8
20-34	2875	2.3	3	<1	1	2	3	4	5	8
35-49	1259	2.3	3	<1	1	2	3	4	5	9
50-64	430	2.5	4	<1	1	2	3	4	6	10
65+	140	3.5	10	1	1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	4.2	6	1	1	4	6	7	9	12
20-34	790	4.5	7	1	2	4	6	8	10	14
35-49	239	5.3	13	1	2	5	7	10	12	18
50-64	119	6.8	61	1	2	5	8	13	15	39
65+	162	8.8	57	2	3	7	11	16	22	25
B. *Operated*										
0-19 YRS	231	3.6	9	1	1	3	5	7	9	15
20-34	1704	4.1	14	1	1	3	6	8	10	17
35-49	1070	4.5	14	1	1	3	6	9	11	17
50-64	433	5.4	63	1	1	3	6	11	16	36
65+	250	7.7	95	1	2	4	9	17	26	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1142	3.5	5	<1	1	3	5	6	7	11
B. *Operated*	5109	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1613	5.2	19	1	2	4	6	9	12	18
B. *Operated*	3688	4.6	26	1	1	3	6	9	12	24
1. SINGLE DX	6251	2.5	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	5301	4.8	24	1	1	4	6	9	12	22
A. NOT OPERATED	2755	4.5	14	1	1	4	6	8	10	16
B. OPERATED	8797	3.3	14	<1	1	2	4	7	9	17
TOTAL 0-19 YRS	1205	3.3	6	1	1	3	4	6	8	11
20-34	6040	3.2	8	<1	1	2	4	6	8	13
35-49	2717	3.5	10	<1	1	2	4	7	9	15
50-64	1011	4.3	38	<1	1	3	5	8	12	24
65+	579	6.9	64	1	2	4	8	15	19	36
GRAND TOTAL	**11552**	**3.6**	**14**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	12	3.9	6	<1	<1	3	6	8	9	9
35-49	25	3.9	11	<1	<1	3	6	7	9	14
50-64	33	3.5	9	<1	<1	3	5	8	10	12
65+	53	3.6	9	<1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	11	4.6	6	1	2	4	6	8	10	10
20-34	1623	5.9	6	2	3	6	7	9	10	15
35-49	2674	6.8	7	3	4	6	8	10	11	16
50-64	3716	7.4	8	4	5	7	8	11	13	17
65+	3145	7.9	11	4	5	7	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	87	3.0	7	<1	<1	2	4	6	8	12
35-49	150	3.0	10	<1	1	2	4	6	8	22
50-64	219	3.9	11	<1	1	3	5	8	10	16
65+	390	5.7	36	1	1	4	8	11	15	30
B. *Operated*										
0-19 YRS	40	7.0	15	1	2	7	9	12	13	21
20-34	5333	6.6	7	3	4	6	8	9	11	16
35-49	10086	7.5	9	4	5	7	9	11	13	19
50-64	8799	8.4	15	4	5	8	10	12	15	22
65+	7693	9.4	21	5	5	8	11	14	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	3.7	9	<1	<1	3	5	8	9	13
B. *Operated*	11169	7.2	9	4	4	7	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	846	4.5	23	<1	1	3	6	9	12	23
B. *Operated*	31951	8.0	14	4	5	7	9	12	15	22
1. SINGLE DX	11293	7.2	9	3	4	7	8	10	12	17
2. MULTIPLE DX	32797	8.0	15	4	5	7	9	12	14	22
A. NOT OPERATED	970	4.4	22	<1	1	3	6	9	11	22
B. OPERATED	43120	7.8	13	4	5	7	9	12	14	21
TOTAL 0-19 YRS	52	6.5	14	1	2	6	8	11	13	21
20-34	7055	6.4	7	2	4	6	7	9	11	16
35-49	12935	7.3	9	4	4	7	8	11	13	18
50-64	12767	8.0	13	4	5	7	9	12	14	20
65+	11281	8.8	20	4	5	8	10	14	16	25
GRAND TOTAL	**44090**	**7.7**	**13**	**4**	**4**	**7**	**9**	**12**	**14**	**21**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.9	2	<1	<1	2	2	3	4	7
20-34	53	1.9	2	<1	<1	1	2	4	5	8
35-49	12	1.4		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	44	1.7	1	<1	1	2	2	2	4	5
20-34	550	1.9	2	<1	<1	1	2	3	5	8
35-49	742	1.8	2	<1	<1	1	2	2	5	7
50-64	107	1.6	1	<1	<1	1	2	2	3	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	2	<1	<1	2	3	5	6	6
20-34	49	2.9	12	<1	<1	2	3	5	6	24
35-49	27	2.4	7	<1	<1	1	3	4	10	12
50-64	5	3.2	15	1	1	2	4	10	10	10
65+										
B. *Operated*										
0-19 YRS	37	3.0	6	1	1	2	3	6	7	14
20-34	787	3.4	9	<1	1	2	5	7	8	14
35-49	1098	3.8	11	<1	<1	2	6	8	9	13
50-64	152	3.6	15	<1	<1	2	5	8	9	24
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	1.8	2	<1	<1	1	2	3	5	8
B. *Operated*	1443	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	96	2.7	9	<1	<1	2	3	5	7	18
B. *Operated*	2074	3.6	10	<1	<1	2	6	8	9	14
1. SINGLE DX	1537	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX	2170	3.6	10	<1	<1	2	6	8	9	14
A. NOT OPERATED	190	2.3	6	<1	<1	2	3	4	6	11
B. OPERATED	3517	2.9	8	<1	<1	2	3	7	8	12
TOTAL 0-19 YRS	125	2.2	3	<1	1	2	2	4	5	9
20-34	1439	2.8	7	<1	<1	2	3	7	8	12
35-49	1879	3.0	8	<1	<1	2	4	7	8	12
50-64	264	2.8	10	<1	<1	2	3	7	8	21
65+										
GRAND TOTAL	**3707**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**7**	**8**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	492	2.2	2	<1	<1	2	3	4	5	7
20-34	1129	1.9	2	<1	<1	1	2	3	5	7
35-49	328	1.9	2	<1	<1	1	2	3	4	7
50-64	25	2.2	4	<1	<1	1	3	5	7	10
65+										
B. *Operated*										
0-19 YRS	1107	1.9	2	<1	1	2	2	3	4	7
20-34	12660	2.1	3	<1	<1	2	2	4	6	8
35-49	13320	2.1	3	<1	<1	2	2	5	6	8
50-64	1761	2.0	3	<1	<1	2	2	3	6	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	428	3.1	6	1	1	2	4	6	7	14
20-34	1151	2.8	5	<1	1	2	4	6	7	11
35-49	760	3.0	9	<1	<1	2	4	6	8	14
50-64	104	2.6	4	<1	<1	2	3	5	7	10
65+										
B. *Operated*										
0-19 YRS	990	2.9	7	1	1	2	3	6	7	12
20-34	17518	4.0	10	<1	1	3	6	8	9	13
35-49	24127	4.4	12	<1	1	3	7	8	10	15
50-64	3071	4.1	13	<1	1	2	6	8	10	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1974	2.0	2	<1	<1	2	2	4	5	7
B. *Operated*	28848	2.1	3	<1	<1	2	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	2443	2.9	6	<1	1	2	4	6	7	12
B. *Operated*	45706	4.2	11	<1	1	3	6	8	9	14
1. SINGLE DX	30822	2.1	3	<1	<1	2	2	4	6	8
2. MULTIPLE DX	48149	4.1	11	<1	1	3	6	8	9	14
A. NOT OPERATED	4417	2.5	4	<1	<1	2	3	5	6	10
B. OPERATED	74554	3.4	9	<1	<1	2	5	7	9	13
TOTAL 0-19 YRS	3017	2.5	4	<1	1	2	3	5	6	10
20-34	32458	3.2	8	<1	<1	2	5	7	8	12
35-49	38535	3.5	10	<1	<1	2	6	8	9	13
50-64	4961	3.3	10	<1	<1	2	5	8	9	14
65+										
GRAND TOTAL	**78971**	**3.3**	**9**	**<1**	**<1**	**2**	**5**	**7**	**8**	**13**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	38	2.7	5	<1	<1	2	4	6	7	10
50-64	67	2.9	6	<1	<1	2	4	7	8	10
65+	49	2.4	3	<1	<1	2	4	5	6	7
B. *Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	20	2.1	4	<1	<1	1	2	4	7	9
35-49	1169	1.7	1	<1	<1	2	2	2	3	7
50-64	4674	1.8	1	<1	<1	2	2	2	3	7
65+	1357	2.3	4	<1	1	2	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	3.1	4	1	1	3	4	6	7	7
35-49	118	4.6	15	<1	1	3	6	10	13	18
50-64	218	3.7	12	<1	<1	3	5	8	11	17
65+	218	5.3	32	1	1	4	7	10	13	27
B. *Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	28	3.8	6	1	1	4	5	8	8	8
35-49	1253	3.1	8	<1	1	2	3	7	8	15
50-64	5617	3.2	10	<1	1	2	3	7	9	16
65+	2614	4.1	18	1	1	2	5	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.7	5	<1	<1	2	4	6	7	10
B. *Operated*	7222	1.9	2	<1	<1	2	2	3	3	8
2. MULTIPLE DX										
A. *Not Operated*	563	4.5	20	<1	1	3	6	9	12	23
B. *Operated*	9516	3.4	12	<1	1	2	4	8	10	17
1. SINGLE DX	7380	1.9	2	<1	<1	2	2	3	3	8
2. MULTIPLE DX	10079	3.5	13	<1	1	2	4	8	10	17
A. NOT OPERATED	721	4.1	18	<1	<1	3	5	8	11	19
B. OPERATED	16738	2.7	8	<1	1	2	3	6	8	15
TOTAL 0-19 YRS	8	2.8	3	<1	<1	2	4	6	6	6
20-34	59	3.1	5	<1	1	2	4	7	8	9
35-49	2578	2.5	6	<1	<1	2	2	6	7	13
50-64	10576	2.6	7	<1	<1	2	2	6	8	13
65+	4238	3.6	15	1	1	2	4	8	11	19
GRAND TOTAL	**17459**	**2.8**	**9**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	2.1	2	<1	<1	2	3	4	5	7
20-34	480	2.4	3	<1	<1	2	3	5	6	9
35-49	133	2.9	7	<1	<1	2	3	5	9	13
50-64	43	3.6	11	<1	1	2	5	8	10	16
65+	44	4.6	21	<1	<1	3	6	10	17	21
B. *Operated*										
0-19 YRS	625	2.8	4	<1	<1	2	4	5	7	11
20-34	6665	2.9	5	<1	1	2	4	6	7	10
35-49	4800	3.1	8	<1	<1	2	4	7	8	13
50-64	3014	2.9	9	<1	<1	2	3	7	8	13
65+	994	3.6	23	<1	1	2	3	8	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.1	11	<1	1	2	4	6	8	14
20-34	503	3.2	7	<1	1	2	4	7	8	14
35-49	305	3.8	12	<1	1	3	5	8	10	18
50-64	201	4.8	28	<1	1	3	6	10	15	26
65+	309	7.2	44	1	2	5	9	14	18	41
B. *Operated*										
0-19 YRS	575	3.9	11	<1	1	3	5	7	9	16
20-34	8153	4.3	10	<1	1	4	6	8	9	15
35-49	10724	4.8	15	<1	1	5	7	9	10	17
50-64	6523	5.0	26	<1	1	3	7	9	12	23
65+	2717	6.9	55	1	2	5	9	15	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	883	2.6	5	<1	<1	2	3	5	7	12
B. *Operated*	16098	3.0	8	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1466	4.4	22	<1	1	3	5	9	13	23
B. *Operated*	28692	4.9	20	<1	1	4	7	9	11	21
1. SINGLE DX	16981	3.0	7	<1	<1	2	4	6	8	12
2. MULTIPLE DX	30158	4.9	20	<1	1	4	7	9	11	21
A. NOT OPERATED	2349	3.7	16	<1	1	3	5	8	11	21
B. OPERATED	44790	4.2	17	<1	1	3	6	8	10	19
TOTAL 0-19 YRS	1531	3.2	8	<1	1	2	4	6	8	13
20-34	15801	3.6	8	<1	1	3	5	7	8	13
35-49	15962	4.3	13	<1	1	3	6	8	10	16
50-64	9781	4.3	22	<1	1	2	6	9	11	20
65+	4064	6.1	48	1	1	4	8	13	18	36
GRAND TOTAL	**47139**	**4.2**	**17**	**<1**	**1**	**3**	**6**	**8**	**10**	**19**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	960	2.1	2	<1	1	2	3	4	5	7
20-34	1377	2.3	9	<1	<1	2	3	5	6	8
35-49	283	3.0	5	<1	1	2	4	7	8	10
50-64	40	3.3	7	<1	<1	2	4	8	8	12
65+	25	5.4	14	1	2	5	7	11	13	16
B. *Operated*										
0-19 YRS	564	2.5	4	<1	1	2	3	5	7	10
20-34	5797	3.1	6	<1	<1	2	5	7	8	10
35-49	2657	5.9	11	1	1	6	8	10	11	16
50-64	1530	7.8	12	2	4	8	9	11	14	19
65+	782	8.9	16	3	5	9	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	582	2.6	4	<1	1	2	3	5	7	10
20-34	1530	2.8	6	<1	1	2	4	6	8	12
35-49	391	3.5	12	<1	1	3	5	7	9	13
50-64	147	4.9	28	1	1	4	6	9	14	28
65+	154	5.9	23	1	2	4	8	12	17	23
B. *Operated*										
0-19 YRS	635	3.5	8	<1	1	2	5	7	9	13
20-34	12748	4.6	9	<1	1	5	6	8	9	13
35-49	6901	6.6	12	1	2	6	8	10	12	18
50-64	2526	8.6	24	2	4	8	10	13	17	24
65+	1400	10.6	40	3	5	9	13	18	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2685	2.3	6	<1	<1	2	3	5	6	8
B. *Operated*	11330	4.8	13	<1	1	4	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	2804	3.2	9	<1	1	2	4	7	8	14
B. *Operated*	24210	5.9	16	1	1	6	8	10	12	19
1. SINGLE DX	14015	4.3	13	<1	1	3	7	9	10	15
2. MULTIPLE DX	27014	5.6	16	1	1	6	7	10	12	19
A. NOT OPERATED	5489	2.7	8	<1	1	2	3	6	7	12
B. OPERATED	35540	5.5	16	<1	1	5	8	10	12	18
TOTAL 0-19 YRS	2741	2.6	4	<1	1	2	3	5	7	11
20-34	21452	3.9	9	<1	1	3	6	7	9	13
35-49	10232	6.2	12	1	2	6	8	10	12	17
50-64	4243	8.2	21	2	3	8	10	12	15	23
65+	2361	9.6	32	2	4	9	12	16	20	31
GRAND TOTAL	**41029**	**5.2**	**16**	**<1**	**1**	**5**	**7**	**9**	**12**	**18**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	4	<1	<1	1	2	5	7	8
20-34	120	2.4	6	<1	<1	1	3	5	6	13
35-49	11	2.6	3	<1	<1	2	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	471	4.9	2	3	3	5	6	7	8	9
20-34	6571	5.1	4	3	3	5	6	7	8	11
35-49	672	5.5	4	3	4	5	7	7	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	4	5	5	5
20-34	50	2.9	4	1	1	3	4	6	7	9
35-49	6	3.5	2	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	380	5.5	5	3	4	5	6	8	9	14
20-34	5272	5.6	6	3	4	5	6	8	9	13
35-49	760	6.3	7	3	4	6	7	9	11	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	2.4	6	<1	<1	2	3	5	6	10
B. *Operated*	7714	5.2	4	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	62	3.0	3	1	1	3	4	5	7	9
B. *Operated*	6412	5.6	6	3	4	5	6	8	9	13
1. SINGLE DX	7860	5.1	4	3	3	5	6	7	8	11
2. MULTIPLE DX	6474	5.6	6	3	4	5	6	8	9	13
A. NOT OPERATED	208	2.6	5	<1	<1	2	4	5	6	9
B. OPERATED	14126	5.4	5	3	3	5	6	7	8	12
TOTAL 0-19 YRS	872	5.1	4	2	3	5	6	7	8	12
20-34	12013	5.3	5	3	3	5	6	7	8	12
35-49	1449	5.9	6	3	4	6	7	8	10	14
50-64										
65+										
GRAND TOTAL	**14334**	**5.3**	**5**	**3**	**3**	**5**	**6**	**7**	**8**	**12**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	1.4	1	<1	<1	1	1	2	3	6
20-34	362	1.5	2	<1	1	1	2	2	3	5
35-49	53	1.4		<1	1	1	2	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6974	1.4		<1	<1	1	2	2	3	4
20-34	14972	1.3	1	<1	<1	1	1	2	2	4
35-49	1716	1.3	1	<1	<1	<1	1	2	2	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	1.8	2	<1	<1	1	2	4	6	7
20-34	135	1.9	3	<1	<1	1	2	3	4	11
35-49	30	1.9	8	<1	<1	1	2	3	4	16
50-64										
65+										
B. *Operated*										
0-19 YRS	1640	1.7	3	<1	<1	1	2	3	5	8
20-34	6207	1.9	4	<1	<1	1	2	4	6	11
35-49	1606	2.3	4	<1	<1	2	3	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	1.4	1	<1	1	1	2	2	3	5
B. *Operated*	23662	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	228	1.9	3	<1	<1	1	2	3	4	11
B. *Operated*	9453	2.0	4	<1	<1	1	2	4	6	10
1. SINGLE DX	24295	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	9681	2.0	4	<1	<1	1	2	4	6	10
A. NOT OPERATED	861	1.5	2	<1	<1	1	2	3	3	7
B. OPERATED	33115	1.5	2	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	8895	1.4	1	<1	<1	1	2	2	3	6
20-34	21676	1.5	2	<1	<1	1	1	2	3	7
35-49	3405	1.8	3	<1	<1	1	2	3	5	8
50-64										
65+										
GRAND TOTAL	**33976**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.5	14	1	1	2	6	9	9	9
20-34	9	2.8	5	<1	<1	2	3	6	8	8
35-49	4	4.3	7	2	2	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.5	9	1	1	1	4	7	7	7
20-34	7	3.3	4	1	1	3	5	6	6	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0		4	4	4	4	4	4	4
B. *Operated*	17	3.3	7	<1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	11	3.0	5	1	1	3	5	6	7	7
1. SINGLE DX	19	3.4	6	<1	1	2	4	8	9	9
2. MULTIPLE DX	12	3.1	5	1	1	3	5	6	7	7
A. NOT OPERATED	3	4.0		4	4	4	4	4	4	4
B. OPERATED	28	3.2	6	1	1	2	5	7	8	9
TOTAL 0-19 YRS	9	3.1	9	1	1	2	5	8	9	9
20-34	18	3.1	4	<1	1	3	4	6	7	8
35-49	4	4.3	7	2	2	4	6	7	7	7
50-64										
65+										
GRAND TOTAL	**31**	**3.3**	**5**	**1**	**1**	**3**	**4**	**7**	**8**	**9**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	989	1.7	1	<1	<1	1	2	3	4	6
20-34	3184	1.6	1	<1	<1	1	2	3	4	6
35-49	283	1.7	3	<1	<1	1	2	3	4	10
50-64										
65+										
B. *Operated*										
0-19 YRS	6823	1.5	1	<1	<1	1	2	3	3	5
20-34	37981	1.5	1	<1	<1	1	2	2	3	5
35-49	4895	1.4	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	2.7	5	1	1	2	3	5	7	10
20-34	675	2.4	5	<1	1	2	3	4	6	13
35-49	58	2.2	2	<1	1	2	3	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	919	2.4	4	<1	1	2	3	5	6	10
20-34	5724	2.4	6	<1	1	2	3	5	7	11
35-49	1223	2.3	8	<1	1	2	3	4	6	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4456	1.6	2	<1	<1	1	2	3	4	6
B. *Operated*	49699	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	883	2.5	5	<1	1	2	3	5	6	12
B. *Operated*	7866	2.4	6	<1	1	2	3	5	6	11
1. SINGLE DX	54155	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	8749	2.4	6	<1	1	2	3	5	6	11
A. NOT OPERATED	5339	1.8	2	<1	<1	1	2	3	4	8
B. OPERATED	57565	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	8881	1.7	1	<1	<1	1	2	3	4	7
20-34	47564	1.6	2	<1	<1	1	2	3	4	7
35-49	6459	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**62904**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.0	4	<1	1	3	4	5	6	8
20-34	929	2.4	3	<1	1	2	3	5	6	8
35-49	99	1.9	2	<1	1	1	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	750	2.0	2	<1	1	2	2	4	5	7
20-34	6224	1.7	3	<1	<1	1	2	3	4	7
35-49	731	1.7	2	<1	<1	1	2	3	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.2	6	1	1	2	4	7	8	12
20-34	289	3.0	9	1	1	2	4	6	7	15
35-49	32	3.0	9	1	1	2	4	5	11	14
50-64										
65+										
B. *Operated*										
0-19 YRS	225	3.4	11	<1	1	3	4	6	9	16
20-34	1555	2.9	9	<1	1	2	4	6	8	16
35-49	290	2.9	8	<1	1	2	3	6	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1259	2.5	3	<1	1	2	3	5	6	8
B. *Operated*	7705	1.7	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	409	3.0	8	1	1	2	4	6	7	14
B. *Operated*	2070	3.0	9	<1	1	2	4	6	8	16
1. SINGLE DX	8964	1.8	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	2479	3.0	9	<1	1	2	4	6	8	15
A. NOT OPERATED	1668	2.6	5	<1	1	2	3	5	6	10
B. OPERATED	9775	2.0	4	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	1294	2.5	4	<1	1	2	3	5	6	10
20-34	8997	2.0	4	<1	<1	1	2	4	5	9
35-49	1152	2.1	4	<1	<1	2	2	4	5	11
50-64										
65+										
GRAND TOTAL	**11443**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	983	2.2	2	<1	1	2	3	4	5	7
20-34	5247	2.4	3	<1	1	2	3	4	5	8
35-49	357	2.4	3	<1	1	2	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	16	1.8	1	<1	<1	1	3	3	4	4
20-34	115	2.8	10	<1	1	2	4	5	6	17
35-49	8	3.3	4	<1	<1	3	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	3.2	5	1	1	3	4	6	7	10
20-34	1033	3.4	6	1	1	3	4	6	8	11
35-49	86	3.7	5	1	1	3	5	7	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.3	5	<1	1	3	5	7	8	8
20-34	85	3.6	11	1	1	3	4	8	10	19
35-49	7	3.6	3	2	2	3	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6587	2.4	3	<1	1	2	3	4	5	8
B. *Operated*	139	2.7	9	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	1323	3.4	6	1	1	3	4	6	8	11
B. *Operated*	105	3.5	10	1	1	3	5	7	9	17
1. SINGLE DX	6726	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1428	3.4	6	1	1	3	4	6	8	11
A. NOT OPERATED	7910	2.5	4	<1	1	2	3	5	6	9
B. OPERATED	244	3.0	10	<1	1	2	4	5	8	12
TOTAL 0-19 YRS	1216	2.4	2	<1	1	2	3	4	5	6
20-34	6480	2.6	4	<1	1	2	3	5	6	9
35-49	458	2.7	3	1	1	2	3	5	6	9
50-64										
65+										
GRAND TOTAL	8154	2.6	4	<1	1	2	3	5	6	9

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.0	2	<1	<1	1	3	4	5	6
20-34	334	2.3	3	<1	<1	2	3	4	5	10
35-49	18	2.3	2	1	1	2	2	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	14	2.0	1	1	1	2	2	4	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	7	<1	1	3	4	5	9	12
20-34	78	3.4	14	<1	1	3	4	6	10	24
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	11	3.3	6	1	1	2	5	7	8	8
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	2.3	3	<1	<1	2	3	4	5	9
B. *Operated*	18	1.9	1	1	1	2	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	98	3.3	13	<1	1	3	4	6	10	21
B. *Operated*	11	3.3	6	1	1	2	5	7	8	8
1. SINGLE DX	431	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	109	3.3	12	<1	1	3	4	6	8	20
A. NOT OPERATED	511	2.5	5	<1	<1	2	3	5	5	12
B. OPERATED	29	2.4	3	1	1	2	3	5	6	8
TOTAL 0-19 YRS	83	2.2	3	<1	<1	2	3	4	5	10
20-34	437	2.5	5	<1	1	2	3	5	6	13
35-49	20	2.4	2	1	1	2	3	5	5	5
50-64										
65+										
GRAND TOTAL	540	2.5	5	<1	1	2	3	5	5	12

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	960	3.4	5	1	1	3	4	6	7	11
20-34	4580	3.4	6	1	1	3	4	6	8	14
35-49	420	3.8	8	1	1	3	4	7	9	15
50-64										
65+										
B. *Operated*										
0-19 YRS	82	4.3	10	1	1	4	6	9	11	16
20-34	483	4.0	9	<1	1	3	5	8	10	15
35-49	45	4.2	12	<1	1	3	5	8	10	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	3.5	6	<1	1	3	4	6	9	13
20-34	1266	3.9	10	1	1	3	5	7	9	15
35-49	153	4.7	12	1	1	4	6	9	10	16
50-64										
65+										
B. *Operated*										
0-19 YRS	43	4.5	17	<1	1	4	6	8	11	23
20-34	297	4.2	15	<1	<1	3	6	9	12	20
35-49	28	6.0	52	<1	<1	4	7	19	24	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5960	3.5	6	1	1	3	4	6	8	14
B. *Operated*	610	4.1	9	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1653	3.9	10	1	1	3	5	7	9	15
B. *Operated*	368	4.4	18	<1	<1	3	6	9	12	22
1. SINGLE DX	6570	3.5	7	1	1	3	4	6	8	14
2. MULTIPLE DX	2021	4.0	12	<1	1	3	5	8	10	18
A. NOT OPERATED	7613	3.5	7	1	1	3	4	6	8	14
B. OPERATED	978	4.2	13	<1	1	3	5	8	11	20
TOTAL 0-19 YRS	1319	3.5	6	1	1	3	4	6	8	12
20-34	6626	3.6	8	1	1	3	4	7	9	15
35-49	646	4.1	11	1	1	3	5	8	10	20
50-64										
65+										
GRAND TOTAL	**8591**	**3.6**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1117	3.3	3	1	1	3	4	6	7	10
20-34	5241	3.8	6	1	2	3	5	7	8	12
35-49	149	5.1	11	2	2	4	7	9	11	23
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.8	2	1	1	3	4	5	5	5
20-34	20	2.6	4	<1	1	2	3	4	7	10
35-49	3	7.0	61	2	2	3	13	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	414	3.7	6	1	2	3	5	6	8	13
20-34	1804	4.1	10	1	1	3	5	7	9	17
35-49	74	5.1	13	1	2	4	6	11	13	17
50-64										
65+										
B. *Operated*										
0-19 YRS	23	5.4	21	1	1	3	8	12	17	18
20-34	37	5.4	20	1	2	4	7	11	16	22
35-49	3	4.3		4	4	4	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6507	3.8	6	1	2	3	5	6	8	12
B. *Operated*	32	3.1	9	1	1	2	4	5	9	16
2. MULTIPLE DX										
A. *Not Operated*	2292	4.1	9	1	1	3	5	7	9	17
B. *Operated*	113	5.4	19	1	2	4	7	11	16	21
1. SINGLE DX	6539	3.8	6	1	2	3	5	6	8	12
2. MULTIPLE DX	2405	4.1	10	1	2	3	5	7	10	17
A. NOT OPERATED	8799	3.9	7	1	2	3	5	7	8	13
B. OPERATED	145	4.9	18	1	1	4	6	10	16	21
TOTAL 0-19 YRS	1563	3.4	5	1	1	3	4	6	7	11
20-34	7152	3.9	7	1	2	3	5	7	9	14
35-49	229	5.1	12	2	2	4	7	10	12	19
50-64										
65+										
GRAND TOTAL	**8944**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6158	1.2	1	<1	<1	<1	1	1	2	4
20-34	23120	1.2	1	<1	<1	<1	1	1	2	4
35-49	1146	1.2	1	<1	<1	1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	563	1.2	1	<1	<1	<1	1	1	2	6
20-34	2380	1.3	2	<1	<1	<1	1	2	3	5
35-49	139	1.5	15	<1	<1	<1	1	2	3	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	500	1.6	2	<1	<1	1	2	3	4	7
20-34	1979	1.8	4	<1	<1	1	2	4	5	11
35-49	126	1.7	3	<1	<1	1	2	3	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	81	2.4	16	<1	<1	1	3	4	6	27
20-34	360	2.5	42	<1	<1	1	2	4	6	23
35-49	25	1.9	4	<1	<1	1	2	5	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30424	1.2	1	<1	<1	<1	1	1	2	4
B. *Operated*	3082	1.3	3	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	2605	1.8	3	<1	<1	1	2	4	5	10
B. *Operated*	466	2.5	35	<1	<1	1	2	4	6	23
1. SINGLE DX	33506	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	3071	1.9	8	<1	<1	1	2	4	5	11
A. NOT OPERATED	33029	1.2	1	<1	<1	<1	1	2	2	5
B. OPERATED	3548	1.4	7	<1	<1	1	1	2	3	7
TOTAL 0-19 YRS	7302	1.2	1	<1	<1	1	1	2	2	5
20-34	27839	1.2	2	<1	<1	<1	1	2	2	5
35-49	1436	1.3	2	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**36577**	**1.2**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	3.1	7	<1	1	2	4	7	9	13
20-34	1886	3.5	12	<1	1	3	4	6	10	17
35-49	167	3.9	24	<1	1	3	4	6	12	35
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.3	12	<1	1	2	4	7	13	14
20-34	194	4.3	23	1	1	3	5	9	12	24
35-49	23	4.1	14	1	1	3	4	8	14	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.5	11	<1	1	3	5	6	9	19
20-34	503	4.4	30	<1	1	3	5	9	12	35
35-49	38	4.6	91	1	1	3	4	5	8	61
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.0	54	1	1	2	9	16	16	16
20-34	75	4.6	22	1	1	3	6	8	14	23
35-49	5	4.0	8	1	1	4	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2206	3.5	13	<1	1	3	4	6	10	17
B. *Operated*	230	4.2	21	1	1	3	5	9	14	23
2. MULTIPLE DX										
A. *Not Operated*	594	4.4	32	<1	1	3	5	8	12	37
B. *Operated*	84	4.6	22	1	1	3	6	9	15	23
1. SINGLE DX	2436	3.6	14	<1	1	3	4	7	10	18
2. MULTIPLE DX	678	4.4	31	1	1	3	5	8	12	34
A. NOT OPERATED	2800	3.7	17	<1	1	3	4	7	10	20
B. OPERATED	314	4.3	21	1	1	3	5	9	14	23
TOTAL 0-19 YRS	223	3.2	8	<1	1	2	4	6	9	15
20-34	2658	3.8	17	<1	1	3	4	7	11	22
35-49	233	4.0	33	1	1	3	4	6	11	38
50-64										
65+										
GRAND TOTAL	**3114**	**3.7**	**18**	**<1**	**1**	**3**	**4**	**7**	**10**	**21**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	496	2.0	4	<1	<1	1	2	4	5	10
20-34	2375	2.2	5	<1	<1	2	3	4	5	11
35-49	159	2.4	11	<1	<1	2	2	4	7	16
50-64										
65+										
B. *Operated*										
0-19 YRS	50	2.3	3	<1	<1	2	3	5	6	8
20-34	269	2.6	13	<1	<1	2	3	5	7	26
35-49	23	3.1	6	<1	<1	3	4	6	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	3.2	14	<1	<1	2	4	7	10	21
20-34	605	3.1	12	<1	1	2	4	6	8	17
35-49	34	3.2	9	<1	<1	3	4	6	12	14
50-64										
65+										
B. *Operated*										
0-19 YRS	26	4.6	18	<1	<1	3	6	12	13	17
20-34	126	3.7	13	<1	1	2	4	8	11	19
35-49	9	2.9	9	<1	<1	2	3	8	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3030	2.2	5	<1	<1	2	3	4	5	11
B. *Operated*	342	2.6	11	<1	<1	2	3	5	7	21
2. MULTIPLE DX										
A. *Not Operated*	784	3.1	13	<1	1	2	4	6	8	17
B. *Operated*	161	3.8	13	<1	<1	2	5	8	12	18
1. SINGLE DX	3372	2.3	6	<1	<1	2	3	4	5	11
2. MULTIPLE DX	945	3.3	13	<1	1	2	4	6	9	18
A. NOT OPERATED	3814	2.4	7	<1	<1	2	3	4	6	13
B. OPERATED	503	3.0	12	<1	<1	2	3	6	9	19
TOTAL 0-19 YRS	717	2.4	7	<1	<1	2	3	5	7	13
20-34	3375	2.5	7	<1	<1	2	3	5	6	14
35-49	225	2.6	10	<1	<1	2	3	5	8	15
50-64										
65+										
GRAND TOTAL	**4317**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1132	3.2	4	<1	1	3	4	5	7	10
20-34	2540	3.1	4	<1	1	3	4	5	6	9
35-49	65	3.1	4	<1	1	3	4	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	105	2.2	4	<1	<1	1	3	5	7	12
20-34	261	2.7	7	<1	<1	1	4	6	7	12
35-49	12	3.3	7	<1	<1	2	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1072	3.7	6	<1	1	3	5	6	7	11
20-34	2353	3.7	8	<1	1	3	5	6	8	12
35-49	78	3.8	6	<1	1	3	5	7	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	82	3.6	7	<1	<1	3	5	7	8	12
20-34	211	4.3	18	<1	<1	3	6	9	12	24
35-49	18	4.3	12	<1	1	3	7	9	11	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3737	3.2	4	<1	1	3	4	5	7	9
B. *Operated*	378	2.6	6	<1	<1	1	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	3503	3.7	7	<1	1	3	5	6	8	12
B. *Operated*	311	4.1	15	<1	<1	3	6	8	10	18
1. SINGLE DX	4115	3.1	4	<1	<1	3	4	5	7	10
2. MULTIPLE DX	3814	3.8	8	<1	1	3	5	6	8	13
A. NOT OPERATED	7240	3.4	6	<1	1	3	4	6	7	11
B. OPERATED	689	3.3	11	<1	<1	2	4	7	9	15
TOTAL 0-19 YRS	2391	3.4	5	<1	1	3	4	6	7	10
20-34	5365	3.4	6	<1	1	3	4	6	7	11
35-49	173	3.5	6	<1	1	3	5	7	8	11
50-64										
65+										
GRAND TOTAL	**7929**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	362	4.0	14	<1	1	3	5	8	10	21
20-34	2332	4.2	13	<1	1	3	5	8	11	18
35-49	329	4.5	12	1	1	3	6	9	12	16
50-64										
65+										
B. *Operated*										
0-19 YRS	41	3.6	8	<1	<1	3	5	8	9	13
20-34	196	3.6	14	<1	<1	2	5	7	10	21
35-49	33	5.4	48	<1	<1	3	6	12	16	38
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	826	3.7	13	<1	1	3	5	8	11	17
20-34	4477	4.2	17	<1	1	3	5	8	11	20
35-49	453	5.2	27	1	1	4	7	10	14	24
50-64										
65+										
B. *Operated*										
0-19 YRS	109	4.2	12	<1	1	3	6	8	11	18
20-34	599	5.4	45	<1	<1	4	7	12	16	28
35-49	50	5.5	23	1	2	4	7	11	15	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3023	4.2	13	<1	1	3	5	8	11	19
B. *Operated*	270	3.8	17	<1	<1	3	5	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	5756	4.2	17	<1	1	3	5	8	11	20
B. *Operated*	758	5.3	39	<1	1	4	7	11	16	25
1. SINGLE DX	3293	4.2	13	<1	1	3	5	8	11	19
2. MULTIPLE DX	6514	4.3	20	<1	1	3	5	9	12	21
A. NOT OPERATED	8779	4.2	16	<1	1	3	5	8	11	19
B. OPERATED	1028	4.9	34	<1	<1	3	6	10	15	25
TOTAL 0-19 YRS	1338	3.8	13	<1	1	3	5	8	10	18
20-34	7604	4.3	18	<1	1	3	5	8	11	20
35-49	865	5.0	22	1	1	4	6	10	12	21
50-64										
65+										
GRAND TOTAL	**9807**	**4.3**	**18**	**<1**	**1**	**3**	**5**	**9**	**11**	**20**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2628	2.3	8	<1	<1	1	3	4	6	11
20-34	11001	2.5	10	<1	<1	1	3	5	7	15
35-49	575	2.9	17	<1	<1	2	3	6	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	688	2.6	9	<1	<1	2	3	5	8	17
20-34	5541	2.7	8	<1	<1	2	3	5	6	14
35-49	360	2.8	5	<1	<1	2	4	5	7	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1126	3.1	10	<1	<1	2	4	6	8	17
20-34	4930	3.4	18	<1	<1	2	4	7	9	20
35-49	318	3.9	33	<1	<1	2	4	8	10	28
50-64										
65+										
B. *Operated*										
0-19 YRS	334	3.6	15	<1	<1	2	5	8	10	21
20-34	2304	3.6	25	<1	<1	2	4	7	11	25
35-49	318	2.7	12	<1	<1	<1	3	6	8	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14204	2.5	10	<1	<1	1	3	5	7	14
B. *Operated*	6589	2.7	8	<1	<1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	6374	3.3	17	<1	<1	2	4	7	9	20
B. *Operated*	2956	3.5	23	<1	<1	2	4	7	10	24
1. SINGLE DX	20793	2.5	9	<1	<1	2	3	5	7	14
2. MULTIPLE DX	9330	3.4	19	<1	<1	2	4	7	10	21
A. NOT OPERATED	20578	2.7	12	<1	<1	2	3	5	8	16
B. OPERATED	9545	2.9	13	<1	<1	2	3	6	8	18
TOTAL 0-19 YRS	4776	2.6	9	<1	<1	2	3	5	7	15
20-34	23776	2.8	13	<1	<1	2	3	5	8	17
35-49	1571	3.0	17	<1	<1	2	4	6	8	18
50-64										
65+										
GRAND TOTAL	**30123**	**2.8**	**12**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	3.0	1	2	2	3	3	4	5	6
20-34	1546	3.4	4	2	2	3	4	5	5	13
35-49	122	3.7	4	2	2	3	4	5	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	143	4.7	27	2	2	3	4	7	12	37
20-34	819	4.6	15	2	2	4	5	7	9	24
35-49	86	5.9	53	2	2	4	6	8	19	41
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	495	3.2	4	2	2	3	4	4	5	12
20-34	2349	3.4	6	2	2	3	4	5	6	12
35-49	177	4.6	40	1	2	3	4	6	9	48
50-64										
65+										
B. *Operated*										
0-19 YRS	511	5.5	40	2	2	4	5	10	16	39
20-34	4637	5.8	38	2	3	4	6	9	14	37
35-49	525	6.3	32	2	3	5	7	11	17	31
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1999	3.4	4	2	2	3	4	5	5	11
B. *Operated*	1048	4.8	20	2	2	4	5	7	10	29
2. MULTIPLE DX										
A. *Not Operated*	3021	3.5	8	2	2	3	4	5	6	13
B. *Operated*	5673	5.8	38	2	3	4	6	9	15	34
1. SINGLE DX	3047	3.8	10	2	2	3	4	6	7	17
2. MULTIPLE DX	8694	5.0	29	2	2	4	5	8	12	30
A. NOT OPERATED	5020	3.4	6	2	2	3	4	5	6	13
B. OPERATED	6721	5.7	35	2	2	4	6	9	14	34
TOTAL 0-19 YRS	1480	4.1	19	2	2	3	4	6	9	25
20-34	9351	4.7	24	2	2	4	5	7	10	28
35-49	910	5.6	33	2	2	4	6	9	15	34
50-64										
65+										
GRAND TOTAL	**11741**	**4.7**	**24**	**2**	**2**	**4**	**5**	**7**	**10**	**28**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25149	2.8	1	1	2	3	3	4	4	5
20-34	143010	2.9	1	1	2	3	3	4	4	5
35-49	7137	2.9	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4585	2.8	1	1	2	3	3	4	4	5
20-34	27318	2.9	1	1	2	3	3	4	5	6
35-49	1430	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9727	2.7	1	1	1	3	3	4	4	6
20-34	55231	2.8	1	1	1	3	3	4	4	6
35-49	2675	2.8	2	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2573	2.9	2	1	2	3	3	4	5	7
20-34	35609	3.3	2	2	2	3	4	5	5	7
35-49	3494	3.6	2	2	2	3	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175296	2.8	1	1	2	3	3	4	4	5
B. *Operated*	33333	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	67633	2.8	1	1	1	3	3	4	4	6
B. *Operated*	41676	3.3	2	2	2	3	4	5	5	7
1. SINGLE DX	208629	2.9	1	1	2	3	3	4	4	5
2. MULTIPLE DX	109309	3.0	2	1	2	3	4	4	5	6
A. NOT OPERATED	242929	2.8	1	1	2	3	3	4	4	6
B. OPERATED	75009	3.2	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	42034	2.8	1	1	2	3	3	4	4	5
20-34	261168	2.9	1	1	2	3	3	4	5	6
35-49	14736	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**317938**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

271: Placenta previa, delivere
1.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX									
A. *Not Operated*									
0-19 YRS	15	3	1	1	3	4	5	6	7
20-34	114	3	1	1	3	4	5	6	10
35-49	8	80	2	2	5	9	24	29	29
50-64									
65+									
B. *Operated*									
0-19 YRS	46	29	2	3	5	7	14	22	25
20-34	601	59	3	4	6	7	15	25	44
35-49	74	172	3	4	6	8	23	39	70
50-64									
65+									
2. MULTIPLE DX									
A. *Not Operated*									
0-19 YRS	19	4	<1	1	3	4	6	8	9
20-34	167	21	1	2	3	4	7	11	19
35-49	14	10	1	2	4	5	9	12	13
50-64									
65+									
B. *Operated*									
0-19 YRS	118	31	2	3	5	6	9	16	34
20-34	1888	94	3	4	6	8	17	28	54
35-49	339	156	4	4	6	9	27	40	69
50-64									
65+									
SUBTOTALS:									
1. SINGLE DX									
A. *Not Operated*	137	8	1	1	3	4	5	7	14
B. *Operated*	721	69	3	4	6	7	15	25	47
2. MULTIPLE DX									
A. *Not Operated*	200	18	1	2	3	4	7	10	18
B. *Operated*	2345	101	3	4	6	8	17	30	55
1. SINGLE DX	858	62	2	3	5	7	13	24	45
2. MULTIPLE DX	2545	96	3	3	6	8	16	29	54
A. NOT OPERATED	337	14	1	1	3	4	6	9	18
B. OPERATED	3066	93	3	4	6	8	17	29	54
TOTAL 0-19 YRS	198	27	2	2	5	6	9	15	33
20-34	2770	80	2	3	6	7	15	25	51
35-49	435	154	3	4	6	8	25	39	69
50-64									
65+									
GRAND TOTAL	**3403**	**87**	**2**	**3**	**6**	**7**	**15**	**27**	**52**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.5	1	1	1	2	3	4	4	6
20-34	667	3.0	5	1	1	3	4	4	5	8
35-49	48	2.6	1	1	1	3	4	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	126	4.2	4	1	2	4	5	7	7	9
20-34	722	4.6	10	2	2	4	6	7	8	12
35-49	45	4.4	3	1	2	5	6	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	2.8	2	1	1	3	3	4	5	8
20-34	816	3.1	3	1	1	3	4	5	6	10
35-49	52	2.9	2	1	1	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	431	5.0	10	2	2	4	6	8	10	15
20-34	2661	5.0	11	2	2	5	6	7	9	19
35-49	286	5.3	12	2	2	5	6	8	10	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	823	2.9	5	1	1	3	4	4	5	8
B. *Operated*	893	4.5	9	1	2	4	6	7	7	11
2. MULTIPLE DX										
A. *Not Operated*	1035	3.0	3	1	1	3	4	5	6	9
B. *Operated*	3378	5.0	11	2	2	5	6	8	9	18
1. SINGLE DX	1716	3.8	8	1	1	3	5	6	7	10
2. MULTIPLE DX	4413	4.6	10	1	2	4	6	7	9	16
A. NOT OPERATED	1858	3.0	4	1	1	3	4	4	5	8
B. OPERATED	4271	4.9	11	2	2	4	6	7	9	17
TOTAL 0-19 YRS	832	4.1	7	1	2	4	5	7	8	14
20-34	4866	4.3	10	1	2	4	5	7	8	15
35-49	431	4.6	10	1	2	4	6	7	9	14
50-64										
65+										
GRAND TOTAL	**6129**	**4.3**	**9**	**1**	**2**	**4**	**5**	**7**	**8**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.9	2	1	1	3	4	5	6	7
20-34	130	2.7	1	1	1	3	3	4	4	6
35-49	8	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	228	2.6	1	1	1	3	3	4	4	6
20-34	1721	2.9	1	1	1	3	4	4	5	7
35-49	108	2.9	2	1	1	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	2	<1	2	3	4	5	6	6
20-34	105	2.9	1	1	2	3	4	4	5	6
35-49	9	3.2	4	1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	214	3.2	3	1	1	3	4	5	6	10
20-34	1918	3.4	4	1	2	3	4	5	6	10
35-49	148	3.7	3	2	2	4	4	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	2.7	1	1	1	3	3	4	5	6
B. *Operated*	2057	2.8	1	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	130	3.0	2	1	2	3	4	5	5	6
B. *Operated*	2280	3.4	4	1	2	3	4	5	6	10
1. SINGLE DX	2217	2.8	1	1	1	3	3	4	5	7
2. MULTIPLE DX	2410	3.4	4	1	2	3	4	5	6	10
A. NOT OPERATED	290	2.9	1	1	1	3	4	4	5	6
B. OPERATED	4337	3.1	3	1	1	3	4	5	5	8
TOTAL 0-19 YRS	480	2.9	2	1	1	3	4	4	5	8
20-34	3874	3.1	3	1	1	3	4	5	5	8
35-49	273	3.3	3	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**4627**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.0	1	1	2	3	4	4	5	6
20-34	669	2.9	2	1	1	3	4	4	5	6
35-49	35	3.3	1	1	1	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	72	3.1	2	1	1	3	4	5	6	8
20-34	453	3.1	3	1	1	3	4	5	5	8
35-49	17	2.8	2	1	1	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	3.2	2	1	2	3	4	5	6	9
20-34	711	3.0	2	1	2	3	4	4	5	7
35-49	35	3.4	11	1	1	3	4	5	8	20
50-64										
65+										
B. *Operated*										
0-19 YRS	146	3.4	4	2	2	3	4	5	6	9
20-34	861	3.5	2	1	2	3	4	5	6	9
35-49	63	4.1	11	1	1	3	4	7	8	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	852	3.0	2	1	1	3	4	4	5	6
B. *Operated*	542	3.1	3	1	1	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	892	3.1	2	1	2	3	4	5	5	8
B. *Operated*	1070	3.5	3	1	2	3	4	5	6	9
1. SINGLE DX	1394	3.0	2	1	1	3	4	4	5	7
2. MULTIPLE DX	1962	3.3	3	1	2	3	4	5	6	9
A. NOT OPERATED	1744	3.0	2	1	2	3	4	4	5	7
B. OPERATED	1612	3.4	3	1	2	3	4	5	6	9
TOTAL 0-19 YRS	512	3.2	2	1	2	3	4	5	6	8
20-34	2694	3.2	2	1	2	3	4	5	5	8
35-49	150	3.6	8	1	1	3	4	5	7	20
50-64										
65+										
GRAND TOTAL	**3356**	**3.2**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	50th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.5	2	2	2	3	4	5	6	8
20-34	414	3.6	4	2	2	3	4	5	6	9
35-49	24	3.6	1	2	2	4	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	32	4.1	3	2	2	4	5	7	7	8
20-34	286	4.8	18	2	3	4	6	7	8	17
35-49	22	5.3	4	3	3	5	7	8	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.1	10	1	2	3	4	8	12	18
20-34	617	4.0	10	1	2	3	5	6	8	21
35-49	43	5.1	75	1	2	3	4	6	18	48
50-64										
65+										
B. *Operated*										
0-19 YRS	254	5.5	17	2	3	5	6	8	12	25
20-34	3168	5.8	24	2	3	5	6	8	11	28
35-49	273	5.8	9	2	3	5	7	9	11	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	3.6	4	2	2	3	4	5	6	8
B. *Operated*	340	4.8	15	2	3	4	6	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	734	4.1	14	1	2	3	5	6	8	24
B. *Operated*	3695	5.8	23	2	3	5	6	8	11	27
1. SINGLE DX	817	4.1	9	2	2	4	5	6	7	10
2. MULTIPLE DX	4429	5.5	22	2	3	5	6	8	11	27
A. NOT OPERATED	1211	3.9	10	1	2	3	4	6	7	19
B. OPERATED	4035	5.7	22	2	3	5	6	8	11	27
TOTAL 0-19 YRS	399	4.9	13	2	2	4	6	8	10	22
20-34	4485	5.3	21	2	2	5	6	8	10	26
35-49	362	5.5	16	2	3	5	7	8	11	21
50-64										
65+										
GRAND TOTAL	**5246**	**5.3**	**20**	**2**	**2**	**4**	**6**	**8**	**10**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.9	2	1	1	3	4	4	4	9
20-34	647	2.9	1	1	2	3	4	4	5	7
35-49	62	2.8	2	1	1	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	789	4.9	2	2	3	5	6	7	7	9
20-34	5684	4.8	3	2	3	5	6	7	7	9
35-49	289	5.0	4	3	3	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.6	2	1	1	2	3	5	5	7
20-34	625	3.0	3	1	1	3	4	5	5	9
35-49	46	4.0	24	1	1	3	4	5	7	35
50-64										
65+										
B. *Operated*										
0-19 YRS	1328	5.3	7	2	3	5	6	7	9	13
20-34	10332	5.2	6	2	3	5	6	7	8	13
35-49	930	5.5	8	2	3	5	6	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	2.9	2	1	2	3	4	4	5	7
B. *Operated*	6762	4.8	3	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	749	3.0	4	1	1	3	4	5	5	9
B. *Operated*	12590	5.3	7	2	3	5	6	7	8	13
1. SINGLE DX	7555	4.6	3	2	3	5	6	6	7	9
2. MULTIPLE DX	13339	5.1	7	2	3	5	6	7	8	13
A. NOT OPERATED	1542	3.0	3	1	1	3	4	4	5	7
B. OPERATED	19352	5.1	5	2	3	5	6	7	8	12
TOTAL 0-19 YRS	2279	5.0	5	2	3	5	6	7	8	12
20-34	17288	4.9	5	2	3	5	6	7	8	11
35-49	1327	5.2	8	2	3	5	6	7	8	14
50-64										
65+										
GRAND TOTAL	**20894**	**4.9**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	2.7	1	1	1	3	3	4	4	5
20-34	1311	2.9	1	1	2	3	3	4	5	6
35-49	65	2.7	2	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	619	3.8	2	2	2	3	5	6	7	8
20-34	3732	3.9	3	2	2	4	5	6	7	8
35-49	236	4.3	3	2	2	4	5	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	2.8	1	1	2	3	3	4	5	7
20-34	1589	2.9	2	1	2	3	3	4	5	7
35-49	116	3.0	3	1	1	3	4	5	6	12
50-64										
65+										
E. *Operated*										
0-19 YRS	1775	4.3	4	2	2	4	5	7	8	12
20-34	13557	4.5	5	2	2	4	6	7	8	11
35-49	1145	5.0	6	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1539	2.9	1	1	2	3	3	4	5	6
B. *Operated*	4587	3.9	3	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1911	2.9	2	1	2	3	3	4	5	7
B. *Operated*	16477	4.5	5	2	2	4	6	7	8	11
1. SINGLE DX	6126	3.7	2	2	2	3	5	6	7	8
2. MULTIPLE DX	18388	4.4	5	2	2	4	5	7	8	11
A. NOT OPERATED	3450	2.9	1	1	2	3	3	4	5	7
B. OPERATED	21064	4.4	4	2	2	4	5	7	8	10
TOTAL 0-19 YRS	2763	4.0	4	2	2	4	5	6	7	10
20-34	20189	4.2	4	2	2	4	5	7	7	10
35-49	1562	4.7	6	2	2	4	6	7	8	11
50-64										
65+										
GRAND TOTAL	**24514**	**4.2**	**4**	**2**	**2**	**4**	**5**	**7**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	5	1	2	3	4	6	9	11
20-34	147	3.4	2	1	2	3	4	5	6	8
35-49	13	3.3	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1583	5.5	2	3	4	5	6	7	8	11
20-34	7844	5.5	2	4	4	5	6	7	8	9
35-49	342	5.8	3	4	4	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.5	27	2	2	4	6	11	16	27
20-34	158	3.5	2	1	2	3	4	5	7	8
35-49	18	3.0	1	1	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4044	6.0	5	4	4	6	7	8	10	14
20-34	20096	5.7	3	4	4	5	6	8	8	12
35-49	1234	6.1	8	4	4	6	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	3.4	2	1	2	3	4	5	6	8
B. *Operated*	9769	5.5	2	4	4	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	202	3.7	6	1	2	3	4	6	7	12
B. *Operated*	25374	5.8	4	4	4	6	7	8	9	13
1. SINGLE DX	9948	5.5	2	3	4	5	6	7	8	9
2. MULTIPLE DX	25576	5.8	4	3	4	6	7	8	9	13
A. NOT OPERATED	381	3.6	4	1	2	3	4	5	7	11
B. OPERATED	35143	5.7	3	4	4	5	6	7	8	12
TOTAL 0-19 YRS	5672	5.8	5	3	4	6	7	8	9	13
20-34	28245	5.6	3	3	4	5	6	7	8	11
35-49	1607	6.0	7	3	4	6	7	8	9	13
50-64										
65+										
GRAND TOTAL	**35524**	**5.7**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**12**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	329	3.1	1	2	2	3	4	4	5	6
20-34	1794	3.1	1	1	2	3	4	4	5	6
35-49	83	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	522	4.0	3	2	2	4	5	6	7	9
20-34	3155	4.2	3	2	2	4	5	6	7	9
35-49	165	4.3	4	2	2	4	5	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	448	3.1	4	1	2	3	4	4	5	6
20-34	2320	3.1	2	1	2	3	4	4	5	6
35-49	123	3.2	1	2	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1749	4.3	5	2	2	4	5	7	8	11
20-34	10838	4.4	5	2	2	4	5	7	8	11
35-49	759	4.7	4	2	2	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2206	3.1	1	1	2	3	4	4	5	6
B. *Operated*	3842	4.2	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	2891	3.1	2	1	2	3	4	4	5	6
B. *Operated*	13346	4.4	5	2	2	4	5	7	8	11
1. SINGLE DX	6048	3.8	3	2	2	4	5	6	7	8
2. MULTIPLE DX	16237	4.2	5	2	2	4	5	7	7	11
A. NOT OPERATED	5097	3.1	2	1	2	3	4	4	5	6
B. OPERATED	17188	4.4	5	2	2	4	5	7	7	11
TOTAL 0-19 YRS	3048	4.0	4	2	2	4	5	6	7	10
20-34	18107	4.1	4	2	2	4	5	6	7	10
35-49	1130	4.4	4	2	2	4	5	7	8	11
50-64										
65+										
GRAND TOTAL	**22285**	**4.1**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.0	1	1	2	3	4	4	4	5
20-34	345	3.1	2	1	2	3	4	4	5	7
35-49	30	3.1	2	2	2	3	3	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	179	4.3	3	2	2	4	5	6	7	9
20-34	1262	4.6	4	2	2	4	6	7	8	9
35-49	124	4.8	4	2	2	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.7	2	1	1	2	4	4	5	9
20-34	353	3.5	4	1	2	3	4	6	6	10
35-49	39	3.6	4	1	1	3	5	6	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	442	5.3	8	2	3	5	6	8	9	16
20-34	4077	5.5	16	2	3	5	6	8	9	20
35-49	442	6.1	27	2	3	5	7	8	10	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	3.1	1	1	2	3	4	4	5	7
B. *Operated*	1565	4.6	4	2	2	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	436	3.4	4	1	2	3	4	5	6	10
B. *Operated*	4961	5.5	17	2	3	5	6	8	9	20
1. SINGLE DX	1972	4.3	4	2	2	4	5	7	7	9
2. MULTIPLE DX	5397	5.3	16	2	3	5	6	8	9	19
A. NOT OPERATED	843	3.3	3	1	2	3	4	5	6	9
B. OPERATED	6526	5.3	14	2	3	5	6	7	8	16
TOTAL 0-19 YRS	697	4.7	7	2	2	5	6	7	8	14
20-34	6037	5.0	13	2	2	5	6	7	8	15
35-49	635	5.5	21	2	3	5	6	8	9	17
50-64										
65+										
GRAND TOTAL	**7369**	**5.0**	**13**	**2**	**2**	**5**	**6**	**7**	**8**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	2	1	1	3	4	5	6	6
20-34	239	3.1	2	1	2	3	4	5	6	8
35-49	19	2.9	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1183	5.4	2	3	4	5	6	7	8	9
20-34	19656	5.7	2	4	4	6	6	7	8	9
35-49	1201	6.0	2	4	4	6	7	8	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.2	4	1	1	4	6	7	8	8
20-34	228	3.4	3	1	2	3	4	6	7	8
35-49	22	3.4	3	1	1	3	5	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1547	5.6	5	3	4	5	6	7	8	15
20-34	34625	5.8	5	4	4	6	7	8	8	12
35-49	3242	6.3	10	4	4	6	7	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	3.1	2	1	2	3	4	5	6	8
B. *Operated*	22040	5.7	2	4	4	6	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	268	3.4	3	1	2	3	4	6	7	8
B. *Operated*	39414	5.8	6	4	4	6	7	8	8	12
1. SINGLE DX	22315	5.6	2	3	4	6	6	7	8	9
2. MULTIPLE DX	39682	5.8	6	3	4	6	7	8	8	12
A. NOT OPERATED	543	3.3	3	1	2	3	4	6	6	8
B. OPERATED	61454	5.8	4	4	4	6	7	7	8	11
TOTAL 0-19 YRS	2765	5.5	4	3	4	5	6	7	8	12
20-34	54748	5.7	4	3	4	6	6	7	8	11
35-49	4484	6.2	8	4	4	6	7	8	9	13
50-64										
65+										
GRAND TOTAL	**61997**	**5.8**	**4**	**3**	**4**	**6**	**7**	**7**	**8**	**11**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6694	3.3	3	2	2	3	4	4	5	9
20-34	41065	3.3	2	2	2	3	4	5	5	7
35-49	2243	3.5	3	1	2	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1534	3.6	4	2	2	3	4	5	6	9
20-34	31243	3.7	2	2	2	3	4	6	6	8
35-49	2205	3.9	3	2	2	4	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7732	3.5	5	2	2	3	4	5	6	9
20-34	42257	3.4	4	1	2	3	4	5	6	10
35-49	3305	3.7	5	2	2	3	4	5	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	19995	4.3	6	2	2	4	5	7	8	12
20-34	137786	4.5	8	2	2	4	5	7	8	13
35-49	12215	4.8	9	2	2	4	6	7	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50002	3.3	2	2	2	3	4	5	5	7
B. *Operated*	39982	3.7	3	2	2	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	52294	3.5	4	1	2	3	4	5	6	10
B. *Operated*	169996	4.5	7	2	2	4	5	7	8	13
1. SINGLE DX	89984	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	222290	4.2	7	2	2	4	5	7	8	13
A. NOT OPERATED	102296	3.4	3	2	2	3	4	5	6	9
B. OPERATED	209978	4.3	7	2	2	4	5	7	8	13
TOTAL 0-19 YRS	39955	3.9	5	2	2	3	4	6	7	12
20-34	253351	4.0	6	2	2	4	5	6	7	11
35-49	19468	4.4	7	2	2	4	5	7	8	14
50-64										
65+										
GRAND TOTAL	**312274**	**4.0**	**6**	**2**	**2**	**4**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1796	2.9	1	1	2	3	3	4	4	5
20-34	13303	3.0	1	1	2	3	3	4	4	6
35-49	668	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	942	2.9	1	1	2	3	3	4	5	6
20-34	6224	3.1	1	1	2	3	4	4	5	6
35-49	315	3.3	2	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1387	2.8	2	1	2	3	3	4	5	7
20-34	9669	2.9	1	1	2	3	3	4	5	6
35-49	526	2.9	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1738	3.2	2	1	2	3	4	5	6	10
20-34	14039	3.3	2	2	2	3	4	5	6	8
35-49	1107	3.7	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15767	3.0	1	1	2	3	3	4	4	6
B. *Operated*	7481	3.1	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	11582	2.9	1	1	2	3	3	4	5	6
B. *Operated*	16884	3.4	2	2	2	3	4	5	6	8
1. SINGLE DX	23248	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	28466	3.1	2	1	2	3	4	5	5	7
A. NOT OPERATED	27349	2.9	1	1	2	3	3	4	5	6
B. OPERATED	24365	3.3	2	2	2	3	4	5	6	8
TOTAL 0-19 YRS	5863	3.0	2	1	2	3	3	4	5	7
20-34	43235	3.1	2	1	2	3	4	4	5	7
35-49	2616	3.3	2	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**51714**	**3.1**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	2.7	1	1	2	3	3	4	4	5
20-34	2180	2.7	1	1	1	3	3	4	4	6
35-49	116	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3246	2.7	1	1	2	3	3	4	4	5
20-34	23283	2.7	1	1	1	3	3	4	4	5
35-49	1751	2.8	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	275	2.8	1	1	2	3	3	4	4	6
20-34	1896	2.7	2	1	1	3	3	4	5	7
35-49	118	2.7	1	1	1	3	3	4	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2961	2.9	3	1	2	3	3	4	5	8
20-34	25131	2.9	2	1	1	3	4	4	5	7
35-49	2265	3.2	3	1	2	3	4	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2639	2.7	1	1	1	3	3	4	4	6
B. *Operated*	28280	2.7	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	2289	2.7	2	1	1	3	3	4	5	6
B. *Operated*	30357	3.0	2	1	2	3	4	4	5	7
1. SINGLE DX	30919	2.7	1	1	1	3	3	4	4	5
2. MULTIPLE DX	32646	2.9	2	1	1	3	4	4	5	7
A. NOT OPERATED	4928	2.7	2	1	1	3	3	4	4	6
B. OPERATED	58637	2.9	2	1	1	3	3	4	5	6
TOTAL 0-19 YRS	6825	2.8	2	1	2	3	3	4	4	6
20-34	52490	2.8	2	1	1	3	3	4	5	6
35-49	4250	3.0	2	1	1	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**63565**	**2.8**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	2.9	1	1	2	3	3	4	4	7
20-34	1058	3.0	2	1	2	3	4	4	4	6
35-49	24	2.8	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3415	3.0	1	2	2	3	3	4	4	6
20-34	13307	3.1	1	2	2	3	4	4	5	6
35-49	391	3.3	1	2	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	2.9	1	1	2	3	3	5	6	7
20-34	831	3.0	2	1	2	3	4	4	5	7
35-49	23	3.0	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3921	3.1	2	2	2	3	4	4	5	8
20-34	15585	3.3	2	2	2	3	4	5	5	7
35-49	622	3.6	4	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1351	3.0	2	1	2	3	4	4	4	6
B. *Operated*	17113	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1055	3.0	2	1	2	3	4	4	5	7
B. *Operated*	20128	3.2	2	2	2	3	4	5	5	8
1. SINGLE DX	18464	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX	21183	3.2	2	2	2	3	4	5	5	7
A. NOT OPERATED	2406	3.0	2	1	2	3	4	4	5	7
B. OPERATED	37241	3.2	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	7806	3.0	2	2	2	3	3	4	5	7
20-34	30781	3.2	2	2	2	3	4	4	5	7
35-49	1060	3.5	3	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**39647**	**3.2**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	2.8	1	1	2	3	3	4	4	6
20-34	881	2.9	1	1	2	3	3	4	4	7
35-49	35	3.0	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1338	2.9	1	2	2	3	3	4	4	6
20-34	5546	3.0	1	2	2	3	4	4	5	6
35-49	206	3.2	1	1	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	3.0	2	2	2	3	3	4	4	10
20-34	755	2.9	5	1	1	3	3	4	5	7
35-49	23	2.8	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1614	3.2	4	2	2	3	4	5	6	9
20-34	7504	3.3	3	1	2	3	4	5	5	8
35-49	365	3.8	4	2	2	3	4	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1147	2.9	1	1	2	3	3	4	4	6
B. *Operated*	7090	3.0	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	942	2.9	4	1	1	3	3	4	5	7
B. *Operated*	9483	3.3	3	2	2	3	4	5	6	9
1. SINGLE DX	8237	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	10425	3.3	3	1	2	3	4	5	5	8
A. NOT OPERATED	2089	2.9	3	1	2	3	3	4	5	7
B. OPERATED	16573	3.2	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	3347	3.1	3	2	2	3	3	4	5	8
20-34	14686	3.2	2	1	2	3	4	4	5	7
35-49	629	3.5	3	1	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**18662**	**3.1**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3525	3.1	3	1	2	3	4	5	6	9
20-34	15394	3.1	3	1	2	3	4	5	6	9
35-49	903	3.2	5	1	1	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	8575	3.3	3	2	2	3	4	5	6	9
20-34	43442	3.5	3	2	2	3	4	5	6	9
35-49	2309	3.8	5	2	2	3	4	6	7	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3942	3.2	5	1	1	3	4	5	6	10
20-34	17576	3.1	5	1	1	3	4	5	6	11
35-49	1213	3.3	6	1	1	3	4	5	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	14543	4.3	10	2	2	3	5	7	9	17
20-34	79455	4.3	10	2	2	4	5	7	8	16
35-49	6518	4.9	14	2	2	4	6	8	10	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19822	3.1	3	1	2	3	4	5	6	9
B. *Operated*	54326	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	22731	3.2	5	1	1	3	4	5	6	11
B. *Operated*	100516	4.4	10	2	2	4	5	7	9	17
1. SINGLE DX	74148	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	123247	4.1	9	2	2	3	5	7	8	16
A. NOT OPERATED	42553	3.1	4	1	1	3	4	5	6	10
B. OPERATED	154842	4.1	8	2	2	3	5	6	8	14
TOTAL 0-19 YRS	30585	3.7	7	1	2	3	4	6	8	13
20-34	155867	3.8	7	2	2	3	4	6	7	13
35-49	10943	4.4	11	2	2	4	5	7	9	16
50-64										
65+										
GRAND TOTAL	**197395**	**3.9**	**7**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	4.0	4	1	2	4	5	6	7	12
20-34	642	3.9	4	2	2	3	5	6	8	12
35-49	40	3.8	2	2	2	4	5	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	14	6.3	22	2	3	5	7	16	17	17
20-34	75	5.3	13	1	1	4	7	10	12	17
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	4.7	11	2	2	4	5	8	9	23
20-34	263	4.6	10	1	2	4	6	8	10	16
35-49	14	4.1	3	2	2	4	5	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	16	7.4	31	3	4	5	8	14	22	25
20-34	97	6.6	28	1	2	5	8	15	18	25
35-49	7	4.6	8	2	2	4	7	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	3.9	4	2	2	4	5	6	7	11
B. *Operated*	91	5.4	14	1	2	5	7	10	16	17
2. MULTIPLE DX										
A. *Not Operated*	345	4.6	10	2	2	4	5	8	10	16
B. *Operated*	120	6.6	28	2	2	5	8	14	18	25
1. SINGLE DX	985	4.0	5	1	2	4	5	7	8	13
2. MULTIPLE DX	465	5.1	15	2	2	4	6	9	13	24
A. NOT OPERATED	1239	4.1	6	2	2	4	5	7	8	13
B. OPERATED	211	6.1	22	1	2	5	8	12	17	24
TOTAL 0-19 YRS	310	4.4	8	2	2	4	5	7	9	16
20-34	1077	4.4	9	2	2	4	5	7	10	17
35-49	63	4.0	3	2	2	4	5	6	8	9
50-64										
65+										
GRAND TOTAL	**1450**	**4.4**	**9**	**2**	**2**	**4**	**5**	**7**	**9**	**17**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	1.7	1	<1	1	2	2	3	3	5
20-34	413	1.8	1	<1	<1	1	2	3	4	6
35-49	20	1.8	1	<1	<1	1	2	3	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	210	1.7	1	<1	1	1	2	3	4	6
20-34	1439	1.8	8	<1	<1	1	2	3	4	8
35-49	74	1.8	2	<1	1	2	2	3	4	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	2	1	1	2	3	5	5	7
20-34	164	2.5	3	1	1	2	3	5	6	8
35-49	14	2.6	1	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	100	2.4	3	1	1	2	3	5	5	10
20-34	718	2.8	5	1	1	2	3	6	8	11
35-49	59	3.2	5	<1	1	2	5	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	1.8	1	<1	1	1	2	3	4	6
B. *Operated*	1723	1.8	7	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	211	2.5	2	1	1	2	3	5	5	8
B. *Operated*	877	2.8	5	1	1	2	3	6	8	11
1. SINGLE DX	2235	1.8	6	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1088	2.7	4	1	1	2	3	5	7	10
A. NOT OPERATED	723	2.0	2	<1	1	2	3	4	5	7
B. OPERATED	2600	2.1	6	<1	1	2	2	4	6	9
TOTAL 0-19 YRS	422	1.9	2	<1	1	2	2	4	5	7
20-34	2734	2.1	6	<1	1	2	2	4	5	9
35-49	167	2.4	3	<1	1	2	3	5	7	8
50-64										
65+										
GRAND TOTAL	**3323**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	3.7	7	<1	<1	3	4	7	10	14
20-34	459	4.0	10	1	1	3	5	8	10	15
35-49	28	6.5	28	2	2	4	9	13	18	24
50-64										
65+										
B. *Operated*										
0-19 YRS	121	3.0	7	1	1	3	3	5	7	17
20-34	597	3.4	9	<1	1	3	4	7	9	16
35-49	51	3.7	8	1	1	3	5	7	10	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.6	17	1	2	3	6	9	14	22
20-34	277	5.1	20	1	1	4	6	11	14	24
35-49	24	5.3	13	1	2	4	6	12	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	83	4.5	13	2	2	3	5	10	12	17
20-34	506	4.5	25	1	1	3	5	9	14	28
35-49	43	4.6	13	1	2	3	6	10	12	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	576	4.1	11	1	1	3	5	8	10	16
B. *Operated*	769	3.4	9	<1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	363	5.0	19	1	2	4	6	10	14	23
B. *Operated*	632	4.5	22	1	1	3	5	9	14	25
1. SINGLE DX	1345	3.7	10	1	1	3	4	7	10	16
2. MULTIPLE DX	995	4.7	21	1	1	3	5	10	14	24
A. NOT OPERATED	939	4.5	14	1	1	3	5	9	12	18
B. OPERATED	1401	3.9	15	1	1	3	4	8	11	20
TOTAL 0-19 YRS	355	3.8	11	1	1	3	4	7	11	18
20-34	1839	4.1	16	1	1	3	5	8	12	20
35-49	146	4.8	15	1	1	3	6	10	12	17
50-64										
65+										
GRAND TOTAL	**2340**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2754	4.3	9	1	2	4	5	7	9	13
20-34	2672	4.6	8	1	2	4	6	8	10	15
35-49	1743	5.3	14	2	2	4	7	9	12	18
50-64	1572	6.2	18	2	3	5	8	11	14	23
65+	1523	7.7	33	2	3	6	9	14	17	30
B. *Operated*										
0-19 YRS	1370	4.9	19	1	1	4	6	9	11	19
20-34	1552	5.7	26	1	2	4	7	11	14	26
35-49	945	6.6	40	1	2	5	8	13	17	31
50-64	747	8.1	68	1	2	6	10	16	23	44
65+	565	9.6	87	2	3	7	12	19	25	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2565	4.8	12	2	2	4	6	8	11	18
20-34	3451	6.0	23	2	2	5	7	11	14	25
35-49	3324	7.3	31	2	3	6	9	13	16	29
50-64	5034	8.7	43	3	3	7	10	16	21	35
65+	8071	10.7	67	3	4	9	13	20	26	44
B. *Operated*										
0-19 YRS	1034	6.8	39	1	2	5	8	13	17	36
20-34	1928	9.4	83	2	3	7	11	19	27	50
35-49	1909	11.5	114	2	3	8	14	24	32	61
50-64	2447	15.1	198	3	4	11	19	33	45	79
65+	3069	18.0	219	3	5	14	23	37	51	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10264	5.3	16	2	2	4	7	9	12	20
B. *Operated*	5179	6.4	42	1	2	5	8	12	17	32
2. MULTIPLE DX										
A. *Not Operated*	22445	8.4	48	2	3	7	10	16	21	35
B. *Operated*	10387	13.4	166	2	3	9	17	29	41	75
1. SINGLE DX	15443	5.7	25	1	2	4	7	10	14	25
2. MULTIPLE DX	32832	9.9	91	2	3	7	12	20	28	53
A. NOT OPERATED	32709	7.4	40	2	2	6	9	14	18	32
B. OPERATED	15566	11.1	136	2	2	7	14	24	35	66
TOTAL 0-19 YRS	7723	4.9	16	1	2	4	6	9	11	19
20-34	9603	6.2	34	2	2	5	7	12	16	31
35-49	7921	7.8	53	2	2	6	9	15	20	37
50-64	9800	9.8	89	2	3	7	11	19	27	54
65+	13228	12.0	111	3	4	9	15	23	32	60
GRAND TOTAL	**48275**	**8.6**	**74**	**2**	**2**	**6**	**10**	**17**	**24**	**46**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1006	4.1	7	1	2	4	5	7	9	12
20-34	574	4.5	9	1	2	4	6	8	10	15
35-49	325	5.2	16	1	2	4	6	10	13	19
50-64	235	6.0	20	1	2	5	7	12	16	22
65+	218	7.4	39	1	2	6	9	14	20	31
B. *Operated*										
0-19 YRS	679	3.8	14	<1	<1	3	5	8	11	15
20-34	725	4.7	32	<1	1	3	6	9	13	30
35-49	441	5.1	32	<1	1	3	6	11	15	28
50-64	411	6.2	54	<1	1	4	7	13	19	46
65+	261	8.3	82	1	2	5	11	19	24	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1068	4.8	16	2	2	4	6	8	10	18
20-34	710	5.1	17	1	2	4	6	9	12	21
35-49	557	6.8	37	2	2	5	8	12	15	30
50-64	802	9.1	60	2	3	7	11	18	25	42
65+	1259	10.3	73	3	3	8	13	19	26	55
B. *Operated*										
0-19 YRS	517	5.7	27	1	1	4	7	13	16	27
20-34	627	8.1	75	1	2	6	9	16	25	47
35-49	616	9.3	89	2	2	6	11	21	30	49
50-64	813	12.3	131	2	3	9	16	28	37	64
65+	965	14.5	175	2	3	10	19	31	45	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2358	4.9	14	1	2	4	6	9	11	19
B. *Operated*	2517	5.2	37	<1	1	3	6	11	15	32
2. MULTIPLE DX										
A. *Not Operated*	4396	7.5	49	2	2	6	9	14	20	37
B. *Operated*	3538	10.6	120	2	2	7	13	24	34	60
1. SINGLE DX	4875	5.0	26	<1	1	4	6	10	13	27
2. MULTIPLE DX	7934	8.9	83	2	2	6	11	19	27	51
A. NOT OPERATED	6754	6.5	38	1	2	5	8	12	17	31
B. OPERATED	6055	8.4	93	1	1	5	10	19	28	52
TOTAL 0-19 YRS	3270	4.5	15	1	1	4	6	8	11	18
20-34	2636	5.6	35	1	1	4	7	11	15	33
35-49	1939	6.9	52	1	2	5	8	14	20	40
50-64	2261	9.4	86	1	2	7	12	20	28	49
65+	2703	11.4	114	2	3	8	14	24	32	60
GRAND TOTAL	**12809**	**7.4**	**65**	**1**	**2**	**5**	**9**	**15**	**22**	**45**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.8	31	<1	1	3	4	5	7	41
20-34	75	2.9	4	<1	<1	2	4	6	6	11
35-49	9	2.9	2	1	1	3	4	5	5	5
50-64	4	3.3	4	1	1	3	5	6	6	6
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	3420	3.6	4	1	2	3	4	6	7	11
20-34	6265	3.7	4	1	2	3	4	6	7	11
35-49	892	3.8	4	1	2	3	5	6	8	11
50-64	209	4.2	6	2	2	4	5	6	8	13
65+	36	5.0	18	2	2	4	5	9	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.6	5	<1	<1	2	4	5	7	10
20-34	63	3.1	8	<1	<1	1	5	8	10	12
35-49	20	5.6	15	<1	1	5	7	10	14	17
50-64	9	8.0	80	1	1	6	9	22	30	30
65+	11	11.4	97	1	2	6	19	26	31	31
B. *Operated*										
0-19 YRS	419	4.8	10	2	2	4	6	8	11	19
20-34	1015	4.7	11	2	2	4	6	8	11	16
35-49	349	5.5	24	2	2	4	6	10	13	28
50-64	144	6.7	32	2	3	5	7	14	21	29
65+	40	10.4	197	2	2	5	12	23	45	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.3	14	<1	1	3	4	5	7	14
B. *Operated*	10822	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	153	4.1	24	<1	<1	3	5	9	11	30
B. *Operated*	1967	5.1	19	2	2	4	6	9	12	23
1. SINGLE DX	10965	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX	2120	5.1	20	1	2	4	6	9	12	23
A. NOT OPERATED	296	3.7	19	<1	<1	3	5	7	10	27
B. OPERATED	12789	3.9	7	1	2	3	5	6	8	13
TOTAL 0-19 YRS	3942	3.7	5	1	2	3	5	6	7	11
20-34	7418	3.8	5	1	2	3	5	6	8	12
35-49	1270	4.3	10	1	2	4	5	7	9	16
50-64	366	5.2	20	2	2	4	6	9	13	28
65+	89	8.2	113	2	2	4	9	17	30	64
GRAND TOTAL	**13085**	**3.9**	**7**	**1**	**2**	**3**	**5**	**6**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	2	<1	<1	2	3	5	6	6
20-34	25	3.8	7	<1	1	3	5	7	8	12
35-49	13	2.2	3	<1	<1	1	3	4	6	7
50-64	8	2.8	10	<1	<1	2	3	8	10	10
65+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	770	1.6	1	<1	<1	1	2	3	4	6
20-34	1067	1.8	2	<1	<1	1	2	3	4	9
35-49	824	1.9	3	<1	<1	1	2	3	4	9
50-64	641	2.1	6	<1	<1	2	2	4	5	10
65+	336	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.5	1	<1	<1	1	2	3	3	5
20-34	16	2.6	5	<1	<1	1	4	6	7	8
35-49	24	3.6	11	<1	<1	3	5	7	10	16
50-64	20	5.6	8	<1	2	6	7	9	11	12
65+	15	5.7	34	<1	1	3	7	16	20	21
B. *Operated*										
0-19 YRS	109	2.7	8	<1	<1	2	3	6	8	16
20-34	336	3.3	18	<1	<1	2	3	7	9	20
35-49	407	3.6	12	<1	<1	3	4	7	10	19
50-64	442	4.0	16	<1	1	3	5	9	11	21
65+	331	4.9	25	<1	1	3	6	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.0	5	<1	<1	2	4	6	7	12
B. *Operated*	3638	1.9	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	104	3.5	12	<1	<1	2	5	8	9	18
B. *Operated*	1625	3.9	17	<1	1	2	5	8	11	21
1. SINGLE DX	3698	1.9	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	1729	3.8	17	<1	<1	2	5	8	11	21
A. NOT OPERATED	164	3.3	10	<1	<1	2	5	7	8	16
B. OPERATED	5263	2.5	8	<1	<1	2	3	5	7	14
TOTAL 0-19 YRS	918	1.8	2	<1	<1	1	2	3	4	8
20-34	1444	2.2	6	<1	<1	2	2	4	6	12
35-49	1268	2.5	7	<1	<1	2	3	5	7	14
50-64	1111	3.0	11	<1	<1	2	3	6	9	17
65+	686	3.6	16	<1	<1	2	4	8	12	21
GRAND TOTAL	**5427**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1745	3.9	15	<1	1	3	5	8	11	22
20-34	1138	5.7	45	<1	<1	3	7	14	21	30
35-49	713	6.8	55	<1	1	4	8	17	24	35
50-64	714	7.7	61	<1	1	5	10	19	23	36
65+	929	10.0	90	1	2	7	13	22	30	49
B. *Operated*										
0-19 YRS	2662	2.7	12	<1	<1	2	3	5	8	17
20-34	3388	4.2	30	<1	<1	2	4	9	13	29
35-49	2463	4.8	48	<1	<1	3	5	10	16	35
50-64	2340	5.4	74	<1	1	3	5	13	21	46
65+	1937	9.5	150	<1	1	4	12	25	35	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1758	4.7	22	1	1	3	5	9	13	26
20-34	1711	7.7	85	1	1	5	9	17	24	47
35-49	1838	8.7	82	1	2	6	10	20	27	46
50-64	2918	10.5	94	2	3	8	13	22	30	54
65+	6497	13.2	135	3	4	10	17	27	36	69
B. *Operated*										
0-19 YRS	1328	5.8	80	<1	1	3	6	15	25	48
20-34	2867	11.1	221	1	1	5	14	32	46	99+
35-49	3113	11.1	216	1	2	5	14	30	46	87
50-64	4306	12.0	217	1	2	6	16	32	46	94
65+	6152	19.7	342	2	2	15	28	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5239	6.3	51	<1	1	4	8	15	21	35
B. *Operated*	12790	5.0	60	<1	<1	2	5	11	19	42
2. MULTIPLE DX										
A. *Not Operated*	14722	10.4	109	1	2	7	13	22	31	58
B. *Operated*	17766	13.9	270	1	2	7	20	37	54	99+
1. SINGLE DX	18029	5.4	58	<1	1	3	6	12	20	39
2. MULTIPLE DX	32488	12.3	200	1	2	7	16	30	44	88
A. NOT OPERATED	19961	9.4	97	1	2	6	12	21	28	53
B. OPERATED	30556	10.2	202	<1	1	4	13	28	43	87
TOTAL 0-19 YRS	7493	4.0	28	<1	1	2	4	8	12	28
20-34	9104	7.2	111	<1	1	3	8	18	28	64
35-49	8127	8.3	128	<1	1	4	9	20	30	66
50-64	10278	9.8	145	1	1	5	12	24	35	71
65+	15515	15.1	232	2	2	10	20	36	50	96
GRAND TOTAL	**50517**	**9.9**	**161**	**1**	**1**	**5**	**12**	**25**	**37**	**77**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	6.7	32	1	2	5	9	13	17	33
20-34	252	6.7	66	<1	2	5	8	12	16	30
35-49	231	7.1	29	1	2	6	10	14	17	27
50-64	165	8.2	37	2	2	6	11	15	20	34
65+	70	8.9	50	2	3	7	12	21	29	86
B. *Operated*										
0-19 YRS	54	10.0	244	<1	2	4	10	23	36	97
20-34	97	9.9	75	2	2	8	13	20	28	46
35-49	97	9.9	70	2	2	8	12	20	26	45
50-64	106	9.2	59	1	2	8	12	17	27	38
65+	44	11.7	66	2	3	9	15	21	30	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	8.3	60	2	2	6	10	18	23	57
20-34	675	8.1	47	1	2	6	11	16	20	36
35-49	676	9.3	87	2	3	7	11	18	25	50
50-64	835	10.5	83	2	3	8	13	20	26	45
65+	683	12.0	93	2	3	9	15	23	32	51
B. *Operated*										
0-19 YRS	95	13.6	249	2	2	7	17	40	51	93
20-34	372	14.5	228	2	2	10	19	32	46	96
35-49	360	14.7	178	3	3	11	19	31	45	99
50-64	470	16.2	210	3	4	12	21	34	47	94
65+	402	19.4	247	3	4	15	26	42	56	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	833	7.3	44	1	2	6	9	14	19	33
B. *Operated*	398	9.9	91	2	2	8	12	20	28	46
2. MULTIPLE DX										
A. *Not Operated*	3053	9.9	79	2	3	7	12	19	26	48
B. *Operated*	1699	16.1	222	2	3	12	21	35	50	96
1. SINGLE DX	1231	8.2	61	1	2	6	10	16	21	38
2. MULTIPLE DX	4752	12.1	139	2	3	9	15	26	35	71
A. NOT OPERATED	3886	9.3	73	2	2	7	12	18	25	46
B. OPERATED	2097	15.0	203	2	3	11	19	33	46	92
TOTAL 0-19 YRS	448	9.2	120	2	2	6	10	20	30	65
20-34	1396	9.7	110	1	2	7	12	20	29	62
35-49	1364	10.4	107	2	3	7	13	21	30	58
50-64	1576	11.9	123	2	3	9	15	24	33	64
65+	1199	14.3	155	3	4	11	18	30	40	71
GRAND TOTAL	**5983**	**11.3**	**125**	**2**	**3**	**8**	**14**	**24**	**33**	**64**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	417	6.4	38	1	2	5	8	12	17	31
20-34	282	7.2	26	2	3	6	9	14	18	24
35-49	524	7.7	33	2	3	6	10	15	19	28
50-64	860	8.6	47	2	3	7	11	18	21	30
65+	690	9.2	49	2	3	8	12	18	22	36
B. *Operated*										
0-19 YRS	89	7.5	129	1	1	4	9	16	24	70
20-34	291	7.7	55	2	2	5	10	15	22	37
35-49	614	7.9	58	2	2	5	10	17	21	38
50-64	1408	10.3	77	2	3	8	15	20	25	43
65+	905	13.0	109	2	3	11	17	24	31	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	7.6	70	2	2	5	9	16	24	99+
20-34	313	8.0	75	2	3	6	10	14	18	46
35-49	809	8.8	44	2	3	7	11	17	21	32
50-64	2313	9.7	53	2	3	8	12	19	23	37
65+	3407	10.9	70	3	3	9	14	21	27	46
B. *Operated*										
0-19 YRS	84	10.6	129	1	2	6	14	27	39	86
20-34	268	10.3	128	2	2	7	13	22	27	61
35-49	675	10.6	104	2	2	7	14	22	31	87
50-64	1998	13.3	155	2	3	10	17	27	38	75
65+	1994	16.6	195	3	4	13	20	34	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2773	8.1	42	2	3	6	10	16	21	30
B. *Operated*	3307	10.3	86	2	2	8	15	21	26	45
2. MULTIPLE DX										
A. *Not Operated*	7057	10.0	62	2	3	8	13	19	25	44
B. *Operated*	5019	14.0	167	2	3	11	18	29	40	76
1. SINGLE DX	6080	9.3	67	2	2	7	13	19	24	39
2. MULTIPLE DX	12076	11.7	110	2	3	9	15	23	31	61
A. NOT OPERATED	9830	9.5	57	2	3	8	12	19	23	40
B. OPERATED	8326	12.5	138	2	3	9	17	26	35	68
TOTAL 0-19 YRS	805	7.3	67	1	2	5	9	15	23	76
20-34	1154	8.3	71	2	2	6	10	16	22	43
35-49	2622	8.8	62	2	2	7	11	19	23	42
50-64	6579	10.8	91	2	3	8	14	21	27	51
65+	6996	12.6	116	3	3	10	16	25	33	60
GRAND TOTAL	**18156**	**10.9**	**97**	**2**	**3**	**8**	**14**	**22**	**28**	**53**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.7	20	<1	1	3	7	8	16	20
20-34	58	5.8	32	<1	1	4	7	11	18	30
35-49	171	5.8	26	1	2	4	8	11	15	29
50-64	504	5.5	17	<1	1	4	7	11	13	20
65+	1126	6.9	32	1	2	5	9	14	17	26
B. *Operated*										
0-19 YRS	62	4.3	29	1	1	3	5	7	9	38
20-34	812	4.5	18	1	1	3	5	9	12	23
35-49	1874	5.7	25	1	1	4	8	13	16	23
50-64	6174	9.4	46	2	2	9	14	18	21	29
65+	8681	14.5	56	3	5	14	18	23	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	6.0	48	<1	1	4	8	11	19	34
20-34	118	6.6	21	1	2	5	9	13	17	21
35-49	523	7.0	27	1	2	6	9	14	17	27
50-64	2221	7.1	26	2	2	6	9	13	16	25
65+	7654	9.0	56	2	3	7	11	17	22	41
B. *Operated*										
0-19 YRS	62	7.3	100	1	1	3	9	18	23	60
20-34	641	5.2	33	1	1	3	6	11	15	26
35-49	1562	7.3	57	1	2	5	10	16	21	35
50-64	6014	11.1	82	2	2	10	16	22	27	43
65+	11277	17.1	112	3	5	16	21	29	36	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1877	6.4	27	1	1	5	8	13	17	25
B. *Operated*	17603	11.3	59	2	2	11	16	20	24	34
2. MULTIPLE DX										
A. *Not Operated*	10540	8.4	48	2	3	7	11	16	21	36
B. *Operated*	19556	14.0	110	2	3	13	19	26	33	54
1. SINGLE DX	19480	10.8	58	2	2	10	16	20	24	33
2. MULTIPLE DX	30096	12.1	95	2	3	10	16	24	30	50
A. NOT OPERATED	12417	8.1	46	2	2	7	10	15	20	35
B. OPERATED	37159	12.7	88	2	2	12	17	23	29	46
TOTAL 0-19 YRS	166	5.7	58	1	1	3	6	12	19	41
20-34	1629	5.0	25	1	1	3	6	11	14	25
35-49	4130	6.5	38	1	2	4	9	14	17	29
50-64	14913	9.6	59	2	2	8	14	18	23	35
65+	28738	13.7	89	2	3	13	18	24	30	50
GRAND TOTAL	**49576**	**11.6**	**81**	**2**	**2**	**10**	**16**	**22**	**27**	**44**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	510	7.6	35	2	2	6	11	16	21	25
20-34	362	5.6	15	1	2	5	7	10	13	20
35-49	301	5.7	23	1	1	4	7	11	14	23
50-64	320	7.2	48	1	2	5	9	16	19	33
65+	387	6.9	33	1	2	5	8	14	18	29
B. *Operated*										
0-19 YRS	309	10.7	89	1	2	9	15	22	29	42
20-34	779	5.8	31	1	2	4	7	13	17	26
35-49	796	5.8	31	1	2	4	7	12	16	27
50-64	910	8.4	69	2	2	6	11	17	22	42
65+	579	13.2	93	2	3	12	17	24	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	329	9.4	57	1	2	7	13	21	24	35
20-34	437	7.4	37	2	2	6	9	14	18	33
35-49	512	7.4	43	1	2	5	9	15	20	35
50-64	905	7.9	43	2	3	6	10	15	19	31
65+	1918	9.8	81	2	3	7	12	19	27	51
B. *Operated*										
0-19 YRS	248	15.3	111	2	3	14	21	29	36	45
20-34	559	7.8	74	1	2	5	9	18	24	47
35-49	690	9.6	121	2	2	6	11	22	32	60
50-64	961	12.9	172	2	2	9	17	30	43	74
65+	1013	19.5	264	3	4	16	25	42	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1880	6.7	32	1	2	5	8	14	18	26
B. *Operated*	3373	8.2	65	1	2	5	11	18	23	39
2. MULTIPLE DX										
A. *Not Operated*	4101	8.8	63	2	3	7	11	17	23	43
B. *Operated*	3471	13.5	187	2	2	9	18	31	43	76
1. SINGLE DX	5253	7.7	53	1	2	5	10	17	21	36
2. MULTIPLE DX	7572	10.9	125	2	2	7	14	23	33	64
A. NOT OPERATED	5981	8.1	54	2	2	6	10	16	21	37
B. OPERATED	6844	10.9	134	2	2	7	15	24	35	64
TOTAL 0-19 YRS	1396	10.1	72	2	2	8	14	21	26	40
20-34	2137	6.6	42	1	2	5	8	14	19	34
35-49	2299	7.3	62	1	2	5	9	15	21	43
50-64	3096	9.5	96	2	2	6	12	20	28	55
65+	3897	12.5	145	2	3	9	16	26	37	69
GRAND TOTAL	**12825**	**9.6**	**98**	**2**	**2**	**6**	**12**	**20**	**28**	**55**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.4	3	<1	1	2	3	5	5	10
20-34	183	2.6	6	<1	<1	2	3	6	8	13
35-49	78	3.1	11	<1	<1	2	3	6	12	16
50-64	49	3.0	6	<1	1	2	4	7	9	11
65+	30	5.9	28	1	1	4	8	12	16	25
B. *Operated*										
0-19 YRS	4241	2.7	3	<1	1	2	4	5	6	9
20-34	9019	3.0	4	<1	1	2	4	5	7	11
35-49	4589	3.1	5	<1	1	2	4	6	7	11
50-64	2275	3.4	7	1	1	3	4	6	8	12
65+	575	4.0	12	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	2.3	8	<1	<1	1	3	4	7	15
20-34	223	2.6	9	<1	<1	1	3	6	9	16
35-49	156	3.0	11	<1	<1	1	4	8	10	14
50-64	144	4.0	22	<1	1	2	5	9	12	29
65+	98	6.9	27	1	1	6	10	14	18	23
B. *Operated*										
0-19 YRS	2361	3.2	5	1	1	3	4	6	7	11
20-34	6172	3.5	8	1	1	3	4	6	8	16
35-49	4038	3.6	10	1	1	3	4	7	9	16
50-64	3494	3.9	13	1	1	3	5	7	10	20
65+	1291	5.1	28	1	2	4	6	10	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	2.9	9	<1	<1	2	4	6	9	15
B. *Operated*	20699	3.0	5	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	739	3.5	16	<1	<1	2	4	9	11	19
B. *Operated*	17356	3.7	11	1	1	3	5	7	9	17
1. SINGLE DX	21127	3.0	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	18095	3.7	11	1	1	3	5	7	9	18
A. NOT OPERATED	1167	3.3	13	<1	<1	2	4	8	10	18
B. OPERATED	38055	3.3	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	6808	2.9	4	<1	1	2	4	5	6	10
20-34	15597	3.2	6	<1	1	2	4	6	7	12
35-49	8861	3.3	8	1	1	3	4	6	8	14
50-64	5962	3.7	11	1	1	3	5	7	9	18
65+	1994	4.9	23	1	2	3	6	9	14	25
GRAND TOTAL	**39222**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	737	3.6	8	1	1	3	4	7	9	15
20-34	484	3.8	13	<1	<1	3	5	8	11	19
35-49	352	4.5	16	<1	1	4	6	9	11	18
50-64	301	4.6	19	<1	1	3	6	10	12	23
65+	346	6.4	32	1	1	5	8	13	17	32
B. *Operated*										
0-19 YRS	4747	3.3	5	1	1	3	4	6	7	10
20-34	7295	3.6	6	1	1	3	4	6	7	12
35-49	2329	3.7	8	1	1	3	5	6	9	15
50-64	1254	4.6	18	1	1	3	5	9	13	25
65+	607	7.7	66	1	2	5	10	18	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	553	4.3	17	1	1	3	5	9	12	23
20-34	670	5.1	33	<1	1	4	6	10	15	32
35-49	643	5.7	27	1	1	4	7	11	16	26
50-64	803	6.7	48	1	1	5	8	12	17	36
65+	1564	8.4	56	2	2	7	11	16	21	35
B. *Operated*										
0-19 YRS	1793	4.0	14	1	1	3	5	7	10	20
20-34	3318	4.7	29	1	1	3	5	8	12	25
35-49	1718	5.2	35	1	2	3	6	10	15	27
50-64	1415	7.0	61	1	2	4	9	16	21	44
65+	1050	12.0	144	2	2	8	16	27	37	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2220	4.4	16	<1	1	3	5	9	12	21
B. *Operated*	16232	3.8	10	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	4233	6.6	44	1	1	5	8	13	17	32
B. *Operated*	9294	5.8	50	1	2	4	6	12	18	38
1. SINGLE DX	18452	3.8	11	1	1	3	5	7	9	17
2. MULTIPLE DX	13527	6.1	49	1	1	4	7	13	18	36
A. NOT OPERATED	6453	5.8	35	1	1	4	7	12	16	29
B. OPERATED	25526	4.5	26	1	1	3	5	8	12	26
TOTAL 0-19 YRS	7830	3.6	8	1	1	3	4	6	8	15
20-34	11767	4.0	15	1	1	3	5	7	9	18
35-49	5042	4.5	21	1	1	3	5	9	12	23
50-64	3773	5.9	42	1	1	4	7	12	17	33
65+	3567	9.2	85	1	2	6	12	19	26	49
GRAND TOTAL	**31979**	**4.8**	**28**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	13	2	2	3	7	11	11	11
20-34	33	6.2	21	1	2	5	7	11	19	21
35-49	34	6.7	14	2	3	5	9	12	15	15
50-64	29	9.1	29	2	3	8	11	18	19	21
65+	13	10.5	102	2	3	6	13	27	31	32
B. *Operated*										
0-19 YRS	3	17.0	433	4	4	6	32	41	41	41
20-34	15	9.7	72	3	3	7	11	26	30	32
35-49	10	13.4	135	1	3	10	17	30	43	43
50-64	8	19.1	286	4	4	16	19	47	58	58
65+	2	22.0	72	16	16	22	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	11	2	2	6	8	10	10	10
20-34	41	7.2	26	2	2	6	9	15	16	28
35-49	66	7.8	24	2	2	7	10	15	18	20
50-64	87	7.7	45	1	2	6	9	14	21	37
65+	75	10.0	67	3	3	8	13	19	26	43
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	17	14.9	328	3	4	11	16	18	60	83
35-49	21	17.5	357	3	3	10	22	41	62	81
50-64	46	19.2	297	4	5	13	27	46	56	81
65+	30	16.1	180	2	3	13	21	39	45	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	7.5	31	2	2	6	10	15	20	28
B. *Operated*	38	13.9	157	3	4	10	17	31	42	58
2. MULTIPLE DX										
A. *Not Operated*	273	8.3	43	2	2	7	10	15	20	38
B. *Operated*	116	17.3	274	3	4	12	20	42	48	82
1. SINGLE DX	153	9.1	69	2	3	7	11	19	26	43
2. MULTIPLE DX	389	10.9	128	2	3	8	13	21	33	57
A. NOT OPERATED	388	8.0	40	2	2	7	10	15	20	33
B. OPERATED	154	16.4	246	3	4	11	20	41	47	81
TOTAL 0-19 YRS	15	7.8	93	2	2	6	9	11	33	41
20-34	106	8.5	85	2	3	6	10	16	21	54
35-49	131	9.5	95	2	3	7	11	17	21	53
50-64	170	11.6	146	2	3	8	14	23	40	59
65+	120	11.8	105	2	3	8	15	26	35	45
GRAND TOTAL	**542**	**10.4**	**112**	**2**	**3**	**7**	**12**	**20**	**32**	**55**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.6	12	2	2	3	6	10	13	15
20-34	144	6.6	22	1	2	6	9	13	15	21
35-49	587	6.3	24	1	2	5	8	12	14	29
50-64	1037	6.7	23	2	2	6	9	12	15	25
65+	1115	7.1	25	2	2	6	9	13	16	24
B. *Operated*										
0-19 YRS	21	6.7	14	2	2	8	9	11	13	16
20-34	279	6.5	23	1	2	5	9	13	16	22
35-49	1198	7.4	30	2	2	6	10	14	18	24
50-64	1689	7.6	34	1	2	6	10	15	19	28
65+	685	10.1	78	2	2	8	13	21	27	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.4	8	1	2	4	7	9	11	12
20-34	231	6.6	18	2	2	5	9	12	14	21
35-49	1531	7.2	22	2	3	6	9	13	16	26
50-64	4024	7.6	26	2	3	6	10	14	17	26
65+	7568	9.1	47	2	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	17	9.5	40	2	3	9	12	19	23	25
20-34	231	9.0	53	2	2	8	11	17	24	41
35-49	1276	9.8	66	2	2	8	12	19	24	38
50-64	2649	10.8	81	2	3	9	14	21	27	46
65+	2329	14.9	160	2	4	12	19	30	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2902	6.8	24	2	2	6	9	13	15	25
B. *Operated*	3872	7.9	40	1	2	7	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	13373	8.4	38	2	3	7	11	15	19	32
B. *Operated*	6502	12.0	110	2	3	9	15	24	31	57
1. SINGLE DX	6774	7.4	34	1	2	6	10	14	18	28
2. MULTIPLE DX	19875	9.6	65	2	3	8	12	18	24	43
A. NOT OPERATED	16275	8.1	36	2	3	7	10	15	19	31
B. OPERATED	10374	10.5	88	2	2	8	13	21	27	50
TOTAL 0-19 YRS	76	6.5	20	2	2	5	9	12	15	24
20-34	885	7.2	31	2	2	6	9	14	17	29
35-49	4592	7.9	38	2	2	7	10	15	19	30
50-64	9399	8.4	45	2	2	7	11	16	20	34
65+	11697	10.2	76	2	3	8	12	19	26	48
GRAND TOTAL	**26649**	**9.0**	**58**	**2**	**3**	**7**	**11**	**17**	**22**	**39**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	7.1	31	2	2	6	9	13	16	21
20-34	3529	7.2	22	1	2	7	9	13	16	23
35-49	5321	7.8	26	2	2	7	10	14	17	25
50-64	3052	8.2	27	2	3	7	11	15	18	25
65+	978	9.2	30	2	3	8	12	16	19	28
B. *Operated*										
0-19 YRS	515	7.0	22	1	2	6	9	13	15	23
20-34	11842	8.2	32	1	2	7	11	15	19	28
35-49	17317	8.9	37	2	2	8	12	16	20	29
50-64	8373	9.5	41	2	2	9	12	18	21	30
65+	1777	11.5	64	2	2	10	15	21	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	7.8	26	2	2	7	10	13	16	28
20-34	1743	8.0	27	1	2	7	10	15	18	25
35-49	3618	8.8	34	2	3	8	11	16	19	30
50-64	3847	9.2	34	2	3	8	12	16	20	29
65+	3342	10.5	55	3	4	9	13	19	23	35
B. *Operated*										
0-19 YRS	116	10.7	59	2	3	9	14	23	28	58
20-34	3473	11.1	65	2	3	9	14	21	26	39
35-49	6888	11.6	68	2	3	10	15	22	27	41
50-64	6210	12.8	81	2	4	11	17	24	30	46
65+	2803	16.1	117	3	5	14	21	30	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13050	7.8	26	2	2	7	10	14	17	24
B. *Operated*	39824	8.9	38	1	2	8	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	12644	9.2	39	2	3	8	12	16	20	30
B. *Operated*	19490	12.5	81	2	3	10	16	23	30	45
1. SINGLE DX	52874	8.6	35	2	2	8	11	16	20	28
2. MULTIPLE DX	32134	11.2	67	2	3	9	14	21	26	41
A. NOT OPERATED	25694	8.5	33	2	3	7	11	15	19	28
B. OPERATED	59314	10.1	55	2	2	9	13	19	24	36
TOTAL 0-19 YRS	895	7.5	30	1	2	7	10	14	17	28
20-34	20587	8.5	37	1	2	7	11	16	20	30
35-49	33144	9.3	43	2	2	8	12	17	21	32
50-64	21482	10.2	52	2	3	9	13	19	23	36
65+	8900	12.3	81	2	4	10	16	23	29	45
GRAND TOTAL	**85008**	**9.6**	**49**	**2**	**2**	**8**	**12**	**18**	**22**	**34**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	6.5	16	2	2	6	9	12	13	19
20-34	765	6.8	18	2	2	6	9	12	14	21
35-49	1370	7.3	22	2	2	7	10	13	16	23
50-64	1006	7.6	26	2	2	7	10	13	16	23
65+	297	7.9	29	2	2	7	11	14	18	29
B. *Operated*										
0-19 YRS	60	7.4	32	1	2	7	9	15	20	26
20-34	1475	7.4	27	1	2	7	10	14	16	24
35-49	3949	8.0	30	2	2	7	10	15	18	27
50-64	2051	8.4	35	1	2	8	11	16	19	30
65+	344	10.2	59	2	2	9	13	18	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	6.4	16	1	1	6	9	12	14	15
20-34	406	8.1	39	1	2	7	10	15	19	33
35-49	1335	8.4	35	2	3	7	11	15	19	30
50-64	1563	8.4	29	2	3	7	11	15	18	27
65+	1318	9.4	54	2	3	8	12	17	22	34
B. *Operated*										
0-19 YRS	20	15.6	337	1	2	10	22	33	57	79
20-34	590	10.3	68	2	3	9	14	20	25	39
35-49	1935	10.1	55	2	3	8	13	19	23	36
50-64	1758	10.6	65	2	3	9	14	20	26	39
65+	524	15.0	175	2	3	12	19	30	38	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3481	7.3	23	2	2	6	10	13	15	23
B. *Operated*	7879	8.1	33	1	2	7	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	4642	8.7	39	2	3	7	11	16	19	30
B. *Operated*	4827	10.9	76	2	3	9	14	21	26	43
1. SINGLE DX	11360	7.8	30	2	2	7	10	14	18	27
2. MULTIPLE DX	9469	9.8	59	2	3	8	12	18	23	37
A. NOT OPERATED	8123	8.1	32	2	3	7	10	15	18	28
B. OPERATED	12706	9.1	51	2	2	8	12	17	22	35
TOTAL 0-19 YRS	143	8.1	75	1	2	6	10	15	22	39
20-34	3236	7.9	35	1	2	7	10	15	18	29
35-49	8589	8.4	36	2	2	7	11	16	19	30
50-64	6378	8.9	41	2	2	8	12	16	20	32
65+	2483	10.5	83	2	3	9	13	20	26	45
GRAND TOTAL	**20829**	**8.7**	**44**	**2**	**2**	**7**	**11**	**16**	**20**	**32**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	6.9	26	1	2	5	8	14	19	27
20-34	823	7.5	29	2	2	7	10	13	16	30
35-49	992	7.6	27	1	2	7	10	13	16	28
50-64	480	7.2	18	1	2	7	9	13	15	21
65+	107	7.2	28	1	2	6	10	14	16	28
B. *Operated*										
0-19 YRS	26	4.8	20	1	2	3	6	10	15	21
20-34	578	6.4	24	1	2	5	9	13	15	24
35-49	620	8.0	37	1	2	7	11	16	19	30
50-64	186	8.5	35	2	2	8	11	15	19	33
65+	14	9.4	27	2	4	8	13	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	7.1	25	1	1	6	8	12	18	27
20-34	691	8.2	32	2	3	7	10	14	18	31
35-49	1136	8.7	35	2	3	8	11	15	19	32
50-64	845	8.8	31	2	3	8	11	15	19	28
65+	459	8.7	30	2	3	7	12	16	18	29
B. *Operated*										
0-19 YRS	18	12.4	199	<1	2	9	13	29	49	59
20-34	379	10.0	50	2	2	9	13	18	21	30
35-49	562	11.0	68	2	3	10	14	19	26	40
50-64	296	10.8	53	2	3	10	14	20	25	38
65+	82	16.2	240	3	4	12	21	32	41	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2469	7.5	26	1	2	7	10	13	16	28
B. *Operated*	1424	7.3	32	1	2	6	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	3179	8.6	32	2	3	8	11	15	19	30
B. *Operated*	1337	11.0	73	2	3	10	14	20	25	40
1. SINGLE DX	3893	7.4	28	1	2	6	10	14	17	28
2. MULTIPLE DX	4516	9.3	46	2	3	8	12	17	21	33
A. NOT OPERATED	5648	8.1	30	2	3	7	10	14	18	29
B. OPERATED	2761	9.1	55	2	2	8	12	18	22	34
TOTAL 0-19 YRS	159	7.3	47	1	2	5	9	14	19	33
20-34	2471	7.8	33	1	2	7	10	14	18	29
35-49	3310	8.6	40	2	2	7	11	16	20	32
50-64	1807	8.7	33	2	3	8	11	15	19	28
65+	662	9.4	62	2	3	8	12	17	22	34
GRAND TOTAL	**8409**	**8.4**	**38**	**2**	**2**	**7**	**11**	**15**	**19**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	6.4	21	2	2	5	9	14	16	18
20-34	367	6.5	16	1	2	6	8	11	13	19
35-49	546	7.4	28	1	2	6	9	14	17	25
50-64	442	8.1	27	1	2	7	10	14	18	26
65+	290	8.3	23	2	3	8	10	15	18	23
B. *Operated*										
0-19 YRS	32	4.1	14	1	1	2	6	11	12	14
20-34	239	5.7	28	1	2	3	8	12	16	26
35-49	360	6.4	31	1	1	5	9	14	17	26
50-64	208	6.6	71	1	1	4	8	16	20	31
65+	58	7.3	30	1	1	7	11	14	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.0	8	2	2	5	8	10	11	12
20-34	287	7.8	20	2	3	7	9	14	18	22
35-49	639	8.5	33	2	3	8	11	15	18	26
50-64	862	9.0	30	3	4	8	11	15	20	27
65+	1109	10.1	41	3	4	8	13	18	22	31
B. *Operated*										
0-19 YRS	8	7.9	39	1	2	7	10	18	21	21
20-34	159	10.6	65	1	2	9	14	20	22	48
35-49	257	11.0	93	2	2	8	15	22	29	41
50-64	222	12.0	81	2	3	10	16	22	27	50
65+	200	15.6	110	3	5	13	20	29	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1670	7.6	24	2	2	7	10	14	17	25
B. *Operated*	897	6.2	39	1	1	4	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	2913	9.2	34	3	3	8	11	16	20	28
B. *Operated*	846	12.2	92	2	3	10	16	24	30	49
1. SINGLE DX	2567	7.1	30	1	2	6	9	14	17	25
2. MULTIPLE DX	3759	9.9	49	2	3	8	12	18	22	33
A. NOT OPERATED	4583	8.6	31	2	3	8	11	15	19	27
B. OPERATED	1743	9.2	74	1	2	7	13	19	25	39
TOTAL 0-19 YRS	81	5.5	18	1	1	5	8	12	14	20
20-34	1052	7.3	30	1	2	6	10	14	18	26
35-49	1802	8.1	41	1	2	7	10	15	19	30
50-64	1734	8.9	43	2	2	8	11	16	21	30
65+	1657	10.3	50	2	4	9	13	19	24	35
GRAND TOTAL	**6326**	**8.7**	**43**	**2**	**2**	**7**	**11**	**16**	**21**	**31**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	548	4.5	13	1	1	4	6	9	10	19
20-34	4993	6.3	21	1	2	5	8	12	15	23
35-49	6400	7.0	25	1	2	6	9	13	16	25
50-64	3754	7.3	26	1	2	6	9	14	17	25
65+	1624	7.5	28	1	2	6	10	14	18	25
B. *Operated*										
0-19 YRS	293	4.9	17	1	2	3	6	10	14	20
20-34	4030	5.6	26	1	1	4	8	12	15	23
35-49	5440	6.5	33	1	2	5	9	14	17	28
50-64	3367	7.5	40	1	2	6	10	15	20	29
65+	1418	10.8	72	1	2	9	15	22	27	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	492	5.0	16	1	1	4	7	10	13	19
20-34	4566	7.3	31	1	2	6	9	14	18	28
35-49	7381	8.1	33	2	3	7	10	15	19	29
50-64	6755	8.5	38	2	3	7	11	16	19	31
65+	6428	9.3	45	2	3	8	12	18	21	34
B. *Operated*										
0-19 YRS	161	6.8	45	1	2	4	9	14	22	32
20-34	2888	8.1	54	1	2	6	11	17	21	38
35-49	4903	9.5	65	2	2	8	12	19	24	38
50-64	4629	11.0	86	2	2	9	14	21	28	45
65+	3144	14.9	136	2	3	12	19	30	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17319	6.8	24	1	2	6	9	13	16	24
B. *Operated*	14548	6.9	38	1	2	5	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	25622	8.3	37	2	2	7	11	16	19	30
B. *Operated*	15725	10.7	89	2	2	9	14	22	28	46
1. SINGLE DX	31867	6.8	31	1	2	5	9	14	17	26
2. MULTIPLE DX	41347	9.2	58	2	2	7	12	18	23	38
A. NOT OPERATED	42941	7.7	32	1	2	6	10	15	18	28
B. OPERATED	30273	8.9	68	1	2	7	12	18	24	40
TOTAL 0-19 YRS	1494	5.0	18	1	1	4	7	10	13	22
20-34	16477	6.7	32	1	2	5	9	13	17	26
35-49	24124	7.7	38	1	2	6	10	15	19	30
50-64	18505	8.7	50	2	2	7	11	17	21	35
65+	12614	10.7	75	2	3	9	14	21	27	44
GRAND TOTAL	**73214**	**8.2**	**48**	**1**	**2**	**7**	**11**	**16**	**21**	**34**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	697	3.9	8	1	1	3	5	7	9	14
20-34	534	4.1	10	<1	<1	3	5	8	11	17
35-49	650	4.3	10	<1	1	4	6	8	10	15
50-64	626	4.8	12	<1	1	4	6	9	12	16
65+	377	5.8	15	1	2	5	8	11	13	18
B. *Operated*										
0-19 YRS	1411	2.5	5	<1	1	2	3	4	6	11
20-34	3376	2.9	5	<1	1	2	3	5	7	12
35-49	4700	3.0	5	<1	1	3	4	5	7	11
50-64	4549	3.2	7	<1	1	3	4	6	8	13
65+	1336	3.6	10	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	4.5	13	1	1	4	6	8	11	19
20-34	480	5.3	21	<1	1	4	7	10	12	18
35-49	801	6.0	20	1	2	5	8	11	15	22
50-64	1316	6.6	29	1	2	5	8	12	15	24
65+	1476	8.0	38	2	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	460	3.3	7	1	1	3	4	6	9	14
20-34	1678	4.1	24	1	1	3	5	8	10	21
35-49	2658	4.5	18	1	2	3	5	9	12	22
50-64	3264	4.7	20	1	2	4	5	9	12	21
65+	1514	6.9	62	1	2	4	8	14	21	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2884	4.5	11	<1	1	4	6	9	11	16
B. *Operated*	15372	3.0	6	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	4364	6.7	30	1	2	5	9	13	16	26
B. *Operated*	9574	4.8	27	1	2	3	5	10	13	24
1. SINGLE DX	18256	3.3	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	13938	5.4	29	1	2	4	7	11	14	25
A. NOT OPERATED	7248	5.8	23	1	2	5	8	11	15	23
B. OPERATED	24946	3.7	15	<1	1	3	4	7	10	18
TOTAL 0-19 YRS	2859	3.2	7	<1	1	2	4	6	8	13
20-34	6068	3.5	13	<1	1	3	4	7	9	15
35-49	8809	3.8	11	<1	1	3	4	7	10	17
50-64	9755	4.3	16	<1	1	3	5	9	11	19
65+	4703	6.2	39	1	2	4	8	13	17	29
GRAND TOTAL	**32194**	**4.2**	**18**	**<1**	**1**	**3**	**5**	**8**	**11**	**20**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	4	<1	1	2	3	4	7	8
20-34	16	2.8	22	<1	<1	2	2	3	15	20
35-49	13	1.9	4	<1	<1	1	2	5	7	8
50-64	26	2.3	6	<1	<1	1	2	6	8	11
65+	17	2.2	7	<1	<1	1	2	7	9	9
B. *Operated*										
0-19 YRS	1222	3.4	3	1	2	3	4	5	6	8
20-34	2678	3.5	4	1	2	3	4	5	6	9
35-49	2643	3.7	3	1	2	3	5	6	7	9
50-64	3426	3.9	5	1	2	4	5	6	7	11
65+	1866	4.2	9	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.1		<1	<1	1	1	2	2	2
20-34	62	1.9	4	<1	<1	1	2	4	7	9
35-49	85	2.0	4	<1	<1	1	2	4	6	9
50-64	137	2.5	6	<1	<1	1	3	6	7	12
65+	111	4.2	20	<1	<1	3	5	11	15	21
B. *Operated*										
0-19 YRS	981	3.8	3	2	2	4	5	6	7	9
20-34	3197	4.0	6	2	2	4	5	6	8	11
35-49	4308	4.2	5	2	2	4	5	7	8	13
50-64	7666	4.7	8	2	2	4	6	7	9	14
65+	4985	5.5	19	2	2	5	6	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.3	8	<1	<1	1	2	5	8	17
B. *Operated*	11835	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	428	2.7	9	<1	<1	1	3	6	9	16
B. *Operated*	21137	4.6	10	2	2	4	5	7	9	15
1. SINGLE DX	11922	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX	21565	4.6	10	2	2	4	5	7	9	15
A. NOT OPERATED	515	2.6	9	<1	<1	1	3	6	9	16
B. OPERATED	32972	4.3	8	2	2	4	5	7	8	14
TOTAL 0-19 YRS	2251	3.5	3	1	2	3	4	6	6	8
20-34	5953	3.8	5	1	2	3	5	6	7	10
35-49	7049	4.0	5	1	2	4	5	6	8	11
50-64	11255	4.4	7	2	2	4	5	7	9	13
65+	6979	5.1	16	2	2	4	6	9	11	20
GRAND TOTAL	**33487**	**4.3**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.6	1	<1	<1	1	2	3	3	4
20-34	34	1.4	1	<1	<1	1	2	2	3	5
35-49	37	2.8	4	<1	<1	2	4	6	7	7
50-64	24	3.1	4	<1	<1	3	5	6	7	7
65+	14	4.1	8	1	2	3	5	9	9	9
B. *Operated*										
0-19 YRS	2090	1.8	1	<1	<1	2	2	3	3	5
20-34	3815	1.9	1	<1	<1	2	2	3	4	6
35-49	2289	2.1	2	<1	<1	2	3	3	4	7
50-64	1566	2.5	3	<1	<1	2	3	4	6	9
65+	553	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	1.7	4	<1	<1	1	1	4	6	11
20-34	64	1.9	4	<1	<1	1	2	6	7	9
35-49	54	3.4	12	<1	1	2	4	8	13	15
50-64	62	4.0	8	<1	<1	3	6	9	9	13
65+	65	6.2	52	1	1	4	7	14	17	46
B. *Operated*										
0-19 YRS	226	2.3	2	<1	<1	2	3	4	5	8
20-34	755	2.8	6	<1	1	2	3	5	6	12
35-49	791	3.4	9	<1	1	3	4	6	9	16
50-64	916	3.8	13	<1	1	3	4	7	10	18
65+	516	5.2	23	1	2	4	6	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	10313	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	284	3.6	20	<1	<1	2	5	8	11	17
B. *Operated*	3204	3.6	12	<1	1	3	4	7	10	17
1. SINGLE DX	10447	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	3488	3.6	12	<1	1	3	4	7	10	17
A. NOT OPERATED	418	3.2	15	<1	<1	2	4	7	9	17
B. OPERATED	13517	2.4	5	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	2380	1.8	1	<1	<1	2	2	3	4	5
20-34	4668	2.0	2	<1	<1	2	2	3	4	7
35-49	3171	2.5	4	<1	<1	2	3	4	6	11
50-64	2568	3.0	7	<1	<1	2	3	5	7	14
65+	1148	4.2	17	<1	1	3	5	8	12	20
GRAND TOTAL	**13935**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	443	14.1	91	2	4	12	20	27	32	45
20-34	166	12.3	133	1	2	9	18	28	35	45
35-49	139	12.0	114	2	3	8	15	29	37	44
50-64	155	11.7	64	2	3	10	16	22	27	35
65+	111	14.1	166	2	3	10	16	32	46	64
B. *Operated*										
0-19 YRS	395	16.8	155	2	3	14	24	35	42	49
20-34	449	13.9	189	2	2	9	19	31	43	61
35-49	362	15.4	201	2	3	11	21	37	45	87
50-64	350	15.1	213	2	2	10	21	36	46	73
65+	295	15.4	185	2	3	12	21	34	47	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	16.7	110	2	3	15	25	30	35	41
20-34	223	13.2	186	<1	1	9	19	30	38	62
35-49	243	15.4	171	2	3	11	21	33	42	60
50-64	434	16.5	174	3	4	13	24	33	44	59
65+	548	17.3	194	3	4	14	22	40	47	71
B. *Operated*										
0-19 YRS	308	23.3	250	3	6	21	31	44	53	81
20-34	577	20.1	257	2	4	16	29	44	54	80
35-49	635	22.5	298	3	5	18	31	48	61	99+
50-64	1063	22.8	302	3	5	18	32	48	60	99+
65+	1179	24.1	330	4	6	19	34	53	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1014	13.1	106	2	3	10	18	27	34	47
B. *Operated*	1851	15.3	188	2	3	11	21	35	44	69
2. MULTIPLE DX										
A. *Not Operated*	1666	16.2	175	2	3	13	22	34	43	61
B. *Operated*	3762	22.8	300	3	5	18	32	48	61	99+
1. SINGLE DX	2865	14.5	160	2	3	11	20	31	42	60
2. MULTIPLE DX	5428	20.7	271	3	4	16	29	45	57	89
A. NOT OPERATED	2680	15.0	151	2	3	12	21	31	41	57
B. OPERATED	5613	20.3	276	2	4	16	29	45	56	92
TOTAL 0-19 YRS	1364	17.4	159	2	4	15	24	34	42	55
20-34	1415	16.1	220	1	2	11	23	38	47	69
35-49	1379	18.3	247	2	3	14	26	42	52	81
50-64	2002	19.2	256	3	4	15	27	44	53	88
65+	2133	20.6	282	3	5	16	29	46	59	99+
GRAND TOTAL	**8293**	**18.6**	**242**	**2**	**4**	**14**	**26**	**42**	**51**	**82**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	530	5.7	47	<1	1	4	7	13	18	39
20-34	607	3.9	21	<1	1	3	4	7	10	18
35-49	712	4.1	10	1	1	3	5	8	10	17
50-64	691	5.1	18	1	1	4	7	10	13	22
65+	1195	8.4	39	2	2	7	11	16	19	28
B. *Operated*										
0-19 YRS	3772	4.5	23	1	1	3	5	9	12	21
20-34	4136	4.5	20	1	2	3	5	9	11	21
35-49	2086	5.8	32	1	2	4	7	12	16	27
50-64	1609	7.3	41	2	2	5	10	15	19	31
65+	1147	12.1	87	2	3	10	16	24	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	337	5.3	33	1	1	3	7	11	17	32
20-34	882	4.5	16	1	1	3	6	8	11	21
35-49	1571	5.7	29	1	2	4	7	11	14	30
50-64	2796	7.8	49	2	2	6	9	16	21	36
65+	10579	11.1	76	3	3	9	14	21	26	46
B. *Operated*										
0-19 YRS	1226	5.5	44	1	1	3	6	11	17	40
20-34	2269	6.8	74	1	2	4	8	14	21	47
35-49	1873	8.8	104	2	2	5	11	18	26	52
50-64	2550	12.3	134	2	3	9	16	26	35	66
65+	3821	18.2	191	3	5	15	23	34	45	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3735	5.8	31	1	1	4	8	13	16	25
B. *Operated*	12750	5.7	36	1	2	4	7	12	17	30
2. MULTIPLE DX										
A. *Not Operated*	16165	9.5	68	2	2	7	12	19	24	41
B. *Operated*	11739	11.9	151	2	2	8	16	26	35	68
1. SINGLE DX	16485	5.8	35	1	2	4	7	12	16	30
2. MULTIPLE DX	27904	10.5	104	2	2	8	14	22	29	55
A. NOT OPERATED	19900	8.8	63	1	2	7	11	18	23	39
B. OPERATED	24489	8.7	100	1	2	5	11	20	27	53
TOTAL 0-19 YRS	5865	4.8	30	1	1	3	5	10	14	28
20-34	7894	5.1	36	1	1	4	6	10	14	31
35-49	6242	6.5	53	1	2	4	8	13	18	38
50-64	7646	8.9	79	2	2	6	11	18	25	47
65+	16742	12.6	110	2	3	10	16	24	31	60
GRAND TOTAL	**44389**	**8.8**	**84**	**1**	**2**	**6**	**11**	**19**	**25**	**47**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.6	7	<1	<1	2	3	5	7	14
20-34	15	2.9	10	<1	<1	1	4	9	10	11
35-49	9	2.9	13	<1	<1	2	3	9	12	12
50-64	5	4.6	11	1	1	4	6	10	10	10
65+	9	8.0	52	2	2	5	11	20	24	24
B. *Operated*										
0-19 YRS	865	4.1	14	<1	1	3	5	7	9	14
20-34	757	3.5	16	<1	1	3	4	7	9	17
35-49	444	3.4	10	<1	1	2	4	7	8	15
50-64	392	4.2	11	1	1	3	5	8	10	16
55+	137	5.5	23	<1	1	4	7	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.0	4	<1	<1	1	2	5	6	11
20-34	39	2.6	6	<1	<1	1	3	7	8	11
35-49	40	4.8	34	<1	<1	2	6	14	19	23
50-64	45	9.3	167	1	1	4	10	30	39	60
65+	93	13.9	202	2	3	9	16	35	47	86
B. *Operated*										
0-19 YRS	697	5.2	41	1	2	4	6	9	12	39
20-34	810	4.8	32	1	2	3	5	9	12	28
35-49	575	4.9	20	1	2	4	6	9	12	24
50-64	657	6.5	41	1	2	5	8	12	17	32
65+	370	10.3	134	2	2	7	12	22	34	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.6	17	<1	<1	2	4	10	12	23
B. *Operated*	2595	3.9	14	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	262	8.0	131	<1	1	4	9	23	33	67
B. *Operated*	3109	5.9	49	1	2	4	7	11	16	40
1. SINGLE DX	2660	3.9	14	<1	1	3	5	7	10	17
2. MULTIPLE DX	3371	6.1	55	1	2	4	7	12	17	43
A. NOT OPERATED	327	7.1	111	<1	<1	3	8	17	30	65
B. OPERATED	5704	5.0	34	1	1	4	6	10	13	29
TOTAL 0-19 YRS	1634	4.5	25	<1	1	4	5	8	10	23
20-34	1621	4.2	24	<1	1	3	5	8	11	24
35-49	1068	4.3	16	1	1	3	5	8	11	23
50-64	1099	5.8	37	1	2	4	7	11	16	32
65+	609	9.7	125	2	2	6	11	21	31	72
GRAND TOTAL	**6031**	**5.1**	**38**	**1**	**1**	**4**	**6**	**10**	**14**	**32**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.1	15	<1	1	3	5	8	14	16
20-34	141	6.1	24	1	2	5	8	12	16	23
35-49	225	6.9	20	1	2	6	10	12	16	23
50-64	150	7.0	23	1	2	6	9	15	18	21
65+	89	7.3	29	1	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	10	3.3	7	<1	<1	2	4	8	9	9
20-34	129	6.5	43	1	2	4	8	16	20	33
35-49	233	5.8	30	1	2	4	7	13	16	25
50-64	137	7.2	88	1	2	4	9	15	21	36
65+	38	8.6	59	1	2	6	12	18	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.9	39	1	1	4	6	12	21	27
20-34	109	7.3	27	2	2	6	10	13	16	28
35-49	284	7.7	28	1	2	7	10	14	19	25
50-64	375	7.9	30	2	2	6	10	16	19	24
65+	473	9.1	39	2	3	8	12	17	21	31
B. *Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	73	8.1	58	1	2	6	10	18	24	38
35-49	158	9.1	44	2	2	8	13	17	22	32
50-64	169	10.8	81	2	2	8	14	22	28	56
65+	121	13.2	107	2	3	10	17	25	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	621	6.7	23	1	2	6	9	13	17	22
B. *Operated*	547	6.5	50	1	2	4	8	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	1259	8.2	33	2	2	7	11	16	19	27
B. *Operated*	523	10.5	75	2	2	8	14	21	28	51
1. SINGLE DX	1168	6.6	36	1	2	5	9	14	18	26
2. MULTIPLE DX	1782	8.9	47	2	2	7	11	17	22	33
A. NOT OPERATED	1880	7.7	31	2	2	6	10	15	18	26
B. OPERATED	1070	8.4	66	1	2	6	11	18	24	39
TOTAL 0-19 YRS	46	4.7	23	1	1	3	6	10	14	27
20-34	452	6.8	36	1	2	5	9	15	19	33
35-49	900	7.3	31	1	2	6	10	14	19	26
50-64	831	8.2	51	2	2	7	11	17	21	29
65+	721	9.5	53	2	3	8	12	18	24	38
GRAND TOTAL	**2950**	**8.0**	**44**	**1**	**2**	**6**	**10**	**16**	**20**	**30**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	666	3.5	8	<1	1	3	4	7	10	14
20-34	1590	4.7	17	<1	1	4	6	9	12	20
35-49	1662	5.3	21	1	1	4	7	10	13	23
50-64	1094	5.0	15	1	1	4	7	10	12	18
65+	717	6.1	27	1	1	5	8	13	17	25
B. *Operated*										
0-19 YRS	2453	4.7	24	<1	1	3	5	12	15	23
20-34	3410	4.0	18	<1	1	3	5	9	12	20
35-49	2460	4.5	20	1	1	3	5	10	14	24
50-64	2622	3.7	15	1	1	2	4	7	11	19
65+	1442	3.9	19	1	1	3	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	597	4.2	11	1	1	3	5	9	11	16
20-34	2240	6.0	23	1	1	5	8	12	15	22
35-49	3275	6.5	25	1	2	5	8	12	15	24
50-64	3197	6.5	28	1	2	5	8	13	16	28
65+	3503	7.9	43	2	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	1804	4.4	29	1	1	3	4	10	14	28
20-34	3374	4.8	32	1	1	3	5	10	15	29
35-49	2830	6.1	49	1	2	4	7	13	17	34
50-64	2927	7.0	73	1	2	4	8	15	21	48
65+	2124	9.2	101	1	2	6	12	20	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5729	5.0	19	<1	1	4	6	10	13	21
B. *Operated*	12387	4.2	19	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	12812	6.7	31	1	2	5	9	13	16	27
B. *Operated*	13059	6.2	58	1	2	4	7	14	19	39
1. SINGLE DX	18116	4.4	19	1	1	3	5	10	13	22
2. MULTIPLE DX	25871	6.5	45	1	2	4	8	13	18	33
A. NOT OPERATED	18541	6.2	28	1	2	5	8	12	15	25
B. OPERATED	25446	5.2	40	1	1	3	6	12	16	31
TOTAL 0-19 YRS	5520	4.4	22	1	1	3	5	10	14	23
20-34	10614	4.8	24	1	1	3	6	10	14	24
35-49	10227	5.7	30	1	2	4	7	12	15	27
50-64	9840	5.7	39	1	2	4	7	12	16	30
65+	7786	7.4	57	1	2	5	9	15	21	39
GRAND TOTAL	**43987**	**5.6**	**35**	**1**	**1**	**4**	**7**	**12**	**16**	**29**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	5	<1	1	5	6	7	8	8
20-34	71	6.0	14	2	3	5	7	10	14	22
35-49	83	6.5	11	2	3	6	9	11	12	16
50-64	33	6.7	15	2	2	6	8	13	15	16
65+	6	7.0	12	2	2	7	10	11	11	11
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	39	6.1	21	2	2	5	8	13	17	21
35-49	30	5.8	17	2	2	4	8	13	15	15
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.8	9	1	1	4	6	10	11	13
20-34	222	6.3	15	2	3	5	8	11	13	21
35-49	318	7.1	19	3	3	6	9	13	15	22
50-64	191	7.4	17	2	3	6	10	13	15	19
65+	96	8.0	37	2	2	7	10	13	24	32
B. *Operated*										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	78	8.5	38	2	3	7	10	16	21	33
35-49	96	10.1	66	3	3	9	12	17	19	55
50-64	48	7.6	30	3	3	6	10	15	18	26
65+	16	11.2	60	2	2	10	15	21	27	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	6.3	12	2	3	6	8	11	13	17
B. *Operated*	78	5.5	19	2	2	4	7	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	859	7.0	19	2	3	6	9	12	14	24
B. *Operated*	241	9.1	49	3	3	8	12	16	21	36
1. SINGLE DX	280	6.1	14	2	2	5	8	11	14	18
2. MULTIPLE DX	1100	7.4	27	2	3	6	9	13	16	26
A. NOT OPERATED	1061	6.8	18	2	3	6	9	12	14	23
B. OPERATED	319	8.2	44	2	3	7	11	15	19	32
TOTAL 0-19 YRS	46	4.7	8	<1	1	4	6	8	10	13
20-34	410	6.6	20	2	3	5	8	12	15	22
35-49	527	7.5	27	2	3	7	9	13	16	25
50-64	276	7.3	19	2	3	6	10	13	15	22
65+	121	8.2	40	2	2	7	11	14	23	31
GRAND TOTAL	**1380**	**7.2**	**24**	**2**	**3**	**6**	**9**	**13**	**16**	**25**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	2.9	15	<1	<1	2	3	6	9	24
20-34	21	5.4	20	1	1	4	6	14	15	17
35-49	13	4.8	14	1	1	3	7	9	13	14
50-64	8	2.9	3	1	1	2	4	5	6	6
65+	9	4.2	19	1	1	2	9	11	11	11
B. *Operated*										
0-19 YRS	262	7.2	42	2	2	6	9	12	17	38
20-34	50	8.2	53	2	2	7	11	15	19	44
35-49	39	10.1	62	2	2	9	13	19	22	42
50-64	21	10.9	107	1	2	7	13	29	34	38
65+	8	14.8	509	2	2	6	14	54	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	398	6.7	154	1	1	3	6	14	23	84
20-34	68	7.3	62	1	2	5	8	15	31	36
35-49	31	10.5	276	1	1	6	10	26	41	86
50-64	20	10.3	110	1	2	7	11	25	36	45
65+	37	7.0	34	1	1	6	11	15	18	22
B. *Operated*										
0-19 YRS	409	11.4	122	2	2	8	15	27	36	61
20-34	80	11.5	143	2	3	9	14	20	42	90
35-49	47	13.5	150	2	4	10	16	24	57	99+
50-64	48	17.7	233	2	3	15	25	39	69	99+
65+	26	17.5	183	2	3	14	28	38	46	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	3.4	15	<1	<1	2	4	7	11	21
B. *Operated*	380	8.0	59	2	2	6	10	14	20	43
2. MULTIPLE DX										
A. *Not Operated*	554	7.1	140	1	1	4	7	15	25	82
B. *Operated*	610	12.3	141	2	2	9	16	28	38	70
1. SINGLE DX	575	6.4	49	<1	1	4	9	13	18	39
2. MULTIPLE DX	1164	9.9	147	1	2	6	12	23	32	81
A. NOT OPERATED	749	6.2	110	<1	1	3	6	13	22	80
B. OPERATED	990	10.7	114	2	2	8	13	23	32	69
TOTAL 0-19 YRS	1213	7.9	110	1	1	5	9	18	27	70
20-34	219	8.8	89	1	2	7	11	18	27	64
35-49	130	10.9	144	1	2	9	13	21	29	89
50-64	97	13.5	180	1	2	9	18	30	45	85
65+	80	10.9	148	1	1	8	14	27	36	63
GRAND TOTAL	**1739**	**8.7**	**117**	**1**	**1**	**5**	**11**	**19**	**29**	**69**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	458	1.4	3	<1	<1	1	1	2	3	10
20-34	18	3.5	17	1	1	2	4	6	14	19
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	4	3.0	5	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	2062	2.2	2	<1	1	2	2	3	4	8
20-34	593	2.5	3	<1	1	2	3	4	5	10
35-49	317	2.8	3	1	1	2	3	4	6	10
50-64	378	2.6	2	1	1	2	3	4	5	9
65+	398	2.6	2	1	2	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	1.8	6	<1	<1	1	1	4	5	16
20-34	12	1.3		<1	<1	1	2	2	3	3
35-49	8	3.1	2	<1	1	3	4	5	5	5
50-64	12	3.0	8	<1	<1	2	4	7	10	10
65+	21	5.6	38	<1	1	3	7	14	20	26
B. *Operated*										
0-19 YRS	551	2.8	7	<1	1	2	3	5	7	17
20-34	200	3.4	7	1	1	3	4	6	9	13
35-49	163	3.1	4	1	1	2	4	5	7	11
50-64	345	3.0	7	1	2	2	3	5	6	15
65+	539	3.0	11	2	2	2	3	4	6	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	1.5	3	<1	<1	1	1	2	5	11
B. *Operated*	3748	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	227	2.3	9	<1	<1	1	2	5	8	19
B. *Operated*	1798	3.0	8	1	1	2	3	5	7	14
1. SINGLE DX	4235	2.3	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2025	2.9	8	<1	1	2	3	5	7	15
A. NOT OPERATED	714	1.7	5	<1	<1	1	1	3	6	13
B. OPERATED	5546	2.6	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	3245	2.1	3	<1	<1	2	2	4	5	9
20-34	823	2.8	4	<1	1	2	3	5	6	11
35-49	492	2.9	4	1	1	2	3	5	6	11
50-64	738	2.8	5	1	1	2	3	4	6	10
65+	962	2.9	8	1	2	2	3	4	6	13
GRAND TOTAL	**6260**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	3.1	9	<1	<1	2	4	7	8	14
20-34	70	3.7	6	<1	1	3	5	8	8	11
35-49	52	3.6	7	1	1	3	4	7	10	13
50-64	33	5.3	13	1	2	5	8	12	12	13
65+	23	5.6	11	2	3	4	8	11	12	13
B. *Operated*										
0-19 YRS	2128	5.1	28	1	1	2	8	10	13	24
20-34	457	6.0	64	1	1	3	8	11	15	36
35-49	273	6.6	41	1	2	3	10	14	19	31
50-64	149	6.6	43	1	2	3	10	14	18	31
65+	67	6.6	33	1	2	4	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	740	5.1	35	<1	1	3	6	10	15	34
20-34	232	5.2	28	1	1	4	6	10	14	32
35-49	178	6.2	33	1	2	4	7	14	21	28
50-64	140	6.8	25	2	2	5	8	13	16	25
65+	261	8.5	57	2	2	6	10	15	21	42
B. *Operated*										
0-19 YRS	2617	7.4	82	1	1	4	10	16	23	56
20-34	510	8.2	88	1	2	6	10	18	26	68
35-49	355	8.9	97	1	2	7	11	18	28	54
50-64	394	10.5	122	2	2	8	14	22	28	63
65+	287	12.9	152	2	2	10	17	29	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	3.6	9	<1	1	3	5	8	10	14
B. *Operated*	3074	5.4	36	1	1	3	8	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	1551	5.9	38	1	1	4	7	12	18	34
B. *Operated*	4163	8.3	95	1	2	6	11	18	26	58
1. SINGLE DX	3473	5.2	33	1	1	3	8	11	14	25
2. MULTIPLE DX	5714	7.6	80	1	1	5	10	16	24	50
A. NOT OPERATED	1950	5.5	33	1	1	4	7	11	15	31
B. OPERATED	7237	7.1	72	1	1	4	9	15	21	46
TOTAL 0-19 YRS	5706	6.0	54	1	1	3	8	13	18	39
20-34	1269	6.6	66	1	1	4	9	13	19	37
35-49	858	7.3	63	1	2	4	10	16	23	36
50-64	716	8.7	85	2	2	6	12	18	24	47
65+	638	10.2	102	2	2	7	13	21	30	52
GRAND TOTAL	**9187**	**6.7**	**64**	**1**	**1**	**4**	**9**	**14**	**20**	**42**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	6	<1	1	1	3	6	8	10
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1314	4.1	5	1	2	4	6	7	8	10
20-34	41	3.4	3	1	2	3	4	6	6	8
35-49	14	3.1	1	2	2	3	3	4	5	5
50-64	4	2.8	1	2	2	3	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	2.7	20	<1	<1	1	2	7	9	28
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	918	4.3	7	2	2	4	6	7	8	13
20-34	69	3.4	4	1	2	3	4	6	7	12
35-49	22	6.1	96	1	2	4	5	8	26	49
50-64	4	2.5		2	2	2	3	3	3	3
65+	3	7.7	54	2	2	5	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.5	5	<1	1	1	3	5	8	10
B. *Operated*	1374	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	106	2.7	19	<1	<1	1	2	7	9	28
B. *Operated*	1016	4.3	9	2	2	4	5	7	8	13
1. SINGLE DX	1398	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX	1122	4.1	10	1	1	4	5	7	8	14
A. NOT OPERATED	130	2.6	17	<1	<1	1	3	7	9	27
B. OPERATED	2390	4.2	7	1	2	4	5	7	8	11
TOTAL 0-19 YRS	2360	4.1	6	1	2	4	5	7	8	11
20-34	110	3.4	3	1	2	3	4	6	6	11
35-49	37	4.8	59	1	2	3	5	6	9	49
50-64	8	2.6	1	2	2	3	3	4	4	4
65+	5	5.6	36	1	1	4	8	16	16	16
GRAND TOTAL	**2520**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.8	4	1	1	2	4	6	7	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1308	4.0	3	2	2	4	5	6	8	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.4	18	1	2	4	7	11	13	22
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	294	6.2	25	2	3	5	7	11	13	25
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	2.8	4	1	1	2	4	6	7	10
B. *Operated*	1308	4.0	3	2	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	65	5.4	18	1	2	4	7	11	13	22
B. *Operated*	294	6.2	25	2	3	5	7	11	13	25
1. SINGLE DX	1420	3.9	4	2	2	4	5	6	7	10
2. MULTIPLE DX	359	6.1	23	2	3	5	7	11	13	22
A. NOT OPERATED	177	3.7	11	1	1	3	5	7	10	18
B. OPERATED	1602	4.4	8	2	2	4	5	7	9	14
TOTAL 0-19 YRS	1779	4.3	8	2	2	4	5	7	9	14
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1779**	**4.3**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.0	18	<1	<1	2	3	6	8	22
20-34	37	3.9	10	1	1	3	4	8	12	15
35-49	32	3.8	6	1	1	3	5	7	9	11
50-64	25	3.4	7	<1	1	3	4	8	9	11
65+	34	3.6	9	<1	1	3	5	9	10	11
B. *Operated*										
0-19 YRS	972	4.8	31	<1	1	3	6	10	13	25
20-34	263	4.7	16	<1	1	3	7	10	12	20
35-49	143	6.3	39	1	1	4	8	13	17	35
50-64	99	7.0	62	<1	1	5	9	15	20	45
65+	79	6.6	51	<1	1	3	10	19	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	5.9	83	<1	1	4	6	11	19	85
20-34	72	5.3	16	1	2	4	7	10	11	23
35-49	67	4.9	9	1	1	4	7	9	10	12
50-64	90	5.6	24	1	1	4	6	11	15	28
65+	231	7.0	36	1	2	6	9	13	17	32
B. *Operated*										
0-19 YRS	747	8.6	115	1	2	5	10	18	26	70
20-34	268	7.7	50	1	2	6	10	15	19	36
35-49	226	8.8	51	1	2	7	12	18	22	35
50-64	187	10.8	63	2	2	9	14	20	28	39
65+	276	12.8	137	2	2	9	17	27	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	517	3.1	16	<1	<1	2	3	7	9	19
B. *Operated*	1556	5.1	33	<1	1	3	7	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	809	6.0	51	1	1	4	7	11	15	42
B. *Operated*	1704	9.4	97	1	2	7	12	19	27	50
1. SINGLE DX	2073	4.6	29	<1	1	3	6	10	14	27
2. MULTIPLE DX	2513	8.3	85	1	2	6	10	17	25	49
A. NOT OPERATED	1326	4.9	39	<1	1	3	6	10	14	32
B. OPERATED	3260	7.4	71	1	1	5	9	15	22	44
TOTAL 0-19 YRS	2457	5.8	66	<1	1	3	7	12	18	49
20-34	640	6.0	32	1	1	5	8	12	15	26
35-49	468	7.2	41	1	1	6	9	15	19	32
50-64	401	8.2	57	1	2	6	11	16	22	37
65+	620	9.4	91	1	2	7	12	21	28	44
GRAND TOTAL	**4586**	**6.7**	**63**	**<1**	**1**	**4**	**8**	**14**	**20**	**42**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	1.4	1	<1	<1	1	1	3	4	4
20-34	5	1.4		1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2803	2.6	2	1	1	2	3	4	5	7
20-34	248	3.2	3	1	1	3	4	5	6	8
35-49	62	3.0	3	1	1	3	3	5	7	9
50-64	19	3.0	1	2	2	3	4	4	5	5
65+	4	4.5	9	3	3	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	1.2		<1	<1	1	1	2	2	4
20-34	7	2.3	1	1	1	2	3	4	4	4
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	2141	2.8	3	<1	1	2	3	5	6	9
20-34	275	3.8	7	1	2	3	5	7	9	16
35-49	85	4.3	19	1	2	3	5	6	8	30
50-64	34	3.8	4	1	2	3	5	6	9	10
65+	13	7.3	38	2	2	5	9	17	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	3136	2.6	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	143	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	2548	3.0	5	<1	1	3	4	5	7	10
1. SINGLE DX	3192	2.6	2	1	1	2	3	4	5	8
2. MULTIPLE DX	2691	2.9	5	<1	1	2	4	5	7	10
A. NOT OPERATED	199	1.4	1	<1	<1	1	1	2	4	5
B. OPERATED	5684	2.8	3	1	1	2	3	5	6	9
TOTAL 0-19 YRS	5126	2.6	3	<1	1	2	3	4	6	8
20-34	535	3.5	5	1	1	3	4	6	8	12
35-49	149	3.7	13	1	2	3	4	6	8	29
50-64	54	3.5	3	1	2	3	4	5	7	10
65+	19	6.6	29	2	2	4	8	15	19	22
GRAND TOTAL	**5883**	**2.8**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	2.5	3	<1	1	2	3	5	6	9
20-34	70	3.5	11	<1	<1	3	4	7	9	21
35-49	33	3.6	4	<1	1	4	5	6	7	8
50-64	36	4.2	9	1	1	3	6	9	10	12
65+	36	4.2	16	1	1	3	5	10	10	21
B. *Operated*										
0-19 YRS	2243	4.9	16	<1	1	4	7	10	12	16
20-34	841	4.1	10	<1	1	3	6	8	10	15
35-49	229	4.8	16	1	1	4	6	10	13	20
50-64	149	4.6	13	1	1	3	7	9	11	18
65+	77	6.0	35	1	1	5	7	11	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	193	2.9	8	<1	<1	2	4	6	9	15
20-34	154	5.2	21	1	2	4	7	9	12	20
35-49	180	5.8	19	1	2	5	7	11	14	25
50-64	173	5.5	19	1	2	4	7	11	14	21
65+	156	7.4	41	2	2	6	9	14	17	45
B. *Operated*										
0-19 YRS	1473	5.7	30	1	1	4	8	11	16	27
20-34	986	5.7	28	1	1	5	7	10	14	25
35-49	539	7.8	50	1	2	6	10	15	20	36
50-64	445	9.1	75	1	2	7	11	17	24	48
65+	355	6.8	58	1	2	7	12	18	25	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	3.3	8	<1	1	2	4	7	9	12
B. *Operated*	3539	4.7	15	<1	1	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	856	5.3	23	1	1	4	7	10	14	21
B. *Operated*	3798	6.7	42	1	1	5	9	13	18	33
1. SINGLE DX	3811	4.6	15	<1	1	4	6	9	11	16
2. MULTIPLE DX	4654	6.4	39	1	1	5	8	13	17	32
A. NOT OPERATED	1128	4.8	20	1	1	4	6	10	12	21
B. OPERATED	7337	5.7	30	1	1	4	8	11	15	26
TOTAL 0-19 YRS	4006	5.0	21	<1	1	4	7	10	13	21
20-34	2051	4.9	20	<1	1	4	6	9	12	20
35-49	981	6.6	37	1	2	5	8	13	17	28
50-64	803	7.3	53	1	2	5	9	14	19	39
65+	624	7.9	50	1	2	6	10	16	21	38
GRAND TOTAL	**8465**	**5.6**	**29**	**1**	**1**	**4**	**7**	**11**	**15**	**26**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.5	159	<1	<1	1	1	4	8	86
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1322	3.5	4	1	2	3	4	6	7	10
20-34	124	4.5	4	1	2	4	6	7	9	10
35-49	58	5.2	14	1	2	4	6	12	14	15
50-64	48	5.6	20	2	2	4	6	10	14	27
65+	19	4.4	6	1	1	5	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	1.3	1	<1	<1	1	1	2	4	6
20-34	4	3.3	11	1	1	2	5	8	8	8
35-49	5	2.0	1	1	1	2	3	3	3	3
50-64	3	3.3	6	<1	<1	3	5	6	6	6
65+	6	3.3	8	<1	<1	3	5	8	8	8
B. *Operated*										
0-19 YRS	709	4.5	15	1	2	4	5	7	9	16
20-34	230	5.0	13	2	2	4	6	8	9	19
35-49	166	5.0	10	2	3	4	6	8	10	15
50-64	210	5.7	22	2	3	5	7	9	11	26
65+	81	6.0	10	3	3	5	7	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.5	156	<1	<1	1	1	4	7	86
B. *Operated*	1571	3.7	5	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	105	1.6	2	<1	<1	1	1	3	5	8
B. *Operated*	1396	4.9	15	2	2	4	6	8	10	18
1. SINGLE DX	1618	3.7	9	1	1	3	5	6	8	12
2. MULTIPLE DX	1501	4.7	15	1	2	4	6	8	9	17
A. NOT OPERATED	152	2.2	50	<1	<1	1	1	3	5	14
B. OPERATED	2967	4.3	10	1	2	4	5	7	9	15
TOTAL 0-19 YRS	2164	3.8	11	1	1	3	5	6	8	12
20-34	359	4.8	10	2	2	4	6	8	9	16
35-49	229	5.0	11	2	2	4	6	8	11	15
50-64	261	5.6	21	2	2	5	7	9	11	26
65+	106	5.6	10	1	3	5	7	9	11	17
GRAND TOTAL	**3119**	**4.2**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	649	3.3	29	<1	<1	2	3	7	11	29
20-34	230	5.5	20	<1	1	4	8	11	14	22
35-49	164	6.6	52	1	2	5	8	12	16	29
50-64	116	5.9	23	1	1	5	8	12	13	26
65+	61	6.2	15	1	1	6	8	11	14	19
B. *Operated*										
0-19 YRS	4736	4.3	21	1	1	3	5	9	12	23
20-34	1956	4.2	18	<1	1	3	5	9	12	21
35-49	1055	5.1	22	1	1	3	7	11	15	22
50-64	555	6.2	36	1	1	4	9	13	17	28
65+	211	8.3	106	1	1	5	10	18	23	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	816	5.3	77	<1	1	3	6	11	18	61
20-34	358	6.1	33	1	1	4	8	12	16	29
35-49	348	7.1	29	1	2	5	10	14	17	29
50-64	408	8.2	51	2	3	7	10	15	21	42
65+	412	9.0	38	2	3	8	12	18	22	31
B. *Operated*										
0-19 YRS	1810	6.4	61	1	1	4	7	14	18	43
20-34	1006	6.5	50	1	1	4	8	14	18	39
35-49	828	7.7	51	1	2	6	10	16	20	38
50-64	777	10.1	101	2	2	7	13	20	27	58
65+	399	12.1	122	2	2	9	16	28	34	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1220	4.5	31	<1	1	3	6	10	13	27
B. *Operated*	8513	4.6	24	1	1	3	6	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	2342	6.9	54	1	1	5	9	14	19	42
B. *Operated*	4820	7.7	72	1	2	5	10	16	23	44
1. SINGLE DX	9733	4.6	25	<1	1	3	6	10	13	24
2. MULTIPLE DX	7162	7.4	66	1	1	5	10	16	22	43
A. NOT OPERATED	3562	6.1	47	<1	1	4	8	13	17	39
B. OPERATED	13333	5.7	43	1	1	3	7	12	17	34
TOTAL 0-19 YRS	8011	4.8	37	1	1	3	6	10	14	32
20-34	3550	5.1	30	<1	1	3	6	11	14	26
35-49	2395	6.4	36	1	1	4	9	14	18	28
50-64	1856	8.2	69	1	2	6	11	17	22	44
65+	1083	9.9	84	1	2	7	13	21	29	49
GRAND TOTAL	**16895**	**5.8**	**44**	**1**	**1**	**4**	**7**	**13**	**17**	**34**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7298	3.6	21	1	1	2	3	7	11	24
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	157	7.7	136	<1	1	5	9	15	21	86
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4031	9.1	121	1	2	5	11	23	32	58
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	361	17.9	378	1	2	11	25	48	70	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7298	3.6	21	1	1	2	3	7	11	24
B. *Operated*	157	7.7	136	<1	1	5	9	15	21	86
2. MULTIPLE DX										
A. *Not Operated*	4031	9.1	121	1	2	5	11	23	32	58
B. *Operated*	361	17.9	378	1	2	11	25	48	70	99+
1. SINGLE DX	7455	3.7	24	1	1	2	4	7	12	24
2. MULTIPLE DX	4392	9.8	147	1	2	5	12	25	35	67
A. NOT OPERATED	11329	5.6	63	1	1	3	5	13	21	41
B. OPERATED	518	14.8	326	1	1	8	18	43	63	99+
TOTAL 0-19 YRS	11847	6.0	78	1	1	3	6	14	23	46
20-34										
35-49										
[illegible]0-64										
[illegible]5+										
GR[illegible] TOTAL	11847	**6.0**	**78**	**1**	**1**	**3**	**6**	**14**	**23**	**46**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6913	3.0	7	1	1	2	4	5	7	13
20-34	3178	3.5	8	1	1	3	4	7	9	14
35-49	1586	4.0	11	1	1	3	5	8	10	16
50-64	1140	4.4	12	1	1	3	6	8	11	18
65+	938	4.9	16	1	1	4	6	9	13	19
B. *Operated*										
0-19 YRS	69	4.6	12	1	2	4	5	9	11	18
20-34	97	5.3	37	1	2	4	6	10	13	39
35-49	70	6.8	23	2	2	6	9	13	18	22
50-64	56	6.4	19	2	2	5	8	14	16	21
65+	36	7.2	13	2	4	7	9	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7838	3.6	13	1	1	3	4	7	9	16
20-34	3427	5.3	25	1	1	4	6	10	14	24
35-49	3218	6.0	30	1	2	5	7	11	15	29
50-64	4067	6.9	39	1	2	5	9	14	17	35
65+	5433	8.0	52	2	2	6	10	15	21	41
B. *Operated*										
0-19 YRS	211	7.6	50	1	2	6	9	17	21	41
20-34	340	8.9	72	1	2	7	10	17	26	54
35-49	325	11.0	113	2	3	8	13	22	28	64
50-64	447	12.7	112	3	4	9	17	25	33	70
65+	497	15.4	194	3	4	11	19	32	46	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13755	3.5	9	1	1	3	4	7	9	15
B. *Operated*	328	5.9	23	2	2	4	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	23983	5.7	33	1	1	4	7	11	15	30
B. *Operated*	1820	11.8	127	2	3	9	15	24	33	70
1. SINGLE DX	14083	3.6	9	1	1	3	4	7	9	15
2. MULTIPLE DX	25803	6.2	42	1	1	4	7	12	17	35
A. NOT OPERATED	37738	4.9	25	1	1	4	6	10	13	25
B. OPERATED	2148	10.9	116	2	3	8	14	22	31	65
TOTAL 0-19 YRS	15031	3.4	11	1	1	3	4	6	8	15
20-34	7042	4.7	21	1	1	3	6	9	12	23
35-49	5199	5.7	32	1	2	4	7	11	15	28
50-64	5710	6.9	43	1	2	5	8	14	18	35
65+	6904	8.1	62	2	2	6	10	16	22	45
GRAND TOTAL	**39886**	**5.2**	**32**	**1**	**1**	**4**	**6**	**10**	**15**	**29**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2387	3.1	5	1	1	3	4	5	6	10
20-34	585	4.5	10	1	2	4	5	8	11	16
35-49	351	4.9	11	2	2	4	6	9	12	19
50-64	333	5.2	13	1	2	5	6	9	11	17
65+	438	6.0	18	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	51	6.3	40	1	2	4	8	12	15	41
20-34	40	9.8	73	1	2	7	13	20	31	37
35-49	61	10.5	54	2	3	9	13	19	26	36
50-64	59	12.2	95	1	2	11	15	21	26	61
65+	56	11.9	67	2	3	11	15	20	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3600	3.5	6	1	1	3	4	6	8	13
20-34	1244	5.1	19	1	2	4	6	9	12	21
35-49	913	6.0	28	2	2	5	7	11	13	29
50-64	1584	7.1	35	2	3	6	9	13	16	31
65+	3160	8.0	45	2	3	6	10	15	19	34
B. *Operated*										
0-19 YRS	122	9.6	83	2	3	7	13	19	22	56
20-34	201	12.1	92	3	4	10	15	25	29	54
35-49	219	10.8	69	2	3	9	14	19	28	51
50-64	364	14.9	117	3	5	13	19	29	34	51
65+	485	16.6	152	4	5	13	22	35	43	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4094	3.9	10	1	1	3	5	7	9	15
B. *Operated*	267	10.2	69	2	2	9	13	19	25	41
2. MULTIPLE DX										
A. *Not Operated*	10501	5.8	29	1	2	4	7	11	15	27
B. *Operated*	1391	14.0	121	3	4	11	18	28	36	63
1. SINGLE DX	4361	4.3	16	1	1	3	5	8	11	19
2. MULTIPLE DX	11892	6.8	47	1	2	5	8	14	18	36
A. NOT OPERATED	14595	5.3	24	1	2	4	6	10	14	24
B. OPERATED	1658	13.4	115	3	4	11	17	28	35	60
TOTAL 0-19 YRS	6160	3.5	8	1	1	3	4	6	8	14
20-34	2070	5.7	29	1	2	4	7	11	15	28
35-49	1544	6.6	35	2	2	5	8	12	16	32
50-64	2340	8.2	55	2	3	6	10	16	22	36
65+	4139	8.8	64	2	3	7	11	17	23	44
GRAND TOTAL	**16253**	**6.1**	**40**	**1**	**2**	**4**	**7**	**12**	**17**	**32**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1110	3.0	5	1	1	2	4	5	7	11
20-34	2484	3.6	8	<1	1	3	4	7	9	14
35-49	1364	4.1	11	1	1	3	5	8	10	18
50-64	622	4.3	16	1	1	3	5	8	10	17
65+	249	4.6	19	<1	1	3	6	9	14	17
B. *Operated*										
0-19 YRS	49	3.5	5	1	1	3	5	7	8	10
20-34	214	5.1	46	1	2	4	6	10	11	22
35-49	179	5.6	21	2	2	4	7	11	15	23
50-64	129	5.0	20	1	2	3	6	10	15	22
65+	45	6.2	31	<1	2	4	9	13	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1129	3.5	6	1	1	3	4	6	8	13
20-34	3084	4.9	19	1	2	4	6	9	12	22
35-49	2549	5.5	19	1	2	4	7	10	14	23
50-64	1858	5.7	20	1	2	5	7	11	14	22
65+	1497	6.0	25	2	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	50	5.2	11	2	2	4	8	10	12	99
20-34	335	7.8	37	2	2	6	10	15	19	30
35-49	379	8.5	65	2	2	6	11	17	22	38
50-64	284	8.2	41	2	2	7	10	17	22	33
65+	235	10.6	63	2	3	9	13	19	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5829	3.7	10	1	1	3	5	7	9	15
B. *Operated*	616	5.2	29	1	2	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	10117	5.2	19	1	2	4	7	10	13	22
B. *Operated*	1283	8.5	51	2	2	7	11	17	22	35
1. SINGLE DX	6445	3.9	12	1	1	3	5	7	10	17
2. MULTIPLE DX	11400	5.6	24	1	2	4	7	11	14	25
A. NOT OPERATED	15946	4.7	16	1	1	4	6	9	12	20
B. OPERATED	1899	7.4	46	2	2	6	10	15	19	33
TOTAL 0-19 YRS	2338	3.3	6	1	1	3	4	6	8	12
20-34	6117	4.5	18	1	1	3	6	9	11	21
35-49	4471	5.3	22	1	2	4	7	10	14	23
50-64	2893	5.6	23	1	2	4	7	11	14	24
65+	2026	6.3	32	1	2	5	8	12	16	30
GRAND TOTAL	**17845**	**5.0**	**20**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	2.4	3	<1	<1	2	3	5	6	10
20-34	253	3.1	5	<1	1	3	4	6	7	12
35-49	366	3.5	5	1	1	3	5	6	7	12
50-64	664	3.8	8	1	1	3	5	7	8	12
65+	840	3.5	6	1	1	3	5	6	8	12
B. *Operated*										
0-19 YRS	161	2.2	3	<1	<1	1	3	5	6	8
20-34	167	4.6	8	1	1	4	6	8	9	13
35-49	291	4.7	7	1	1	4	6	8	10	13
50-64	444	5.1	8	1	2	5	6	8	10	13
65+	367	5.1	12	1	1	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	2.9	4	<1	1	2	4	6	7	9
20-34	210	3.9	7	<1	1	4	5	7	9	12
35-49	483	4.7	11	1	2	4	6	8	11	15
50-64	1138	4.5	11	1	1	4	6	8	10	17
65+	2194	5.2	26	1	1	4	6	10	13	23
B. *Operated*										
0-19 YRS	99	3.3	8	1	1	2	5	8	9	13
20-34	135	5.4	14	1	1	5	8	10	12	19
35-49	243	5.8	20	1	2	5	7	9	13	32
50-64	633	6.1	21	1	2	5	8	11	13	23
65+	942	7.7	47	2	2	6	9	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2262	3.5	6	<1	1	3	5	6	8	12
B. *Operated*	1430	4.6	9	<1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	4212	4.8	19	1	1	4	6	9	12	21
B. *Operated*	2052	6.6	33	1	2	5	8	12	16	30
1. SINGLE DX	3692	3.9	7	<1	1	3	5	7	9	13
2. MULTIPLE DX	6264	5.4	24	1	1	4	7	10	13	23
A. NOT OPERATED	6474	4.3	15	1	1	4	5	8	10	18
B. OPERATED	3482	5.8	24	1	1	5	7	10	13	24
TOTAL 0-19 YRS	586	2.6	4	<1	<1	2	4	6	7	9
20-34	765	4.1	8	<1	1	4	5	8	9	13
35-49	1383	4.6	10	1	1	4	6	8	10	15
50-64	2879	4.8	13	1	1	4	6	9	11	17
65+	4343	5.4	27	1	1	4	7	10	14	25
GRAND TOTAL	**9956**	**4.8**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	3.4	8	<1	<1	3	4	6	8	12
20-34	204	3.5	6	<1	1	3	5	7	8	12
35-49	123	3.4	10	<1	1	3	4	6	7	20
50-64	142	3.7	10	<1	1	3	4	7	11	17
65+	106	3.2	8	<1	<1	2	4	7	8	15
B. *Operated*										
0-19 YRS	786	2.2	3	<1	<1	2	2	4	6	10
20-34	823	2.8	8	<1	<1	2	3	5	8	13
35-49	497	2.9	6	<1	1	2	3	5	8	15
50-64	431	3.2	8	<1	1	2	4	6	9	15
65+	245	3.4	8	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	270	3.9	10	1	1	3	5	7	9	18
20-34	387	4.1	10	1	1	3	5	8	10	16
35-49	458	4.8	24	1	1	4	6	9	12	20
50-64	504	5.7	26	1	2	4	7	12	15	23
65+	955	8.2	69	1	2	6	11	17	23	41
B. *Operated*										
0-19 YRS	223	3.8	9	1	1	3	5	7	10	15
20-34	390	6.0	34	1	1	4	8	13	18	31
35-49	356	6.1	43	1	2	4	7	13	18	34
50-64	457	8.0	94	1	2	4	11	18	26	63
65+	578	11.1	137	2	2	7	15	25	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	823	3.5	8	<1	1	3	4	7	8	14
B. *Operated*	2782	2.8	7	<1	1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	2674	6.0	40	1	1	4	7	12	17	32
B. *Operated*	2004	7.7	82	1	2	4	10	18	25	46
1. SINGLE DX	3605	2.9	7	<1	1	2	3	6	8	13
2. MULTIPLE DX	4678	6.7	59	1	2	4	8	14	21	41
A. NOT OPERATED	3497	5.4	34	1	1	4	6	11	15	29
B. OPERATED	4786	4.8	44	<1	1	2	5	11	16	33
TOTAL 0-19 YRS	1527	2.9	7	<1	1	2	4	6	8	13
20-34	1804	3.8	15	<1	1	3	4	8	11	20
35-49	1434	4.3	23	1	1	3	5	9	12	22
50-64	1634	5.5	42	1	1	3	6	12	17	31
65+	1884	8.2	86	1	2	5	10	18	25	47
GRAND TOTAL	**8283**	**5.1**	**40**	**<1**	**1**	**3**	**6**	**11**	**16**	**31**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	4	<1	<1	5	6	7	7	7
20-34	7	11.6	407	<1	<1	5	7	47	57	57
35-49	9	9.0	37	3	3	7	15	18	19	19
50-64	21	9.0	31	1	2	9	13	16	18	21
65+	73	8.3	55	1	1	5	12	20	23	34
B. *Operated*										
0-19 YRS	68	5.4	41	<1	1	3	7	15	21	29
20-34	105	7.0	78	1	1	4	8	16	19	52
35-49	90	9.9	104	1	2	7	13	24	32	50
50-64	236	14.5	175	1	2	11	20	30	37	67
65+	528	17.4	188	3	4	14	23	35	49	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.8	35	1	1	3	5	15	19	19
20-34	18	9.9	109	2	2	6	8	29	35	37
35-49	19	11.0	114	1	2	8	13	23	38	47
50-64	118	11.1	86	2	3	9	14	24	31	44
65+	510	13.0	120	2	4	10	16	27	35	67
B. *Operated*										
0-19 YRS	59	8.7	51	1	2	7	13	21	23	28
20-34	163	13.9	259	2	2	8	18	34	45	84
35-49	314	17.5	237	2	3	15	24	42	54	99+
50-64	1074	23.0	289	3	6	18	31	48	62	99+
65+	3409	24.2	308	5	8	19	32	51	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	8.5	65	1	1	6	12	18	21	43
B. *Operated*	1027	14.2	173	1	2	11	19	30	40	74
2. MULTIPLE DX										
A. *Not Operated*	673	12.4	113	2	3	10	16	26	33	59
B. *Operated*	5019	23.0	303	4	6	19	31	48	64	99+
1. SINGLE DX	1143	13.6	165	1	2	10	18	30	39	72
2. MULTIPLE DX	5692	21.8	292	3	5	17	29	46	62	99+
A. NOT OPERATED	789	11.8	108	2	3	9	15	25	32	57
B. OPERATED	6046	21.5	292	3	5	17	29	46	62	99+
TOTAL 0-19 YRS	141	6.7	46	<1	1	4	9	18	22	28
20-34	293	11.1	197	1	2	6	14	25	41	79
35-49	432	15.5	210	2	2	11	21	38	49	99+
50-64	1449	20.5	269	3	4	16	28	44	56	95
65+	4520	21.9	287	4	6	17	29	46	62	99+
GRAND TOTAL	**6835**	**20.4**	**280**	**3**	**4**	**16**	**27**	**44**	**59**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	371	2.8	3	1	1	2	4	5	6	9
20-34	2780	3.0	4	<1	1	2	4	5	7	10
35-49	7697	3.2	4	1	1	3	4	6	7	10
50-64	6376	3.5	6	1	1	3	4	6	8	12
65+	2630	3.9	10	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	18	1.9	1	<1	1	2	2	3	4	4
20-34	283	3.4	7	1	2	2	4	7	9	14
35-49	1712	3.1	6	1	2	2	3	6	8	12
50-64	2020	3.2	8	1	2	2	3	6	9	15
65+	407	3.6	11	1	2	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	454	3.6	6	1	1	3	5	7	8	13
20-34	4101	4.0	9	1	1	3	5	7	9	15
35-49	14065	4.[illegible]	9	1	2	4	5	8	10	15
50-64	18830	4.6	11	1	2	4	6	8	10	16
65+	13921	5.2	16	1	2	4	6	10	12	20
B. *Operated*										
0-19 YRS	26	5.5	18	1	2	5	7	13	15	18
20-34	497	5.3	19	1	2	4	7	11	14	22
35-49	2967	5.2	22	1	2	4	7	11	14	22
50-64	4676	5.3	23	2	2	3	7	11	15	23
65+	1755	7.4	53	2	2	5	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19854	3.3	6	1	1	3	4	6	7	11
B. *Operated*	4440	3.2	7	1	2	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	51371	4.6	12	1	2	4	6	8	11	17
B. *Operated*	9921	5.7	28	2	2	4	8	12	15	25
1. SINGLE DX	24294	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	61292	4.8	15	1	2	4	6	9	12	19
A. NOT OPERATED	71225	4.3	10	1	1	3	5	8	10	16
B. OPERATED	14361	4.9	23	1	2	3	6	10	14	23
TOTAL 0-19 YRS	869	3.3	5	1	1	3	4	6	7	12
20-34	7661	3.7	8	1	1	3	5	7	9	15
35-49	26441	4.0	9	1	1	3	5	8	9	15
50-64	31902	4.4	12	1	2	3	5	8	11	17
65+	18713	5.2	19	1	2	4	6	10	13	22
GRAND TOTAL	**85586**	**4.4**	**13**	**1**	**2**	**3**	**5**	**8**	**11**	**18**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1451	3.3	13	1	1	2	4	7	9	16
20-34	206	2.5	3	<1	<1	2	3	5	6	9
35-49	233	3.5	8	1	1	3	4	7	9	15
50-64	313	3.7	10	<1	1	3	5	7	10	17
65+	347	4.6	17	<1	1	4	6	9	12	22
B. *Operated*										
0-19 YRS	107	3.8	14	<1	1	2	5	8	12	19
20-34	157	3.8	10	1	1	3	5	7	12	15
35-49	266	3.9	15	<1	1	3	5	8	11	21
50-64	510	4.4	14	1	1	3	6	9	12	18
65+	428	5.1	29	1	1	3	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1410	4.7	30	1	1	3	6	10	13	25
20-34	572	5.0	32	<1	1	3	6	10	15	35
35-49	804	5.1	25	1	1	4	6	10	14	25
50-64	2041	6.5	37	1	2	5	8	13	16	29
65+	3515	7.6	36	2	2	6	10	15	19	30
B. *Operated*										
0-19 YRS	138	7.3	56	1	1	4	9	17	23	49
20-34	222	6.8	52	1	1	4	9	15	19	39
35-49	553	6.2	31	1	2	4	8	12	17	30
50-64	1278	7.4	71	1	2	5	9	14	21	51
65+	1507	9.0	87	2	2	7	11	18	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2550	3.5	12	1	1	3	4	7	9	16
B. *Operated*	1468	4.4	18	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	8342	6.4	35	1	2	5	8	13	17	29
B. *Operated*	3698	7.9	71	1	2	5	10	16	22	48
1. SINGLE DX	4018	3.8	15	1	1	3	5	8	11	18
2. MULTIPLE DX	12040	6.9	47	1	2	5	9	14	19	36
A. NOT OPERATED	10892	5.7	32	1	1	4	7	12	16	28
B. OPERATED	5166	6.9	58	1	2	5	9	14	20	44
TOTAL 0-19 YRS	3106	4.2	24	1	1	3	5	8	12	23
20-34	1157	4.7	30	<1	1	3	6	10	14	32
35-49	1856	5.1	24	1	1	4	6	10	14	25
50-64	4142	6.3	44	1	2	5	8	13	17	34
65+	5797	7.6	49	1	2	6	10	15	20	37
GRAND TOTAL	**16058**	**6.1**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**32**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	2.3	3	1	1	2	3	4	5	9
20-34	1234	2.3	2	1	1	2	3	4	5	7
35-49	1260	2.4	10	<1	1	2	3	4	6	8
50-64	921	2.5	4	<1	1	2	3	5	6	10
65+	559	3.6	12	1	1	3	4	6	9	16
B. *Operated*										
0-19 YRS	489	1.7	2	<1	<1	1	2	3	4	7
20-34	290	4.7	17	1	1	3	6	9	12	21
35-49	336	5.2	35	1	1	4	7	10	12	18
50-64	314	5.9	18	1	2	5	8	11	13	22
65+	398	6.2	21	1	2	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	3.1	18	<1	1	2	4	6	7	13
20-34	944	3.2	7	1	1	2	4	6	8	14
35-49	1096	3.4	8	1	1	3	4	6	8	15
50-64	1320	4.3	20	1	1	3	5	8	11	19
65+	2631	6.6	43	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	534	2.7	9	<1	1	2	3	6	8	16
20-34	459	6.1	32	1	2	5	8	12	15	24
35-49	602	6.8	25	2	2	6	8	12	18	26
50-64	1011	8.7	54	2	3	7	11	16	20	40
65+	2539	10.9	68	2	3	9	14	21	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4299	2.5	6	1	1	2	3	5	6	10
B. *Operated*	1827	4.5	20	<1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	6290	4.9	28	1	1	3	6	10	13	24
B. *Operated*	5145	8.7	58	1	2	7	11	17	22	38
1. SINGLE DX	6126	3.1	11	<1	1	2	4	6	9	14
2. MULTIPLE DX	11435	6.6	45	1	1	5	8	14	19	33
A. NOT OPERATED	10589	3.9	20	1	1	3	5	8	11	21
B. OPERATED	6972	7.6	51	1	1	6	10	16	20	34
TOTAL 0-19 YRS	1647	2.4	7	<1	1	2	3	5	6	13
20-34	2927	3.4	12	1	1	2	4	7	9	16
35-49	3294	3.8	17	1	1	3	5	8	10	19
50-64	3566	5.2	31	1	1	4	7	11	14	24
65+	6127	8.1	55	1	2	6	10	17	22	38
GRAND TOTAL	**17561**	**5.4**	**36**	**1**	**1**	**4**	**7**	**12**	**16**	**29**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9167	2.5	3	1	1	2	3	5	6	8
20-34	9172	3.0	5	1	1	2	4	6	7	11
35-49	4849	3.6	7	1	1	3	5	7	8	13
50-64	3138	3.7	7	1	1	3	5	7	9	13
65+	2387	4.3	11	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	1096	4.0	6	1	2	3	5	7	9	12
20-34	1702	4.5	11	1	1	4	6	8	11	18
35-49	757	5.2	18	1	1	4	7	10	13	21
50-64	413	5.8	21	1	2	5	8	11	14	21
65+	237	6.8	35	1	2	5	9	14	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5415	3.1	7	1	1	3	4	6	7	12
20-34	8461	3.9	11	1	1	3	5	7	9	15
35-49	6555	4.7	13	1	2	4	6	9	11	18
50-64	6988	5.2	15	1	2	4	7	10	12	19
65+	9529	6.1	22	2	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	766	5.0	13	1	2	4	6	9	11	19
20-34	2289	6.4	27	1	2	5	8	12	15	26
35-49	1535	8.3	41	2	2	7	10	16	20	32
50-64	1384	9.0	57	2	3	7	11	17	22	37
65+	1379	10.9	78	2	3	9	14	20	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28713	3.1	6	1	1	2	4	6	8	12
B. *Operated*	4205	4.7	14	1	1	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	36948	4.7	15	1	1	4	6	9	12	19
B. *Operated*	7353	8.0	47	2	2	6	10	15	20	36
1. SINGLE DX	32918	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX	44301	5.3	22	1	1	4	7	10	13	23
A. NOT OPERATED	65661	4.0	12	1	1	3	5	8	10	17
B. OPERATED	11558	6.8	38	1	2	5	9	13	18	31
TOTAL 0-19 YRS	16444	2.9	5	1	1	2	4	5	7	11
20-34	21624	3.8	11	1	1	3	5	7	10	16
35-49	13696	4.8	16	1	1	4	6	9	12	21
50-64	11923	5.3	21	1	2	4	7	10	13	22
65+	13532	6.3	29	1	2	5	8	12	16	26
GRAND TOTAL	**77219**	**4.4**	**17**	**1**	**1**	**3**	**6**	**9**	**11**	**20**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	878	2.8	5	1	1	2	3	5	7	12
20-34	490	3.5	9	<1	1	3	5	7	8	14
35-49	375	3.2	8	<1	1	2	4	6	8	17
50-64	358	3.9	9	<1	1	3	5	8	10	16
65+	557	4.7	17	1	1	3	6	10	13	23
B. *Operated*										
0-19 YRS	62	4.1	18	1	1	3	5	7	13	25
20-34	209	4.9	15	1	1	4	7	9	12	20
35-49	180	4.8	15	1	1	4	6	9	11	18
50-64	169	5.4	32	<1	1	3	7	12	17	31
65+	169	5.9	48	1	1	4	7	11	18	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1836	3.5	11	1	1	3	4	6	8	16
20-34	1280	4.1	12	1	1	3	5	8	10	18
35-49	1413	5.3	23	1	1	4	7	10	14	22
50-64	2160	6.5	36	1	2	5	8	13	17	29
65+	4620	7.2	41	2	2	5	9	14	19	33
B. *Operated*										
0-19 YRS	149	7.3	68	1	2	5	8	16	25	42
20-34	439	6.9	34	1	2	6	8	13	16	29
35-49	537	8.8	78	1	2	7	11	18	23	42
50-64	780	9.9	85	1	2	8	13	20	27	45
65+	1127	12.6	126	2	2	9	17	27	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2658	3.5	10	<1	1	3	4	7	9	16
B. *Operated*	789	5.1	26	1	1	4	7	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	11309	5.9	32	1	2	4	7	12	16	28
B. *Operated*	3032	10.1	95	1	2	7	13	21	29	48
1. SINGLE DX	3447	3.9	14	1	1	3	5	8	10	18
2. MULTIPLE DX	14341	6.8	48	1	2	5	8	14	19	36
A. NOT OPERATED	13967	5.4	29	1	1	4	7	11	15	27
B. OPERATED	3821	9.1	85	1	2	7	11	19	26	45
TOTAL 0-19 YRS	2925	3.5	13	1	1	3	4	7	9	18
20-34	2418	4.6	17	1	1	4	6	9	12	21
35-49	2505	5.7	35	1	1	4	7	12	16	28
50-64	3467	6.9	47	1	2	5	9	14	19	34
65+	6473	7.9	59	1	2	6	10	16	22	41
GRAND TOTAL	**17788**	**6.2**	**43**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5867	3.9	25	1	1	3	4	7	10	23
20-34	3914	4.3	29	<1	1	3	5	8	12	26
35-49	3365	4.9	37	1	1	3	6	9	15	30
50-64	3894	5.0	43	1	1	3	6	10	14	35
65+	4844	5.6	42	1	1	4	7	11	15	33
B. *Operated*										
0-19 YRS	495	3.7	20	<1	1	2	4	8	11	27
20-34	1064	3.4	17	<1	1	2	4	7	10	19
35-49	1056	4.3	35	1	1	2	4	9	13	29
50-64	1187	4.9	42	1	1	3	6	11	16	34
65+	793	6.3	73	1	1	3	7	14	22	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6121	5.0	28	1	1	4	6	10	14	27
20-34	5291	4.6	20	1	1	4	5	8	11	23
35-49	6631	5.0	18	1	2	4	6	9	12	22
50-64	13179	6.1	33	1	2	5	8	12	16	30
65+	30163	7.4	45	2	2	6	9	14	19	34
B. *Operated*										
0-19 YRS	493	8.7	146	1	1	4	10	23	36	76
20-34	1176	5.8	47	1	1	3	7	13	18	38
35-49	1483	7.0	70	1	1	5	9	14	19	46
50-64	2913	8.9	100	1	2	6	11	20	28	62
65+	4680	12.7	160	2	3	9	16	27	39	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21884	4.7	35	1	1	3	5	9	13	29
B. *Operated*	4595	4.5	39	<1	1	2	5	10	14	31
2. MULTIPLE DX										
A. *Not Operated*	61385	6.4	37	1	2	5	8	12	17	31
B. *Operated*	10745	9.9	125	1	2	7	12	22	32	69
1. SINGLE DX	26479	4.7	35	1	1	3	5	9	13	30
2. MULTIPLE DX	72130	6.9	52	1	2	5	8	14	19	38
A. NOT OPERATED	83269	5.9	37	1	1	4	7	12	16	30
B. OPERATED	15340	8.3	105	1	1	5	10	19	28	60
TOTAL 0-19 YRS	12976	4.6	32	1	1	3	5	9	13	28
20-34	11445	4.5	26	1	1	3	5	8	12	26
35-49	12535	5.2	31	1	1	4	6	10	14	28
50-64	21173	6.3	46	1	2	4	8	13	17	36
65+	40480	7.8	62	1	2	6	9	15	21	42
GRAND TOTAL	**98609**	**6.3**	**48**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	891	2.3	4	1	1	2	3	4	6	10
20-34	93	3.6	7	1	1	3	5	7	10	12
35-49	29	4.1	9	1	1	4	5	8	12	13
50-64	29	5.1	18	2	2	5	6	8	13	24
65+	20	5.1	33	<1	1	3	6	11	19	25
B. *Operated*										
0-19 YRS	168	6.0	27	1	2	5	8	10	14	48
20-34	56	8.3	156	1	2	7	9	12	14	91
35-49	20	10.6	35	2	3	9	15	20	21	22
50-64	6	6.8	29	2	2	8	14	83	99+	99+
65+	3	7.7	9	5	5	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1807	3.3	21	1	1	2	4	7	9	19
20-34	414	5.5	36	1	1	4	7	10	15	27
35-49	183	7.3	62	1	1	5	9	16	24	41
50-64	135	7.6	42	1	2	5	10	17	22	31
65+	150	11.3	107	1	2	8	16	25	31	46
B. *Operated*										
0-19 YRS	546	10.9	196	1	2	6	11	30	45	99+
20-34	434	14.5	250	2	2	9	18	36	61	99+
35-49	192	14.3	273	1	2	9	16	39	61	99+
50-64	111	20.0	384	2	4	14	28	64	89	99+
65+	74	25.7	438	3	4	21	41	60	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1062	2.6	6	1	1	2	3	5	7	12
B. *Operated*	253	6.9	57	1	2	6	8	12	16	94
2. MULTIPLE DX										
A. *Not Operated*	2689	4.6	37	1	1	3	5	10	15	29
B. *Operated*	1357	14.1	266	1	2	8	17	39	60	99+
1. SINGLE DX	1315	3.4	19	1	1	2	4	7	9	19
2. MULTIPLE DX	4046	7.8	134	1	1	4	9	19	32	82
A. NOT OPERATED	3751	4.0	29	1	1	2	5	8	13	26
B. OPERATED	1610	12.9	240	1	2	8	15	35	57	99+
TOTAL 0-19 YRS	3412	4.4	54	1	1	2	5	9	13	44
20-34	997	9.4	154	1	1	6	10	22	35	96
35-49	424	10.4	166	1	2	7	12	23	39	98
50-64	281	12.2	213	2	2	7	15	30	61	99+
65+	247	15.1	248	1	2	10	21	39	53	99+
GRAND TOTAL	**5361**	**6.7**	**109**	**1**	**1**	**3**	**7**	**15**	**26**	**73**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	361	2.8	7	1	1	2	3	6	8	14
20-34	115	4.6	22	1	1	3	6	9	14	26
35-49	53	5.4	23	1	1	3	8	11	15	24
50-64	32	5.3	21	1	1	4	8	11	13	21
65+	31	10.0	105	1	2	7	11	26	35	42
B. *Operated*										
0-19 YRS	57	5.4	13	1	1	5	7	11	12	17
20-34	41	6.5	41	<1	1	4	10	14	16	33
35-49	20	8.0	27	1	2	7	12	16	17	17
50-64	4	13.8	436	2	2	4	25	45	45	45
65+	3	12.0	91	2	2	13	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	949	4.2	18	1	1	3	5	9	12	22
20-34	593	5.6	29	1	1	4	7	11	14	26
35-49	219	6.9	71	1	2	5	8	14	17	33
50-64	192	9.0	85	1	2	6	13	19	29	50
65+	216	11.9	119	2	2	8	17	26	35	81
B. *Operated*										
0-19 YRS	307	13.5	297	1	2	7	15	43	67	99+
20-34	409	14.5	264	1	2	9	18	36	56	98
35-49	162	14.0	282	1	2	9	17	35	64	99+
50-64	103	19.4	370	2	3	12	31	61	80	99+
65+	96	22.9	411	3	4	17	30	48	75	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	3.9	20	1	1	2	5	8	12	23
B. *Operated*	125	6.6	39	1	1	5	10	13	16	36
2. MULTIPLE DX										
A. *Not Operated*	2169	6.1	48	1	1	4	7	13	19	36
B. *Operated*	1077	15.4	306	1	2	10	20	41	64	99+
1. SINGLE DX	717	4.4	24	1	1	3	5	10	13	24
2. MULTIPLE DX	3246	9.1	153	1	1	5	11	22	35	91
A. NOT OPERATED	2761	5.6	43	1	1	4	7	12	18	34
B. OPERATED	1202	14.4	286	1	2	9	18	39	61	99+
TOTAL 0-19 YRS	1674	5.7	81	1	1	3	6	11	19	64
20-34	1158	8.7	130	1	1	5	10	19	29	68
35-49	454	9.3	151	1	2	6	11	18	30	98
50-64	331	11.9	196	1	2	7	15	32	49	99+
65+	346	14.8	223	2	3	10	21	33	42	91
GRAND TOTAL	**3963**	**8.3**	**133**	**1**	**1**	**5**	**10**	**19**	**31**	**78**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.8	1	<1	<1	1	2	3	4	6
20-34	196	2.2	3	<1	<1	1	3	4	6	9
35-49	75	2.3	2	<1	<1	2	3	4	6	7
50-64	19	3.2	13	<1	<1	2	3	9	12	14
65+	35	3.4	8	<1	1	3	5	9	9	12
B. *Operated*										
0-19 YRS	2397	2.1	3	<1	<1	2	3	4	5	8
20-34	2912	2.7	6	<1	1	2	3	5	6	10
35-49	773	3.1	5	1	1	2	4	6	7	11
50-64	270	3.3	9	<1	1	2	4	7	9	16
65+	126	5.2	13	1	1	3	6	13	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	2.2	3	<1	<1	2	3	4	5	8
20-34	872	2.7	6	<1	<1	2	3	6	7	13
35-49	370	3.4	11	<1	1	2	4	7	10	16
50-64	295	4.5	16	1	1	3	6	9	13	21
65+	569	6.8	47	1	2	5	9	14	21	38
B. *Operated*										
0-19 YRS	3804	3.5	16	1	1	2	4	7	9	18
20-34	6506	4.4	30	1	1	3	5	8	12	27
35-49	2200	5.3	41	1	1	4	6	10	15	33
50-64	964	6.8	75	1	1	4	8	13	19	51
65+	724	9.1	97	1	2	6	11	18	24	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	6478	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	2594	3.8	19	<1	1	2	5	8	11	22
B. *Operated*	14198	4.7	36	1	1	3	5	9	13	29
1. SINGLE DX	6911	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX	16792	4.6	34	1	1	3	5	9	13	28
A. NOT OPERATED	3027	3.6	17	<1	<1	2	4	8	11	22
B. OPERATED	20676	4.1	28	<1	1	3	5	8	11	24
TOTAL 0-19 YRS	6797	2.9	11	<1	1	2	3	5	8	15
20-34	10486	3.8	22	1	1	3	4	7	10	21
35-49	3418	4.5	30	1	1	3	5	9	12	28
50-64	1548	5.7	53	1	1	4	7	12	17	40
65+	1454	7.7	72	1	2	5	10	16	22	44
GRAND TOTAL	**23703**	**4.0**	**26**	**<1**	**1**	**3**	**4**	**8**	**11**	**24**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	507	5.0	17	1	1	4	6	10	13	18
20-34	959	6.0	31	1	2	5	7	11	14	29
35-49	565	6.8	39	1	2	5	8	13	16	28
50-64	643	8.0	28	2	3	7	10	14	18	24
65+	1307	10.4	65	3	3	9	13	19	23	36
B. *Operated*										
0-19 YRS	69	12.9	151	2	3	10	16	25	45	62
20-34	134	12.2	90	3	4	10	15	22	34	50
35-49	70	12.8	116	2	3	10	14	27	38	53
50-64	47	11.7	125	2	2	8	14	28	38	59
65+	47	16.1	109	1	3	16	21	32	38	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1037	5.9	38	1	1	4	7	11	15	36
20-34	2244	6.3	30	1	2	5	8	12	15	27
35-49	1369	7.4	39	1	2	6	9	14	18	31
50-64	2326	9.6	58	2	3	8	12	18	23	35
65+	8821	12.2	74	3	4	10	15	22	28	47
B. *Operated*										
0-19 YRS	307	15.8	194	3	4	12	21	34	45	99+
20-34	872	16.7	245	3	4	12	21	40	54	99+
35-49	441	15.5	165	3	4	12	20	32	47	67
50-64	414	17.6	189	3	5	14	23	34	46	74
65+	837	21.1	225	6	7	17	27	41	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3981	7.8	45	1	2	6	10	15	19	31
B. *Operated*	367	12.9	114	2	3	10	16	26	38	52
2. MULTIPLE DX										
A. *Not Operated*	15797	10.2	66	2	3	8	13	20	25	42
B. *Operated*	2871	17.8	218	3	5	14	23	37	51	95
1. SINGLE DX	4348	8.2	53	2	2	6	10	16	20	37
2. MULTIPLE DX	18668	11.3	97	2	3	9	14	22	30	56
A. NOT OPERATED	19778	9.7	63	2	3	8	13	19	24	41
B. OPERATED	3238	17.2	208	3	4	13	22	36	49	91
TOTAL 0-19 YRS	1920	7.5	77	1	2	5	9	16	23	50
20-34	4209	8.6	95	1	2	6	10	18	26	56
35-49	2445	8.9	74	2	2	6	11	17	25	50
50-64	3430	10.3	77	2	3	8	13	20	25	45
65+	11012	12.7	91	3	4	10	16	23	30	54
GRAND TOTAL	**23016**	**10.7**	**90**	**2**	**3**	**8**	**14**	**21**	**28**	**52**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	12.2	251	1	2	5	11	40	52	54
20-34	38	10.9	246	1	1	7	10	18	56	73
35-49	13	8.8	43	<1	2	8	13	20	21	21
50-64	10	11.5	74	<1	2	9	13	26	27	27
65+	22	9.3	24	1	2	9	13	16	18	20
B. *Operated*										
0-19 YRS	16	18.3	271	2	4	13	20	46	58	63
20-34	36	24.4	420	4	4	18	31	59	67	85
35-49	13	22.2	508	3	5	19	24	41	82	92
50-64	7	13.9	46	6	6	15	20	22	22	22
65+	5	30.4	191	15	15	26	38	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	10.9	207	<1	1	5	13	35	57	99+
20-34	100	11.5	182	1	2	7	13	29	51	99+
35-49	53	9.2	161	1	1	6	10	21	33	77
50-64	60	13.6	270	2	3	8	14	30	57	82
65+	186	14.2	185	2	4	11	17	28	43	90
B. *Operated*										
0-19 YRS	67	37.3	565	9	11	40	73	99+	99+	99+
20-34	213	32.2	520	6	10	27	49	84	99+	99+
35-49	65	29.7	485	3	9	26	54	99+	99+	99+
50-64	44	39.6	825	7	10	40	72	99	99+	99+
65+	46	26.4	430	9	11	22	43	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	10.5	145	1	1	8	12	20	32	71
B. *Operated*	77	22.2	357	4	5	16	27	52	64	90
2. MULTIPLE DX										
A. *Not Operated*	436	12.6	196	1	2	8	15	29	47	92
B. *Operated*	435	32.7	551	7	10	28	58	99+	99+	99+
1. SINGLE DX	172	15.7	273	1	3	10	20	34	54	82
2. MULTIPLE DX	871	22.7	475	2	4	16	35	74	99+	99+
A. NOT OPERATED	531	12.2	187	1	2	8	14	27	44	88
B. OPERATED	512	31.2	536	5	9	26	52	94	99+	99+
TOTAL 0-19 YRS	132	25.3	547	1	3	20	51	99	99+	99+
20-34	387	24.1	488	2	4	18	38	71	91	99+
35-49	144	19.6	419	1	2	13	28	69	99	99+
50-64	121	22.9	597	3	4	13	36	73	96	99+
65+	259	16.2	242	3	4	12	20	40	78	99+
GRAND TOTAL	**1043**	**21.5**	**448**	**2**	**3**	**15**	**32**	**69**	**99**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.8	7	1	1	2	3	6	8	15
20-34	226	2.8	5	<1	1	2	3	5	7	10
35-49	269	3.3	7	1	1	3	4	6	8	13
50-64	320	4.3	9	1	1	3	5	8	10	15
65+	428	5.9	23	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	13	5.9	20	1	1	6	7	14	15	15
20-34	18	6.9	23	2	2	5	9	14	17	19
35-49	15	4.2	5	<1	1	4	6	6	8	9
50-64	9	7.8	29	2	2	7	11	16	19	19
65+	3	9.0	12	7	7	7	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	346	3.9	19	1	1	3	5	7	9	24
20-34	1373	4.4	13	1	1	3	5	9	11	19
35-49	1705	5.4	19	1	1	4	7	10	12	23
50-64	2601	6.7	31	1	2	5	8	13	17	26
65+	5272	9.1	59	2	3	7	11	17	23	39
B. *Operated*										
0-19 YRS	132	8.6	60	1	2	7	11	17	21	44
20-34	533	9.5	90	2	2	7	11	18	26	55
35-49	493	10.2	82	2	3	7	13	22	26	47
50-64	550	11.8	90	2	3	9	15	23	30	49
65+	742	18.0	187	4	5	14	23	36	49	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1302	4.3	14	1	1	3	5	8	11	18
B. *Operated*	58	6.2	19	1	2	5	8	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	11297	7.3	43	1	2	6	9	14	19	32
B. *Operated*	2450	12.7	129	2	3	9	16	26	35	61
1. SINGLE DX	1360	4.4	14	1	1	3	6	8	11	19
2. MULTIPLE DX	13747	8.2	63	1	2	6	10	17	23	42
A. NOT OPERATED	12599	6.9	41	1	2	5	9	14	18	31
B. OPERATED	2508	12.5	128	2	3	9	16	26	35	61
TOTAL 0-19 YRS	550	5.0	32	1	1	3	6	10	15	28
20-34	2150	5.5	37	1	1	4	7	11	16	29
35-49	2482	6.1	34	1	2	5	7	12	16	30
50-64	3480	7.3	42	1	2	6	9	14	19	33
65+	6445	9.9	81	2	3	8	12	20	27	51
GRAND TOTAL	**15107**	**7.9**	**60**	**1**	**2**	**6**	**10**	**16**	**22**	**41**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	6.7	35	1	2	5	8	13	18	33
20-34	213	8.3	50	2	2	6	10	16	21	38
35-49	126	9.9	78	2	3	7	12	20	31	44
50-64	244	10.3	72	2	2	8	13	19	25	45
65+	926	12.6	83	3	4	11	16	22	31	46
B. *Operated*										
0-19 YRS	18	19.4	459	2	3	13	22	47	74	88
20-34	18	35.1	611	6	11	35	48	67	88	98
35-49	11	22.7	405	2	4	15	32	52	70	72
50-64	7	15.4	126	3	4	10	20	34	37	37
65+	18	18.8	53	10	12	16	26	29	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	678	8.3	71	2	2	6	10	17	22	42
20-34	853	11.7	116	2	3	9	14	25	38	53
35-49	470	13.2	159	3	4	9	16	25	40	66
50-64	912	13.0	107	3	4	10	16	25	31	52
65+	5390	15.5	122	4	5	13	20	28	36	67
B. *Operated*										
0-19 YRS	291	21.2	313	3	5	14	30	47	57	78
20-34	502	25.8	368	4	5	21	39	56	68	99+
35-49	244	27.4	369	6	8	21	43	58	66	99+
50-64	241	31.3	426	7	9	28	44	65	79	99+
65+	633	27.3	297	7	10	24	37	55	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1730	10.8	75	2	3	9	14	20	27	43
B. *Operated*	72	23.3	387	3	5	16	31	48	70	96
2. MULTIPLE DX										
A. *Not Operated*	8303	14.1	122	3	4	11	18	27	36	61
B. *Operated*	1911	26.5	350	5	7	22	38	56	68	99+
1. SINGLE DX	1802	11.3	94	2	3	9	14	21	30	49
2. MULTIPLE DX	10214	16.4	188	3	4	13	21	34	47	79
A. NOT OPERATED	10033	13.6	116	3	4	11	17	26	34	59
B. OPERATED	1983	26.4	352	5	7	22	38	56	69	99+
TOTAL 0-19 YRS	1208	11.3	161	2	2	7	13	27	39	66
20-34	1586	16.0	244	2	3	10	20	40	51	80
35-49	851	16.9	256	3	4	11	21	44	55	85
50-64	1404	15.7	207	3	4	11	19	33	47	80
65+	6967	16.2	146	4	5	13	21	31	41	74
GRAND TOTAL	**12016**	**15.7**	**177**	**3**	**4**	**12**	**20**	**33**	**45**	**76**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	455	3.4	23	<1	1	2	3	7	15	24
20-34	121	3.0	9	1	1	2	4	5	8	18
35-49	98	4.2	18	1	1	3	5	8	13	24
50-64	226	4.2	21	1	1	3	5	8	10	24
65+	844	6.4	42	1	1	5	8	13	17	35
B. *Operated*										
0-19 YRS	2245	4.3	27	1	1	2	4	12	17	23
20-34	357	4.7	23	1	1	3	5	8	14	26
35-49	297	6.0	81	1	1	4	6	10	15	59
50-64	449	5.5	23	1	1	4	6	10	15	27
65+	765	7.4	43	1	2	6	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	543	4.3	32	1	1	2	4	11	19	26
20-34	269	5.3	47	<1	1	3	6	11	17	41
35-49	297	5.8	51	<1	1	4	7	11	17	45
50-64	794	7.4	59	1	1	5	9	16	21	42
65+	3851	9.9	90	2	2	7	13	21	28	52
B. *Operated*										
0-19 YRS	2671	5.0	37	1	1	3	5	13	18	28
20-34	887	9.2	123	1	2	5	10	21	34	57
35-49	624	8.9	114	1	2	6	10	19	25	57
50-64	1215	10.1	121	2	2	7	12	22	32	62
65+	2817	13.5	168	2	3	10	17	30	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1744	5.0	33	1	1	3	6	11	16	29
B. *Operated*	4113	5.1	34	1	1	3	6	12	17	26
2. MULTIPLE DX										
A. *Not Operated*	5754	8.6	80	1	2	6	11	19	26	49
B. *Operated*	8214	9.4	121	1	1	6	12	22	31	61
1. SINGLE DX	5857	5.1	34	1	1	3	6	12	17	27
2. MULTIPLE DX	13968	9.1	105	1	1	6	12	21	29	55
A. NOT OPERATED	7498	7.7	71	1	1	5	10	17	24	45
B. OPERATED	12327	8.0	96	1	1	5	10	19	27	52
TOTAL 0-19 YRS	5914	4.5	32	1	1	2	5	12	17	25
20-34	1634	7.1	85	1	1	4	7	16	26	47
35-49	1316	7.2	88	1	1	4	8	15	22	53
50-64	2684	8.0	82	1	2	5	9	17	25	48
65+	8277	10.5	113	1	2	7	13	23	32	63
GRAND TOTAL	**19825**	**7.9**	**87**	**1**	**1**	**5**	**10**	**18**	**25**	**49**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	1.7	1	<1	1	1	2	3	4	7
20-34	75	2.2	3	<1	1	1	3	4	5	10
35-49	69	2.7	5	1	1	2	4	5	6	15
50-64	105	3.8	29	<1	1	3	4	7	8	36
65+	165	4.4	19	1	1	3	6	9	13	24
B. *Operated*										
0-19 YRS	4500	1.8	2	<1	1	1	2	3	5	8
20-34	1395	3.3	7	1	1	3	4	6	8	14
35-49	1060	3.1	6	1	1	3	4	6	7	13
50-64	1516	3.0	6	1	1	2	4	5	7	12
65+	1619	3.9	14	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	394	2.5	14	<1	1	2	3	5	6	19
20-34	370	3.7	21	<1	<1	2	5	7	9	21
35-49	218	3.7	13	<1	<1	3	5	7	11	17
50-64	402	5.2	29	<1	1	4	7	11	15	26
65+	1057	8.1	82	1	1	5	10	17	24	53
B. *Operated*										
0-19 YRS	4758	2.8	21	1	1	2	3	5	8	24
20-34	2561	5.5	50	1	1	4	6	10	16	44
35-49	1732	5.5	59	1	1	3	6	11	17	39
50-64	2686	4.9	41	1	1	3	5	10	15	29
65+	3849	7.2	72	1	1	4	9	16	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	675	2.8	12	<1	1	2	3	6	8	18
B. *Operated*	10090	2.7	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	2441	5.7	52	<1	1	3	7	13	17	38
B. *Operated*	15586	5.0	49	1	1	3	5	11	16	38
1. SINGLE DX	10765	2.7	7	1	1	2	3	5	7	13
2. MULTIPLE DX	18027	5.1	49	1	1	3	6	11	16	38
A. NOT OPERATED	3116	5.1	45	<1	1	3	6	12	16	35
B. OPERATED	25676	4.1	33	1	1	2	4	8	13	29
TOTAL 0-19 YRS	9913	2.3	12	<1	1	1	2	4	6	14
20-34	4401	4.6	34	1	1	3	5	9	12	31
35-49	3079	4.5	38	1	1	3	5	8	13	29
50-64	4709	4.3	29	1	1	3	5	8	12	25
65+	6690	6.5	61	1	1	4	8	14	20	42
GRAND TOTAL	**28792**	**4.2**	**35**	**1**	**1**	**2**	**5**	**9**	**13**	**30**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.5	4	<1	<1	2	3	6	7	9
20-34	81	2.8	6	<1	<1	2	3	5	8	13
35-49	35	3.8	9	<1	<1	3	5	8	10	12
50-64	41	2.9	4	<1	1	2	4	5	7	10
65+	49	4.0	10	<1	1	4	5	8	10	17
B. *Operated*										
0-19 YRS	1524	1.8	1	<1	<1	2	2	3	4	6
20-34	1872	2.1	4	<1	<1	2	3	4	5	9
35-49	700	2.3	4	<1	<1	2	3	4	6	10
50-64	416	2.4	3	<1	1	2	3	4	5	9
65+	267	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	2.8	21	<1	<1	2	3	5	7	29
20-34	412	2.3	5	<1	<1	1	3	5	7	12
35-49	163	3.4	18	<1	<1	2	4	7	11	22
50-64	152	4.9	41	<1	<1	3	6	10	14	35
65+	380	8.7	84	<1	1	6	11	20	25	45
B. *Operated*										
0-19 YRS	1662	2.4	7	<1	1	2	3	4	6	13
20-34	2709	3.0	15	<1	1	2	3	6	8	17
35-49	1247	3.5	22	<1	1	2	4	6	11	26
50-64	950	4.2	36	1	1	2	4	8	14	33
65+	691	6.1	58	1	1	3	7	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	3.1	6	<1	<1	2	4	6	9	12
B. *Operated*	4779	2.1	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1329	4.6	43	<1	<1	2	5	11	17	33
B. *Operated*	7259	3.4	22	<1	1	2	4	7	10	24
1. SINGLE DX	5058	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	8588	3.6	26	<1	1	2	4	7	11	26
A. NOT OPERATED	1608	4.4	37	<1	<1	2	5	9	14	31
B. OPERATED	12038	2.9	15	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	3481	2.2	5	<1	<1	2	2	4	5	10
20-34	5074	2.6	10	<1	<1	2	3	5	7	14
35-49	2145	3.1	16	<1	1	2	3	5	8	22
50-64	1559	3.8	28	<1	1	2	4	7	11	29
65+	1387	6.1	58	1	1	4	7	14	20	38
GRAND TOTAL	**13646**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	16.2	204	1	1	15	26	39	43	82
20-34	24	8.9	135	1	1	5	11	16	35	55
35-49	31	8.6	96	1	1	5	10	18	33	46
50-64	112	11.6	122	1	2	8	16	26	33	57
65+	558	11.9	131	1	2	9	16	25	33	63
B. *Operated*										
0-19 YRS	239	11.2	93	2	3	8	13	26	31	50
20-34	161	11.3	77	3	4	9	13	20	26	57
35-49	250	12.6	65	5	6	11	15	20	27	57
50-64	1308	14.3	66	6	7	13	17	22	26	47
65+	8303	18.3	97	8	10	16	21	28	36	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	15.9	213	1	2	10	25	38	43	59
20-34	68	15.3	420	1	2	7	16	52	68	98
35-49	102	15.1	390	1	1	7	16	48	65	85
50-64	371	13.5	208	1	2	10	16	28	46	94
65+	2820	15.8	198	2	3	12	20	35	49	99+
B. *Operated*										
0-19 YRS	459	18.5	207	4	5	14	25	36	48	76
20-34	613	19.7	267	5	6	14	24	44	60	98
35-49	867	17.9	184	6	7	14	22	37	51	99+
50-64	4007	17.9	126	7	8	15	21	31	41	76
65+	35562	21.1	160	9	10	18	25	37	49	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	825	12.2	140	1	2	9	17	27	35	63
B. *Operated*	10261	17.4	96	7	9	15	20	28	35	61
2. MULTIPLE DX										
A. *Not Operated*	3530	15.5	209	1	3	12	20	35	49	99+
B. *Operated*	41508	20.7	160	8	10	17	25	37	49	96
1. SINGLE DX	11086	17.0	101	6	8	15	20	28	35	61
2. MULTIPLE DX	45038	20.3	166	7	9	17	24	36	49	97
A. NOT OPERATED	4355	14.9	198	1	3	11	19	33	47	95
B. OPERATED	51769	20.0	149	8	9	17	24	35	46	90
TOTAL 0-19 YRS	967	16.0	188	2	3	12	23	34	43	62
20-34	866	17.5	252	3	5	13	21	41	57	93
35-49	1250	16.4	181	4	6	13	20	34	49	97
50-64	5798	16.7	121	6	7	14	20	29	39	72
65+	47243	20.2	154	7	9	17	24	35	47	93
GRAND TOTAL	**56124**	**19.6**	**155**	**7**	**9**	**17**	**23**	**35**	**46**	**90**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	871	18.8	184	1	2	19	27	35	43	62
20-34	89	19.0	393	1	1	10	39	52	62	99+
35-49	32	15.8	316	<1	1	9	21	43	53	66
50-64	66	17.8	377	1	2	9	26	49	58	98
65+	234	19.4	399	2	2	12	26	55	68	99+
B. *Operated*										
0-19 YRS	996	16.8	224	1	2	13	25	36	46	66
20-34	367	15.3	170	2	3	12	18	32	44	66
35-49	115	14.6	165	1	2	11	21	29	45	77
50-64	163	18.9	259	3	5	14	22	44	54	81
65+	525	21.4	220	6	9	17	25	43	58	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1254	19.5	189	1	2	19	27	38	45	60
20-34	205	19.5	404	1	2	11	32	49	62	87
35-49	118	18.2	318	2	2	10	32	47	58	99+
50-64	248	24.1	478	2	3	17	41	58	67	89
65+	1005	22.0	418	3	4	15	31	58	78	99+
B. *Operated*										
0-19 YRS	2174	20.3	281	2	3	17	28	43	55	87
20-34	1684	22.4	350	3	5	17	29	52	69	99+
35-49	542	23.1	376	2	4	18	31	56	71	99+
50-64	717	25.5	373	5	8	21	35	61	89	99+
65+	2411	26.0	313	8	10	21	33	55	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1292	18.8	250	1	2	17	27	40	53	81
B. *Operated*	2166	17.7	218	2	3	14	23	37	49	77
2. MULTIPLE DX										
A. *Not Operated*	2830	20.7	319	2	3	17	29	48	61	99+
B. *Operated*	7528	23.3	328	3	5	19	31	51	69	99+
1. SINGLE DX	3458	18.1	230	2	2	15	25	39	51	78
2. MULTIPLE DX	10358	22.6	327	2	4	18	31	50	67	99+
A. NOT OPERATED	4122	20.1	298	1	2	17	28	45	58	98
B. OPERATED	9694	22.0	309	3	4	18	29	48	65	99+
TOTAL 0-19 YRS	5295	19.2	234	1	2	17	27	39	49	74
20-34	2345	20.9	335	2	4	15	28	49	64	99+
35-49	807	20.9	345	2	3	15	29	51	65	99+
50-64	1194	23.9	386	3	6	18	34	58	77	99+
65+	4175	24.1	337	4	7	19	32	55	75	99+
GRAND TOTAL	**13816**	**21.5**	**306**	**2**	**4**	**18**	**29**	**47**	**63**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	765	2.9	8	1	1	2	4	5	7	12
20-34	380	4.1	28	1	1	3	5	8	10	20
35-49	291	5.1	38	1	1	3	6	10	16	33
50-64	267	6.9	50	1	2	5	8	13	15	43
65+	353	9.1	78	2	2	7	12	17	28	55
B. *Operated*										
0-19 YRS	1900	4.5	26	1	1	3	5	9	11	27
20-34	1439	6.6	45	1	2	5	8	12	16	35
35-49	915	7.0	32	1	2	5	9	13	17	28
50-64	682	9.5	91	2	3	7	11	17	26	56
65+	444	13.3	131	2	4	11	17	25	34	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	958	3.4	17	1	1	2	4	7	9	16
20-34	764	4.7	22	1	1	3	6	9	12	25
35-49	544	6.1	43	1	1	4	7	12	15	34
50-64	741	8.4	72	1	2	6	10	18	24	44
65+	1376	12.1	110	2	3	9	15	24	33	54
B. *Operated*										
0-19 YRS	2822	7.1	85	1	1	4	8	15	23	51
20-34	3219	11.2	166	2	2	7	13	26	38	85
35-49	1877	11.2	143	2	3	7	13	24	35	73
50-64	1753	13.3	174	2	3	9	16	27	41	77
65+	1473	17.5	222	3	5	13	22	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2056	5.0	38	1	1	3	6	10	14	36
B. *Operated*	5380	6.8	56	1	2	5	8	14	18	42
2. MULTIPLE DX										
A. *Not Operated*	4383	7.5	72	1	1	5	9	16	23	44
B. *Operated*	11144	11.3	161	1	2	7	14	26	38	79
1. SINGLE DX	7436	6.3	52	1	1	4	8	13	17	40
2. MULTIPLE DX	15527	10.3	138	1	2	7	12	23	33	72
A. NOT OPERATED	6439	6.7	62	1	1	4	8	14	20	43
B. OPERATED	16524	9.9	131	1	2	6	12	22	32	71
TOTAL 0-19 YRS	6445	5.3	51	1	1	3	6	11	16	40
20-34	5802	8.7	116	1	2	5	10	18	29	63
35-49	3627	8.9	98	1	2	6	10	18	27	58
50-64	3443	11.0	132	2	3	8	13	22	32	70
65+	3646	14.2	164	2	4	11	17	30	42	82
GRAND TOTAL	**22963**	**9.0**	**114**	**1**	**2**	**6**	**11**	**20**	**29**	**61**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	367	2.7	7	<1	1	2	3	5	7	10
20-34	425	3.5	7	<1	1	3	4	7	10	13
35-49	323	4.1	12	1	1	3	5	8	11	19
50-64	398	4.5	11	1	1	4	6	9	11	17
65+	468	6.3	35	1	2	5	8	12	15	33
B. *Operated*										
0-19 YRS	2120	3.8	8	1	1	3	5	7	9	14
20-34	3143	4.7	11	1	2	4	6	8	10	18
35-49	2325	5.5	18	1	2	5	7	10	12	20
50-64	2216	6.4	19	2	3	5	8	11	14	21
65+	1389	8.4	34	2	3	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	600	3.1	9	<1	1	2	4	6	8	15
20-34	1121	4.1	17	<1	<1	3	5	8	11	21
35-49	799	4.9	33	<1	<1	3	6	10	13	28
50-64	1119	6.3	38	1	1	5	8	13	17	29
65+	2092	9.0	72	2	2	7	11	18	25	45
B. *Operated*										
0-19 YRS	3073	5.2	38	1	1	4	6	9	14	35
20-34	5861	6.3	42	1	2	5	7	11	16	34
35-49	4005	7.0	48	2	2	5	8	12	17	40
50-64	4539	8.5	70	2	3	6	10	15	21	49
65+	3736	12.2	112	3	4	9	15	23	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1981	4.3	17	1	1	3	5	9	11	20
B. *Operated*	11193	5.5	18	1	2	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	5731	6.3	47	<1	1	4	8	14	18	36
B. *Operated*	21214	7.8	66	2	2	6	9	15	21	46
1. SINGLE DX	13174	5.3	18	1	2	4	7	10	13	21
2. MULTIPLE DX	26945	7.5	62	1	2	5	9	14	20	44
A. NOT OPERATED	7712	5.8	40	<1	1	4	7	12	17	31
B. OPERATED	32407	7.0	51	1	2	5	8	13	18	39
TOTAL 0-19 YRS	6160	4.4	24	1	1	3	5	8	11	27
20-34	10550	5.4	30	1	2	4	6	10	13	28
35-49	7452	6.2	36	1	2	5	7	11	14	32
50-64	8272	7.4	50	2	2	6	9	13	18	38
65+	7685	10.3	86	2	3	8	13	20	27	53
GRAND TOTAL	**40119**	**6.8**	**49**	**1**	**2**	**5**	**8**	**13**	**18**	**38**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.1	2	1	1	1	3	4	5	8
20-34	65	2.8	5	<1	<1	2	4	6	7	12
35-49	29	2.4	2	<1	<1	2	3	4	5	7
50-64	31	3.5	12	1	1	2	5	7	9	18
65+	58	5.4	21	<1	1	4	7	12	14	23
B. *Operated*										
0-19 YRS	118	2.8	4	1	1	2	3	5	7	12
20-34	125	3.7	18	1	1	3	5	6	8	29
35-49	40	3.8	17	<1	1	3	4	5	12	25
50-64	21	4.4	12	2	2	4	4	8	14	16
65+	9	5.1	24	1	1	5	6	13	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	447	2.9	14	1	1	2	3	6	8	15
20-34	628	4.0	18	1	1	3	5	8	10	20
35-49	379	4.9	20	1	1	4	6	10	13	19
50-64	364	6.2	26	1	2	5	8	12	15	29
65+	788	9.7	73	2	2	7	13	20	25	45
B. *Operated*										
0-19 YRS	304	4.8	34	1	1	3	5	10	15	32
20-34	381	6.1	65	1	1	4	6	13	20	45
35-49	175	8.7	106	1	2	5	12	19	21	64
50-64	114	8.4	115	1	2	5	10	20	25	57
65+	169	13.5	121	1	3	10	20	28	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.1	9	<1	1	2	4	6	9	16
B. *Operated*	313	3.5	13	1	1	3	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*	2606	6.0	42	1	1	4	8	13	18	33
B. *Operated*	1143	7.4	84	1	1	4	9	17	24	53
1. SINGLE DX	598	3.3	11	1	1	2	4	6	8	17
2. MULTIPLE DX	3749	6.4	55	1	1	4	8	14	20	39
A. NOT OPERATED	2891	5.7	40	1	1	4	7	12	17	33
B. OPERATED	1456	6.6	71	1	1	4	7	15	22	47
TOTAL 0-19 YRS	971	3.4	19	1	1	2	4	7	9	23
20-34	1199	4.6	33	1	1	3	5	9	13	29
35-49	623	5.8	47	1	1	4	7	13	16	28
50-64	530	6.4	45	1	1	5	8	13	18	29
65+	1024	10.0	81	1	2	7	13	22	28	53
GRAND TOTAL	**4347**	**6.0**	**50**	**1**	**1**	**4**	**7**	**14**	**19**	**36**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	5.6	98	1	1	3	5	10	23	55
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	6	7.5	50	2	2	6	8	20	21	21
50-64	5	8.6	47	2	2	5	16	16	16	16
65+	6	9.7	37	3	3	8	17	17	17	17
B. *Operated*										
0-19 YRS	13	8.4	148	1	1	3	8	27	38	41
20-34	12	7.1	21	2	3	6	8	16	16	16
35-49	6	6.2	11	1	1	6	8	11	11	11
50-64	4	4.5	16	<1	<1	3	7	10	10	10
65+	5	19.0	61	8	8	19	22	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	6.0	89	1	1	3	7	13	19	57
20-34	30	7.9	115	1	2	5	8	13	23	59
35-49	19	10.0	96	1	2	8	13	19	33	43
50-64	18	10.7	153	1	3	7	10	20	42	56
65+	35	10.9	92	2	3	8	13	25	33	44
B. *Operated*										
0-19 YRS	43	16.7	255	2	3	9	28	40	48	66
20-34	71	17.9	382	2	3	11	26	76	99+	99+
35-49	31	16.8	367	1	2	10	24	38	94	99+
50-64	20	25.3	462	7	8	21	39	96	99+	99+
65+	16	28.6	507	3	5	28	50	75	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	6.4	74	1	1	4	7	16	20	54
B. *Operated*	40	8.6	78	1	1	5	10	20	26	41
2. MULTIPLE DX										
A. *Not Operated*	180	8.2	103	1	1	5	10	18	26	58
B. *Operated*	181	19.2	375	2	3	12	30	55	99	99+
1. SINGLE DX	95	7.3	76	1	1	4	8	18	22	49
2. MULTIPLE DX	361	13.7	269	1	2	8	18	41	59	99+
A. NOT OPERATED	235	7.8	97	1	1	4	9	17	24	56
B. OPERATED	221	17.3	338	2	2	11	26	51	94	99+
TOTAL 0-19 YRS	168	8.8	157	1	1	4	9	27	40	62
20-34	117	13.8	289	2	2	8	18	51	87	99+
35-49	62	12.8	231	1	2	9	18	31	44	99+
50-64	47	16.1	319	2	3	10	21	52	94	99+
65+	62	16.0	244	2	3	11	20	37	58	97
GRAND TOTAL	**456**	**12.4**	**236**	**1**	**1**	**7**	**16**	**34**	**55**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.0	8	<1	<1	1	2	2	8	14
20-34	58	1.8	1	<1	<1	1	2	4	4	6
35-49	16	2.5	4	<1	<1	2	3	6	7	8
50-64	19	1.9	1	<1	<1	1	3	4	5	5
65+	37	3.0	13	1	1	2	3	6	10	19
B. *Operated*										
0-19 YRS	362	3.0	4	1	1	3	4	5	6	8
20-34	1214	3.1	3	1	1	3	4	5	6	8
35-49	354	3.1	3	1	1	3	4	5	6	9
50-64	167	2.7	4	<1	1	2	4	6	7	10
65+	205	2.7	10	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.8	11	<1	<1	2	4	5	8	17
20-34	148	2.3	5	<1	<1	1	3	5	6	13
35-49	69	3.1	7	<1	<1	2	4	6	6	16
50-64	70	4.6	15	<1	1	3	7	10	12	16
65+	185	6.4	42	1	1	5	9	14	18	45
B. *Operated*										
0-19 YRS	243	3.3	8	<1	1	3	4	5	8	17
20-34	949	3.5	8	1	1	3	4	6	7	15
35-49	397	3.9	14	1	1	3	5	7	10	26
50-64	268	5.3	52	1	1	3	6	12	19	34
65+	504	6.6	79	1	1	4	8	16	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	2.2	6	<1	<1	1	3	4	6	14
B. *Operated*	2302	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	517	4.2	23	<1	<1	2	5	10	13	22
B. *Operated*	2361	4.4	30	1	1	3	5	9	13	27
1. SINGLE DX	2452	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	2878	4.4	29	<1	1	3	5	9	13	27
A. NOT OPERATED	667	3.8	20	<1	<1	2	5	9	13	19
B. OPERATED	4663	3.7	18	1	1	3	4	6	9	23
TOTAL 0-19 YRS	670	3.1	6	<1	1	3	4	5	6	15
20-34	2369	3.1	5	<1	1	3	4	5	6	11
35-49	836	3.5	9	<1	1	3	4	6	8	17
50-64	524	4.3	31	<1	1	3	5	9	13	26
65+	931	5.5	56	1	1	3	7	13	19	39
GRAND TOTAL	**5330**	**3.7**	**18**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.2	4	<1	<1	1	3	6	7	8
20-34	93	2.5	5	<1	<1	2	3	5	7	12
35-49	42	2.5	4	<1	<1	2	3	5	6	10
50-64	24	2.7	4	<1	1	2	4	6	7	7
65+	18	5.5	16	<1	1	4	8	11	13	14
B. *Operated*										
0-19 YRS	3151	3.0	4	1	1	3	4	5	6	9
20-34	6496	3.2	6	<1	1	3	4	6	7	10
35-49	3237	3.2	5	1	1	3	4	6	7	11
50-64	1736	3.4	5	1	1	3	5	6	8	11
65+	392	5.0	43	1	1	4	6	10	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	2.6	7	<1	<1	2	3	5	8	14
20-34	196	2.5	6	<1	<1	1	3	5	8	12
35-49	112	3.2	12	<1	<1	2	4	7	10	18
50-64	81	5.2	49	<1	<1	3	6	9	17	40
65+	64	7.6	53	1	1	5	9	16	22	38
B. *Operated*										
0-19 YRS	2672	3.4	6	1	1	3	4	6	7	12
20-34	6046	3.6	9	1	1	3	5	6	8	15
35-49	3123	3.7	10	1	1	3	5	7	9	16
50-64	2572	4.3	21	1	1	3	5	8	11	20
65+	922	5.9	47	1	2	4	7	12	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	2.6	6	<1	<1	2	3	6	7	11
B. *Operated*	15012	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	564	3.6	22	<1	<1	2	5	8	11	24
B. *Operated*	15335	3.8	13	1	1	3	5	7	9	18
1. SINGLE DX	15266	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX	15899	3.8	14	1	1	3	5	7	9	19
A. NOT OPERATED	818	3.3	17	<1	<1	2	4	7	10	19
B. OPERATED	30347	3.5	10	1	1	3	4	6	8	14
TOTAL 0-19 YRS	6011	3.2	5	1	1	3	4	6	7	11
20-34	12831	3.3	7	<1	1	3	4	6	7	12
35-49	6514	3.5	8	1	1	3	4	6	8	13
50-64	4413	4.0	15	1	1	3	5	7	9	18
65+	1396	5.7	46	1	2	4	7	11	16	32
GRAND TOTAL	**31165**	**3.5**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	4.3	23	<1	1	3	6	10	15	22
20-34	142	5.9	39	<1	1	4	8	11	16	36
35-49	90	6.9	26	1	1	6	9	13	16	24
50-64	61	5.5	19	<1	1	4	8	10	15	20
65+	36	5.4	17	1	1	5	7	13	16	16
B. *Operated*										
0-19 YRS	556	3.2	16	<1	1	2	3	7	11	21
20-34	701	3.9	31	<1	1	2	4	8	13	23
35-49	315	4.8	27	1	1	3	6	12	15	25
50-64	208	4.6	33	1	1	3	5	10	15	33
65+	168	8.1	75	1	1	4	11	23	28	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	5.1	31	1	1	3	7	11	17	30
20-34	459	6.1	32	<1	1	5	8	11	15	29
35-49	323	7.7	37	1	2	6	10	15	18	33
50-64	176	8.5	71	1	2	7	11	16	21	47
65+	194	11.5	172	2	2	8	13	25	35	71
B. *Operated*										
0-19 YRS	765	5.4	62	1	1	3	6	14	20	36
20-34	1205	8.0	103	1	1	4	10	20	26	53
35-49	726	8.5	121	1	1	5	10	19	26	71
50-64	545	9.2	170	1	1	5	11	20	39	98
65+	444	11.2	161	1	2	7	15	29	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	5.6	28	1	1	4	8	11	16	24
B. *Operated*	1948	4.3	32	<1	1	2	5	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	1342	7.4	62	1	1	5	9	15	21	38
B. *Operated*	3685	8.1	118	1	1	4	10	20	29	65
1. SINGLE DX	2377	4.5	32	<1	1	3	5	10	15	28
2. MULTIPLE DX	5027	7.9	103	1	1	5	10	18	26	57
A. NOT OPERATED	1771	7.0	55	1	1	5	9	14	20	37
B. OPERATED	5633	6.8	91	1	1	3	8	16	24	53
TOTAL 0-19 YRS	1611	4.5	41	<1	1	2	5	10	17	32
20-34	2507	6.4	69	1	1	4	8	15	22	43
35-49	1454	7.4	78	1	1	5	9	16	22	50
50-64	990	7.9	118	1	1	4	9	16	26	73
65+	842	10.4	143	1	2	6	14	26	35	71
GRAND TOTAL	**7404**	**6.8**	**83**	**1**	**1**	**4**	**8**	**16**	**23**	**50**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	2.6	4	<1	1	2	3	5	7	10
20-34	221	2.6	4	<1	<1	2	3	6	7	9
35-49	132	3.2	8	<1	1	2	4	7	9	12
50-64	77	3.8	5	1	1	3	5	7	8	11
65+	97	6.1	31	1	1	5	7	15	18	28
B. *Operated*										
0-19 YRS	1026	3.3	5	<1	1	3	4	6	7	11
20-34	1514	3.6	5	<1	1	3	5	7	8	11
35-49	393	3.8	9	1	1	3	5	7	9	16
50-64	147	5.4	33	1	2	4	7	8	13	36
65+	61	7.5	42	2	2	6	8	13	18	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	2.5	5	<1	<1	2	3	5	7	11
20-34	356	3.3	14	<1	<1	2	4	7	10	19
35-49	249	4.8	29	<1	<1	3	6	10	12	27
50-64	308	5.3	19	<1	1	4	7	10	14	21
65+	476	7.8	43	1	2	6	10	15	21	38
B. *Operated*										
0-19 YRS	1994	4.2	8	1	1	4	5	7	9	14
20-34	3352	4.4	10	1	1	4	6	8	9	15
35-49	1103	5.0	18	1	2	4	6	9	11	18
50-64	418	7.2	40	1	2	6	8	14	19	33
65+	165	10.1	91	2	3	7	12	20	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	3.4	10	<1	1	2	4	7	9	17
B. *Operated*	3141	3.7	8	<1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	1605	5.1	28	<1	<1	4	7	11	15	28
B. *Operated*	7032	4.8	15	1	1	4	6	8	10	20
1. SINGLE DX	3827	3.6	9	<1	1	3	5	7	8	14
2. MULTIPLE DX	8637	4.8	18	1	1	4	6	9	11	22
A. NOT OPERATED	2291	4.6	23	<1	1	3	6	10	13	26
B. OPERATED	10173	4.4	13	1	1	4	6	8	10	18
TOTAL 0-19 YRS	3395	3.7	7	1	1	3	5	7	8	13
20-34	5443	4.0	9	<1	1	4	5	7	9	14
35-49	1877	4.6	17	1	1	4	6	8	11	18
50-64	950	6.0	30	1	2	5	8	12	15	28
65+	799	8.0	53	2	2	6	10	16	22	41
GRAND TOTAL	**12464**	**4.5**	**15**	**1**	**1**	**4**	**6**	**8**	**10**	**20**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	373	4.9	11	1	2	4	7	10	12	15
20-34	3584	6.2	16	1	2	5	8	11	13	20
35-49	3564	6.7	16	2	3	6	8	11	14	21
50-64	1718	6.7	15	2	3	6	9	12	14	19
65+	548	7.4	32	2	3	6	10	13	16	29
B. *Operated*										
0-19 YRS	35	6.2	29	1	1	5	10	12	18	22
20-34	632	7.5	29	2	2	6	11	14	17	26
35-49	578	7.9	36	2	2	7	11	16	19	28
50-64	178	8.2	38	2	2	7	11	16	20	34
65+	21	11.0	60	2	3	10	15	20	28	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	479	5.2	13	1	1	5	7	10	12	17
20-34	4905	6.9	20	2	2	6	9	12	15	23
35-49	5936	7.7	23	2	3	7	10	14	16	24
50-64	4245	7.8	24	2	3	7	10	14	17	26
65+	3166	8.7	35	2	3	7	11	16	19	30
B. *Operated*										
0-19 YRS	50	8.5	29	2	3	7	11	16	18	25
20-34	827	10.0	48	2	3	9	13	19	23	34
35-49	990	10.9	55	2	3	10	14	20	25	38
50-64	574	11.7	59	3	4	10	15	21	26	37
65+	230	15.4	95	4	6	13	19	28	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9787	6.5	17	2	2	6	8	11	14	20
B. *Operated*	1444	7.8	34	2	2	7	11	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	18731	7.6	25	2	3	7	10	14	17	25
B. *Operated*	2671	11.1	59	2	3	10	14	21	25	39
1. SINGLE DX	11231	6.6	19	2	2	6	9	12	14	22
2. MULTIPLE DX	21402	8.1	30	2	3	7	10	15	18	28
A. NOT OPERATED	28518	7.2	22	2	3	6	9	13	16	24
B. OPERATED	4115	10.0	52	2	2	9	13	19	23	35
TOTAL 0-19 YRS	937	5.3	14	1	2	4	7	10	13	18
20-34	9948	6.9	22	2	2	6	9	13	16	24
35-49	11068	7.7	26	2	3	7	10	14	17	25
50-64	6715	7.9	27	2	3	7	10	14	17	27
65+	3965	8.9	41	2	3	7	11	16	20	33
GRAND TOTAL	**32633**	**7.6**	**27**	**2**	**3**	**6**	**10**	**14**	**17**	**26**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	565	3.4	8	1	1	3	4	7	9	14
20-34	2497	5.6	13	1	2	5	7	10	12	18
35-49	1996	6.2	18	1	2	5	8	11	14	21
50-64	860	6.2	17	1	2	5	8	11	14	21
65+	349	6.4	16	2	2	6	8	12	15	17
B. *Operated*										
0-19 YRS	27	5.4	29	1	1	3	7	10	15	27
20-34	568	6.1	20	1	2	5	8	13	15	21
35-49	485	7.1	31	1	2	5	10	14	18	26
50-64	110	6.7	25	1	2	5	10	12	17	25
65+	19	10.9	75	2	3	8	15	24	32	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1475	4.0	13	<1	1	3	5	7	10	16
20-34	6867	6.1	18	1	2	5	8	11	14	21
35-49	5779	7.0	23	1	2	6	9	13	16	23
50-64	3423	7.2	22	2	2	6	9	13	16	23
65+	2446	7.8	32	2	2	6	10	15	19	28
B. *Operated*										
0-19 YRS	77	5.4	21	1	1	4	7	12	15	22
20-34	974	8.6	39	2	2	7	12	17	21	29
35-49	953	9.5	49	2	2	8	12	18	22	35
50-64	429	10.5	71	2	2	9	14	21	25	43
65+	171	14.9	110	3	4	12	20	29	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6267	5.7	15	1	2	5	8	11	13	19
B. *Operated*	1209	6.6	27	1	2	5	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	19990	6.6	22	1	2	6	8	12	15	24
B. *Operated*	2604	9.6	55	2	2	8	12	18	24	36
1. SINGLE DX	7476	5.9	17	1	2	5	8	11	14	20
2. MULTIPLE DX	22594	7.0	27	1	2	6	9	13	17	26
A. NOT OPERATED	26257	6.4	21	1	2	5	8	12	15	22
B. OPERATED	3813	8.6	48	2	2	7	11	17	21	34
TOTAL 0-19 YRS	2144	3.9	12	1	1	3	5	8	10	17
20-34	10906	6.2	19	1	2	5	8	12	15	22
35-49	9213	7.1	26	1	2	6	9	13	16	25
50-64	4822	7.3	27	2	2	6	9	14	17	25
65+	2985	8.1	38	2	2	7	10	15	20	31
GRAND TOTAL	**30070**	**6.7**	**25**	**1**	**2**	**6**	**9**	**13**	**16**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	279	2.7	4	<1	1	2	3	5	6	12
20-34	382	2.8	6	<1	<1	2	4	6	8	12
35-49	270	3.6	15	<1	<1	3	4	7	9	17
50-64	187	4.3	13	<1	1	3	6	10	11	17
65+	152	5.2	15	1	1	4	7	10	13	19
B. *Operated*										
0-19 YRS	555	2.8	3	1	1	2	4	5	6	9
20-34	1434	3.1	4	1	1	3	4	5	6	10
35-49	1063	3.5	4	1	1	3	4	6	7	11
50-64	1111	4.7	8	2	2	4	6	8	9	14
65+	356	5.8	16	2	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	499	2.4	5	<1	<1	1	3	5	7	10
20-34	1248	2.5	8	<1	<1	1	3	6	8	13
35-49	835	3.7	12	<1	<1	3	5	8	10	17
50-64	801	4.7	18	<1	<1	4	6	10	13	19
65+	1161	7.3	34	1	2	6	10	15	18	28
B. *Operated*										
0-19 YRS	557	3.0	9	1	1	3	4	5	6	14
20-34	1313	3.4	7	1	1	3	4	6	8	13
35-49	1012	4.3	9	1	2	4	5	8	10	15
50-64	1267	5.6	25	2	2	4	6	10	14	25
65+	649	8.1	56	2	3	6	9	16	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1270	3.5	10	<1	1	3	4	7	10	15
B. *Operated*	4519	3.8	7	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	4544	4.3	20	<1	<1	3	6	10	13	22
B. *Operated*	4798	4.8	21	1	2	4	5	9	12	24
1. SINGLE DX	5789	3.7	8	1	1	3	5	6	8	14
2. MULTIPLE DX	9342	4.6	21	<1	<1	3	6	9	13	23
A. NOT OPERATED	5814	4.1	18	<1	<1	3	5	9	12	21
B. OPERATED	9317	4.3	15	1	1	3	5	8	10	19
TOTAL 0-19 YRS	1890	2.7	5	<1	<1	2	3	5	6	11
20-34	4377	3.0	6	<1	<1	2	4	6	7	12
35-49	3180	3.8	9	<1	1	3	5	7	9	15
50-64	3366	5.0	17	1	2	4	6	9	12	20
65+	2318	7.1	37	1	2	5	9	14	18	29
GRAND TOTAL	**15131**	**4.2**	**16**	**<1**	**1**	**3**	**5**	**8**	**11**	**20**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5763	1.6	1	<1	1	1	2	3	4	6
20-34	1715	2.3	4	<1	1	2	3	5	6	10
35-49	552	2.5	6	<1	1	2	3	5	6	11
50-64	267	2.9	5	<1	1	2	4	6	7	11
65+	180	3.3	22	1	1	2	4	6	9	18
B. *Operated*										
0-19 YRS	33	3.0	33	<1	1	2	2	5	6	34
20-34	18	3.1	7	<1	1	2	4	8	9	9
35-49	9	4.1	12	1	1	2	8	9	10	10
50-64	8	4.1	13	1	1	3	6	10	11	11
65+	2	10.5	181	1	1	10	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12979	2.1	5	1	1	1	2	4	6	10
20-34	8694	3.2	10	<1	1	2	4	7	9	14
35-49	3393	4.2	18	1	1	3	5	9	12	22
50-64	2353	4.8	20	1	1	4	6	10	13	21
65+	2681	6.9	56	1	1	5	9	15	20	39
B. *Operated*										
0-19 YRS	2002	4.0	39	1	1	2	4	8	13	34
20-34	2509	4.9	52	1	1	3	6	10	15	41
35-49	899	6.1	72	1	1	3	7	13	20	57
50-64	661	7.0	93	1	1	5	8	14	21	81
65+	742	10.3	138	1	2	6	12	26	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8477	1.9	3	<1	1	1	2	3	5	8
B. *Operated*	70	3.5	24	1	1	2	4	8	10	31
2. MULTIPLE DX										
A. *Not Operated*	30100	3.3	16	1	1	2	4	7	10	19
B. *Operated*	6813	5.6	68	1	1	3	6	12	19	48
1. SINGLE DX	8547	1.9	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	36913	3.7	26	1	1	2	4	8	11	25
A. NOT OPERATED	38577	3.0	13	1	1	2	3	6	9	18
B. OPERATED	6883	5.6	67	1	1	3	6	12	19	48
TOTAL 0-19 YRS	20777	2.2	8	1	1	1	2	4	6	12
20-34	12936	3.4	18	<1	1	2	4	7	9	18
35-49	4853	4.4	27	1	1	3	5	9	13	25
50-64	3289	5.1	35	1	1	4	6	10	14	26
65+	3605	7.4	74	1	1	5	9	16	23	48
GRAND TOTAL	**45460**	**3.4**	**22**	**1**	**1**	**2**	**4**	**7**	**10**	**23**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1911	1.9	6	<1	1	1	2	3	5	12
20-34	648	3.4	32	<1	1	2	3	7	10	22
35-49	214	3.7	54	<1	1	2	4	7	11	24
50-64	133	4.2	18	1	1	3	5	10	15	18
65+	140	6.1	36	1	1	4	9	15	20	41
B. *Operated*										
0-19 YRS	82	9.7	117	1	1	7	10	22	33	59
20-34	100	12.5	213	1	2	7	17	34	56	85
35-49	68	11.2	68	2	3	10	14	22	25	46
50-64	87	13.3	170	2	4	10	15	28	46	95
65+	155	14.6	130	3	5	11	18	30	35	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4577	2.9	24	<1	1	1	3	6	9	25
20-34	2775	4.6	51	<1	1	2	5	10	15	42
35-49	1076	5.1	45	<1	1	3	6	11	16	39
50-64	859	6.8	72	1	1	4	8	16	23	50
65+	1453	9.1	113	1	1	6	11	21	30	56
B. *Operated*										
0-19 YRS	941	14.1	369	1	1	7	20	55	81	99+
20-34	1207	15.3	398	<1	1	7	22	53	81	99+
35-49	519	16.1	403	1	1	9	22	56	76	99+
50-64	465	18.3	360	1	2	13	27	60	78	99+
65+	892	20.7	330	2	3	16	29	49	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3046	2.7	18	<1	1	1	3	5	9	19
B. *Operated*	492	12.7	145	2	3	9	16	27	38	66
2. MULTIPLE DX										
A. *Not Operated*	10740	4.7	53	<1	1	2	5	11	17	40
B. *Operated*	4024	16.6	378	1	1	10	24	53	77	99+
1. SINGLE DX	3538	4.0	48	<1	1	2	4	10	15	36
2. MULTIPLE DX	14764	8.0	170	1	1	3	8	22	39	97
A. NOT OPERATED	13786	4.3	46	<1	1	2	4	10	15	36
B. OPERATED	4516	16.2	354	1	1	10	23	50	73	99+
TOTAL 0-19 YRS	7511	4.1	79	<1	1	2	3	8	17	66
20-34	4730	7.3	164	<1	1	3	7	19	38	97
35-49	1877	8.2	171	<1	1	4	9	20	41	97
50-64	1544	10.4	189	1	1	5	13	27	43	99+
65+	2640	13.2	214	1	2	8	17	33	47	95
GRAND TOTAL	**18302**	**7.2**	**149**	**<1**	**1**	**3**	**7**	**19**	**34**	**88**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.2	9	1	1	2	4	7	11	14
20-34	127	3.4	5	1	1	3	5	7	8	10
35-49	57	4.5	10	<1	1	4	6	9	11	14
50-64	29	3.9	13	1	1	2	5	10	11	14
65+	17	4.4	11	1	1	4	7	9	11	12
B. *Operated*										
0-19 YRS	70	5.8	15	2	2	5	7	11	13	21
20-34	211	6.5	17	2	3	6	8	10	15	23
35-49	67	7.3	26	3	3	6	8	15	18	27
50-64	33	6.5	8	3	3	6	9	10	12	13
65+	9	7.2	24	1	2	5	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267	4.0	13	1	1	3	5	7	11	18
20-34	504	4.8	13	1	1	4	6	9	12	18
35-49	298	5.6	20	1	2	4	7	11	14	25
50-64	272	6.5	38	1	2	5	8	12	17	28
65+	270	8.8	50	2	2	7	11	17	19	38
B. *Operated*										
0-19 YRS	423	10.1	104	3	3	7	11	19	29	65
20-34	1151	10.2	103	2	3	7	12	19	31	67
35-49	481	10.2	80	3	3	8	12	20	27	59
50-64	330	12.6	116	3	4	10	16	25	32	56
65+	306	16.0	258	3	4	11	19	35	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	3.7	8	1	1	3	5	8	9	14
B. *Operated*	390	6.5	18	2	3	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	1611	5.8	27	1	2	4	7	12	15	25
B. *Operated*	2691	11.2	122	3	3	8	13	22	33	66
1. SINGLE DX	674	5.3	15	1	1	4	7	10	13	21
2. MULTIPLE DX	4302	9.1	93	2	2	6	11	18	26	58
A. NOT OPERATED	1895	5.4	25	1	1	4	7	11	14	24
B. OPERATED	3081	10.6	111	2	3	8	12	20	31	65
TOTAL 0-19 YRS	814	7.3	69	1	2	5	9	15	20	49
20-34	1993	8.0	72	1	2	6	9	15	22	52
35-49	903	8.1	57	2	2	6	10	15	21	44
50-64	664	9.4	84	1	2	7	12	19	27	52
65+	602	12.3	169	2	3	8	14	25	37	78
GRAND TOTAL	**4976**	**8.6**	**84**	**1**	**2**	**6**	**10**	**17**	**24**	**55**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	635	3.6	9	1	1	3	5	7	9	14
20-34	387	3.6	8	1	1	3	5	7	10	14
35-49	99	4.2	21	1	1	3	5	7	13	27
50-64	42	4.3	11	1	1	4	5	7	11	17
65+	22	5.4	41	1	1	3	7	14	20	28
B. *Operated*										
0-19 YRS	305	7.3	16	2	4	7	8	12	15	21
20-34	324	7.4	18	2	3	7	9	12	14	25
35-49	103	7.5	11	2	3	7	9	11	14	17
50-64	56	8.4	21	2	4	8	10	13	18	27
65+	26	11.1	47	2	3	11	13	19	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1471	4.1	13	1	1	3	5	8	11	16
20-34	1127	4.1	16	1	1	3	5	8	10	20
35-49	385	4.8	14	1	1	4	6	9	12	21
50-64	253	5.7	22	1	1	5	7	11	15	25
65+	237	8.4	68	2	2	6	11	17	21	43
B. *Operated*										
0-19 YRS	1357	11.4	119	3	4	8	12	22	32	60
20-34	2303	12.8	149	3	5	9	14	25	40	77
35-49	838	15.0	190	4	5	10	18	33	46	80
50-64	509	15.7	177	3	5	12	19	34	46	91
65+	321	17.9	244	3	4	13	21	39	54	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1185	3.7	10	1	1	3	5	7	10	15
B. *Operated*	814	7.6	18	2	3	7	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	3473	4.6	20	1	1	3	6	9	12	22
B. *Operated*	5328	13.4	159	3	5	9	15	28	42	77
1. SINGLE DX	1999	5.3	17	1	1	4	7	10	13	19
2. MULTIPLE DX	8801	9.9	123	1	2	7	11	20	32	65
A. NOT OPERATED	4658	4.4	17	1	1	3	6	9	11	20
B. OPERATED	6142	12.6	144	3	4	9	14	25	38	74
TOTAL 0-19 YRS	3768	6.9	63	1	1	5	8	13	19	42
20-34	4141	9.2	107	1	2	7	10	18	28	63
35-49	1425	11.0	142	1	2	8	12	23	36	69
50-64	860	11.7	137	1	2	8	14	24	36	72
65+	606	13.4	182	2	2	10	17	29	44	75
GRAND TOTAL	**10800**	**9.1**	**106**	**1**	**2**	**7**	**10**	**18**	**28**	**61**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.8	8	<1	<1	2	4	5	9	16
20-34	29	2.7	5	<1	<1	2	3	5	8	10
35-49	8	2.9	4	<1	<1	2	4	6	6	6
50-64	6	4.0	5	1	1	4	5	7	7	7
65+	7	3.0	6	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS	479	2.6	4	<1	1	2	4	5	7	9
20-34	274	2.9	4	1	1	2	4	6	7	10
35-49	138	3.4	18	1	1	2	4	7	9	20
50-64	60	2.9	3	<1	1	3	4	5	6	8
65+	62	4.5	24	1	1	3	5	9	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	3.1	5	<1	1	2	4	6	7	12
20-34	117	2.5	3	<1	<1	2	3	5	6	8
35-49	56	3.7	5	1	1	3	4	6	8	14
50-64	29	3.9	19	<1	<1	2	5	9	17	18
65+	36	5.1	24	<1	<1	3	8	11	13	24
B. *Operated*										
0-19 YRS	1084	3.7	16	1	1	3	5	7	10	19
20-34	986	4.2	18	1	1	3	5	8	10	19
35-49	410	4.1	11	1	1	3	5	8	11	17
50-64	226	5.7	35	1	2	4	6	12	16	32
65+	239	6.4	59	1	1	4	8	14	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	2.9	6	<1	<1	2	4	6	8	13
B. *Operated*	1013	2.9	7	1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	357	3.3	8	<1	1	3	4	6	8	14
B. *Operated*	2945	4.3	21	1	1	3	5	8	11	21
1. SINGLE DX	1111	2.9	7	<1	1	2	4	6	7	12
2. MULTIPLE DX	3302	4.2	20	1	1	3	5	8	11	21
A. NOT OPERATED	455	3.2	8	<1	1	2	4	6	8	14
B. OPERATED	3958	4.0	18	1	1	3	5	8	11	20
TOTAL 0-19 YRS	1730	3.3	12	1	1	2	4	7	8	16
20-34	1406	3.8	14	1	1	3	5	7	9	15
35-49	612	3.9	12	1	1	3	5	7	11	17
50-64	321	5.0	28	1	1	3	6	10	15	30
65+	344	5.9	48	1	1	4	7	13	12	29
GRAND TOTAL	**4413**	**3.9**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	2.3	5	<1	<1	2	3	4	5	15
20-34	182	2.5	5	<1	<1	2	3	5	7	12
35-49	95	2.4	3	<1	<1	2	3	5	5	9
50-64	41	2.9	7	<1	<1	2	3	7	9	11
65+	49	3.1	8	1	1	2	4	6	10	13
B. *Operated*										
0-19 YRS	838	2.1	7	<1	<1	1	2	4	5	9
20-34	505	2.9	9	<1	1	2	3	6	9	15
35-49	179	3.2	19	<1	<1	2	4	6	10	24
50-64	93	2.4	3	<1	1	2	3	5	6	9
65+	75	2.7	7	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1051	2.5	5	<1	1	2	3	5	6	11
20-34	1427	3.0	15	<1	<1	2	4	6	8	14
35-49	594	3.6	13	<1	1	2	5	7	10	16
50-64	535	4.1	17	<1	1	3	5	9	12	21
65+	1168	6.2	45	1	1	4	8	13	18	36
B. *Operated*										
0-19 YRS	2959	2.8	11	<1	1	2	3	6	8	17
20-34	3557	4.3	45	<1	<1	2	5	9	13	37
35-49	1501	4.3	31	<1	1	3	5	9	13	27
50-64	1092	5.6	58	<1	1	3	6	13	18	36
65+	1522	7.1	93	1	1	4	8	14	22	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	2.5	5	<1	<1	2	3	5	6	12
B. *Operated*	1690	2.5	9	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	4775	3.9	22	<1	1	2	5	8	12	21
B. *Operated*	10631	4.4	44	<1	1	2	5	9	14	35
1. SINGLE DX	2312	2.5	8	<1	<1	2	3	5	7	14
2. MULTIPLE DX	15406	4.2	37	<1	1	2	5	9	13	30
A. NOT OPERATED	5397	3.7	20	<1	1	2	4	8	11	21
B. OPERATED	12321	4.2	39	<1	1	2	5	9	13	32
TOTAL 0-19 YRS	5103	2.6	9	<1	1	2	3	5	7	15
20-34	5671	3.8	33	<1	<1	2	4	8	11	28
35-49	2369	4.0	25	<1	1	3	5	8	12	25
50-64	1761	4.9	42	<1	1	3	6	11	16	29
65+	2814	6.5	70	1	1	4	8	14	19	46
GRAND TOTAL	**17718**	**4.0**	**34**	**<1**	**1**	**2**	**5**	**8**	**12**	**28**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	337	2.3	4	<1	1	2	3	4	6	10
20-34	700	2.5	8	<1	1	2	3	5	6	10
35-49	197	2.7	5	<1	<1	2	3	5	7	12
50-64	61	3.3	9	1	1	2	4	6	7	19
65+	22	5.6	26	<1	1	4	9	14	17	19
B. *Operated*										
0-19 YRS	405	3.4	10	<1	1	2	4	7	10	16
20-34	556	4.5	15	1	1	4	6	8	10	21
35-49	173	5.5	28	<1	1	4	8	10	14	31
50-64	70	4.9	49	1	1	3	6	10	17	45
65+	19	6.9	111	<1	1	3	7	15	33	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	609	2.7	6	<1	1	2	3	6	7	14
20-34	1414	3.1	15	<1	1	2	4	6	8	18
35-49	469	3.3	16	<1	1	2	4	6	9	16
50-64	201	4.2	18	1	1	3	5	8	12	23
65+	130	7.7	52	1	2	6	10	17	24	35
B. *Operated*										
0-19 YRS	1089	5.7	49	1	1	4	7	11	15	34
20-34	2345	7.6	66	1	1	6	9	14	22	47
35-49	781	9.1	97	1	2	6	11	19	28	53
50-64	308	10.1	146	1	2	7	12	20	33	81
65+	151	10.9	120	1	2	7	15	25	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1317	2.6	7	<1	1	2	3	5	6	12
B. *Operated*	1223	4.3	19	<1	1	3	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	2823	3.3	16	<1	1	2	4	6	9	19
B. *Operated*	4674	7.7	76	1	1	6	9	15	23	50
1. SINGLE DX	2540	3.4	14	<1	1	2	4	7	9	17
2. MULTIPLE DX	7497	6.0	58	1	1	4	7	12	18	42
A. NOT OPERATED	4140	3.1	13	<1	1	2	4	6	8	18
B. OPERATED	5897	7.0	66	1	1	5	8	14	20	47
TOTAL 0-19 YRS	2440	4.1	28	<1	1	2	5	9	12	23
20-34	5015	5.3	43	1	1	3	6	10	15	35
35-49	1620	6.3	63	1	1	4	8	12	19	45
50-64	640	7.0	91	1	1	4	8	16	21	64
65+	322	9.0	88	1	1	6	12	21	28	52
GRAND TOTAL	**10037**	**5.4**	**48**	**1**	**1**	**3**	**7**	**11**	**16**	**37**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	2.9	4	<1	1	2	4	6	7	10
20-34	449	2.6	4	<1	<1	2	3	5	7	10
35-49	191	3.4	9	<1	1	3	4	6	9	15
50-64	79	3.9	17	<1	1	3	5	7	11	25
65+	41	3.8	8	<1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	2119	2.2	5	<1	1	2	3	4	6	12
20-34	2948	2.5	7	<1	1	2	3	5	7	14
35-49	1272	2.4	6	<1	1	2	3	4	7	12
50-64	708	2.6	10	<1	1	2	3	5	7	15
65+	274	2.9	15	<1	1	2	3	6	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	711	3.4	13	<1	<1	2	4	6	9	23
20-34	1531	3.2	19	<1	<1	2	4	6	8	21
35-49	582	3.5	11	<1	<1	3	5	7	10	18
50-64	332	4.1	16	<1	<1	3	5	8	11	24
65+	289	6.5	51	<1	1	5	8	13	19	27
B. *Operated*										
0-19 YRS	4009	2.8	12	<1	1	2	3	6	8	18
20-34	7064	3.2	17	<1	<1	2	4	7	10	22
35-49	2802	3.5	27	<1	<1	2	4	7	11	26
50-64	1889	3.9	32	<1	1	2	4	8	12	29
65+	974	4.8	44	<1	1	2	5	11	16	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1061	3.0	6	<1	1	2	4	6	7	12
B. *Operated*	7321	2.4	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	3445	3.7	20	<1	<1	3	4	7	10	23
B. *Operated*	16738	3.3	21	<1	1	2	4	7	10	23
1. SINGLE DX	8382	2.5	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	20183	3.4	21	<1	<1	2	4	7	10	23
A. NOT OPERATED	4506	3.5	17	<1	<1	2	4	7	9	21
B. OPERATED	24059	3.1	17	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	7140	2.7	10	<1	1	2	3	5	7	16
20-34	11992	3.0	15	<1	<1	2	3	6	9	19
35-49	4847	3.2	19	<1	<1	2	4	6	9	22
50-64	3008	3.6	25	<1	1	2	4	7	11	26
65+	1578	4.7	41	<1	1	3	6	10	15	30
GRAND TOTAL	**28565**	**3.1**	**17**	**<1**	**<1**	**2**	**3**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	392	2.9	5	<1	1	2	4	5	6	13
20-34	427	3.3	7	<1	1	2	4	7	8	13
35-49	135	3.7	13	<1	1	3	5	7	10	16
50-64	64	4.1	15	<1	1	3	4	8	10	22
65+	44	5.8	33	1	2	4	8	11	19	31
B. *Operated*										
0-19 YRS	1296	3.7	17	<1	1	2	4	7	11	22
20-34	1000	4.8	30	1	1	3	6	10	14	28
35-49	386	4.9	30	1	1	3	6	10	16	32
50-64	217	5.9	35	1	1	4	7	14	19	30
65+	150	9.3	76	1	1	6	13	21	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	649	3.7	9	<1	1	3	5	7	9	16
20-34	893	4.2	34	<1	<1	3	5	8	11	28
35-49	371	4.6	24	<1	1	3	6	9	12	30
50-64	285	6.5	28	<1	1	5	9	13	18	23
65+	357	9.8	89	1	2	7	12	19	30	57
B. *Operated*										
0-19 YRS	1928	5.8	62	1	1	3	6	12	20	43
20-34	2061	7.2	96	<1	1	4	8	16	26	53
35-49	835	8.2	131	1	1	5	9	18	27	61
50-64	569	9.8	117	<1	1	5	14	26	33	57
65+	463	12.9	149	1	2	9	19	30	37	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1062	3.3	9	<1	1	2	4	6	8	17
B. *Operated*	3049	4.6	29	1	1	3	5	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	2555	5.2	37	<1	1	3	6	10	15	31
B. *Operated*	5856	7.6	100	1	1	4	9	18	27	54
1. SINGLE DX	4111	4.3	24	1	1	3	5	9	13	27
2. MULTIPLE DX	8411	6.9	82	<1	1	4	8	16	24	49
A. NOT OPERATED	3617	4.6	30	<1	1	3	6	9	13	29
B. OPERATED	8905	6.6	78	1	1	4	7	15	23	47
TOTAL 0-19 YRS	4265	4.6	36	<1	1	3	5	9	14	34
20-34	4381	5.7	62	<1	1	3	6	12	18	45
35-49	1727	6.3	80	<1	1	4	7	13	20	49
50-64	1135	7.9	77	<1	1	5	10	19	27	46
65+	1014	11.0	116	1	2	8	15	25	33	59
GRAND TOTAL	**12522**	**6.0**	**64**	**<1**	**1**	**4**	**7**	**13**	**20**	**44**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	13	1	1	2	4	11	12	12
20-34	9	7.3	99	1	1	5	8	24	32	32
35-49	7	6.0	21	<1	1	3	11	12	12	12
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	2	20.0	338	7	7	20	33	33	33	33
B. *Operated*										
0-19 YRS	38	3.5	11	1	1	2	4	8	12	15
20-34	62	4.6	13	1	1	4	7	10	11	15
35-49	20	4.7	22	<1	<1	3	6	12	15	17
50-64	5	2.2	3	<1	<1	1	3	5	5	5
65+	8	2.9	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.0	9	1	1	2	4	5	7	19
20-34	38	3.4	12	<1	<1	2	5	8	12	14
35-49	25	5.1	43	<1	1	2	5	9	25	27
50-64	24	6.0	14	<1	1	6	9	12	12	12
65+	32	11.2	115	1	1	6	17	29	33	35
B. *Operated*										
0-19 YRS	170	8.4	157	1	1	4	10	22	31	78
20-34	387	8.7	151	1	1	5	10	19	35	70
35-49	134	10.4	137	1	1	6	14	27	36	56
50-64	83	10.6	178	1	1	6	12	29	42	66
65+	26	17.1	485	1	1	6	22	57	68	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	5.7	56	1	1	3	7	12	25	33
B. *Operated*	133	4.1	13	<1	1	3	5	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	177	5.3	42	<1	1	3	6	12	22	32
B. *Operated*	800	9.4	165	1	1	5	10	23	38	68
1. SINGLE DX	170	4.5	22	<1	1	3	6	10	12	29
2. MULTIPLE DX	977	8.6	145	1	1	4	10	20	34	67
A. NOT OPERATED	214	5.3	44	<1	1	3	6	12	22	33
B. OPERATED	933	8.6	147	1	1	4	10	20	35	67
TOTAL 0-19 YRS	282	6.4	105	1	1	3	7	15	26	68
20-34	496	7.7	125	<1	1	4	9	17	27	65
35-49	186	8.9	113	1	1	5	12	23	32	55
50-64	115	9.0	138	1	1	6	10	19	35	63
65+	68	12.8	261	1	1	5	16	34	46	69
GRAND TOTAL	**1147**	**8.0**	**129**	**1**	**1**	**4**	**9**	**19**	**32**	**65**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	15.7	795	1	1	4	6	83	91	99+
20-34	115	4.9	39	<1	1	3	6	10	13	37
35-49	68	5.1	20	1	1	4	6	11	13	24
50-64	39	6.4	28	1	2	5	8	15	20	22
65+	61	9.8	110	2	2	6	12	22	28	60
B. *Operated*										
0-19 YRS	685	3.8	16	1	1	2	4	8	10	23
20-34	1145	4.1	22	1	1	3	5	8	11	21
35-49	575	4.8	32	1	1	3	5	10	14	33
50-64	341	5.1	31	1	2	3	5	11	16	26
65+	134	8.0	64	1	2	5	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	10.2	345	<1	1	4	9	63	99+	99+
20-34	421	8.0	99	1	1	5	10	20	31	72
35-49	291	7.9	117	1	2	5	9	15	21	76
50-64	252	9.7	87	2	2	7	12	21	32	48
65+	452	11.2	104	2	2	8	15	24	32	60
B. *Operated*										
0-19 YRS	819	4.5	40	1	1	3	5	9	14	34
20-34	1753	5.8	79	1	1	3	6	12	18	50
35-49	983	6.7	79	1	2	4	7	14	23	48
50-64	713	8.4	118	1	2	5	9	20	29	58
65+	417	15.1	269	2	2	10	19	36	50	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	8.4	239	1	1	4	7	17	52	93
B. *Operated*	2880	4.5	26	1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	1611	9.4	133	1	2	6	11	22	33	99+
B. *Operated*	4685	7.0	103	1	2	4	7	15	25	57
1. SINGLE DX	3249	4.9	52	1	1	3	5	10	15	37
2. MULTIPLE DX	6296	7.6	112	1	2	4	8	17	28	67
A. NOT OPERATED	1980	9.2	153	1	1	5	11	21	34	96
B. OPERATED	7565	6.0	75	1	1	3	6	13	20	47
TOTAL 0-19 YRS	1785	5.4	109	1	1	3	5	9	19	90
20-34	3434	5.5	63	1	1	3	6	11	17	43
35-49	1917	6.3	70	1	2	4	7	13	19	45
50-64	1345	7.7	90	1	2	5	9	17	25	48
65+	1064	12.2	170	2	2	8	16	27	38	83
GRAND TOTAL	**9545**	**6.7**	**93**	**1**	**1**	**4**	**7**	**15**	**23**	**60**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	671	4.0	4	1	2	4	5	6	7	12
20-34	258	3.7	4	1	1	4	5	6	7	12
35-49	70	4.6	13	1	1	4	5	7	12	23
50-64	32	4.1	8	<1	1	4	5	7	8	15
65+	20	3.6	10	<1	1	3	4	7	11	14
B. *Operated*										
0-19 YRS	22	6.1	16	1	2	6	8	11	15	17
20-34	9	5.2	11	2	2	4	9	10	10	10
35-49	8	3.8	8	1	1	3	4	8	10	10
50-64	3	6.3	20	2	2	6	10	11	11	11
65+	11	3.5	7	<1	<1	3	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1042	3.9	6	1	1	4	5	7	8	13
20-34	635	3.3	6	<1	1	3	4	6	7	13
35-49	222	4.0	9	<1	1	3	5	8	9	17
50-64	125	4.1	10	1	1	4	5	9	9	15
65+	163	5.9	27	1	2	5	7	12	16	27
B. *Operated*										
0-19 YRS	116	5.5	17	1	1	5	7	12	14	20
20-34	127	5.0	33	1	1	4	6	9	12	41
35-49	54	4.9	27	1	1	3	6	9	15	32
50-64	35	5.3	27	<1	1	4	6	12	14	28
65+	37	7.7	45	1	2	4	11	17	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1051	4.0	5	1	2	4	5	6	7	12
B. *Operated*	53	5.1	13	1	2	4	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	2187	3.9	8	1	1	3	5	7	9	15
B. *Operated*	369	5.4	28	1	1	4	7	11	14	28
1. SINGLE DX	1104	4.0	5	1	2	4	5	6	8	13
2. MULTIPLE DX	2556	4.1	12	1	1	4	5	7	10	17
A. NOT OPERATED	3238	3.9	7	1	1	4	5	6	8	14
B. OPERATED	422	5.4	26	1	1	4	7	11	14	28
TOTAL 0-19 YRS	1851	4.1	6	1	1	4	5	7	8	14
20-34	1029	3.6	9	<1	1	3	5	6	8	13
35-49	354	4.2	13	<1	1	4	5	8	10	18
50-64	195	4.4	13	<1	1	4	6	9	11	19
65+	231	5.9	29	1	1	4	7	13	17	28
GRAND TOTAL	**3660**	**4.1**	**10**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1823	2.1	4	<1	1	1	2	4	5	9
20-34	1462	2.6	5	<1	<1	2	3	5	7	12
35-49	649	3.2	7	<1	1	2	4	6	9	13
50-64	481	3.8	10	1	1	3	5	8	10	18
65+	723	5.1	20	1	1	4	7	10	14	22
B. *Operated*										
0-19 YRS	299	2.7	7	<1	1	2	3	6	7	13
20-34	305	3.7	10	<1	1	3	5	8	11	16
35-49	169	4.2	20	<1	1	2	5	9	11	26
50-64	138	5.5	32	1	1	4	6	11	16	33
65+	138	7.8	65	1	2	5	10	14	24	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6130	2.3	5	<1	1	2	3	5	6	11
20-34	7782	3.0	9	<1	<1	2	4	7	9	14
35-49	4118	4.1	18	<1	<1	3	5	9	11	20
50-64	3668	5.1	25	<1	1	4	7	11	14	23
65+	9627	8.0	58	1	2	6	10	16	21	41
B. *Operated*										
0-19 YRS	844	4.2	27	<1	1	2	5	9	13	26
20-34	1201	5.1	35	<1	1	3	6	11	15	29
35-49	666	6.7	64	<1	1	4	8	14	19	53
50-64	627	9.1	82	1	2	6	12	20	26	41
65+	1060	13.7	142	2	3	11	18	30	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5138	3.0	9	<1	1	2	4	6	8	15
B. *Operated*	1049	4.3	24	<1	1	3	5	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	31325	4.8	32	<1	1	3	6	11	14	28
B. *Operated*	4398	7.8	84	1	1	5	10	18	26	49
1. SINGLE DX	6187	3.2	11	<1	1	2	4	7	9	17
2. MULTIPLE DX	35723	5.2	39	<1	1	3	6	11	16	32
A. NOT OPERATED	36463	4.5	29	<1	1	3	6	10	14	26
B. OPERATED	5447	7.1	74	<1	1	4	9	17	23	46
TOTAL 0-19 YRS	9096	2.5	7	<1	1	2	3	5	7	13
20-34	10750	3.2	12	<1	<1	2	4	7	9	16
35-49	5602	4.3	23	<1	<1	3	5	9	12	21
50-64	4914	5.5	33	<1	1	4	7	12	16	27
65+	11548	8.3	67	1	2	6	11	17	23	44
GRAND TOTAL	**41910**	**4.9**	**35**	**<1**	**1**	**3**	**6**	**11**	**15**	**30**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.4	3	1	1	2	3	5	6	8
20-34	96	3.1	9	1	1	2	3	7	11	15
35-49	33	3.3	11	1	1	2	5	7	10	16
50-64	19	3.9	12	1	1	3	6	10	12	12
65+	8	4.6	25	1	1	2	7	13	15	15
B. *Operated*										
0-19 YRS	75	5.2	43	1	1	3	5	13	22	30
20-34	137	5.5	52	<1	1	3	6	13	17	40
35-49	96	4.5	26	<1	1	3	6	10	13	28
50-64	60	7.4	131	<1	1	3	7	19	32	55
65+	21	3.7	21	<1	1	2	4	8	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	2.8	6	1	1	2	3	6	7	11
20-34	240	3.7	13	<1	1	3	5	7	9	21
35-49	132	4.7	21	<1	1	3	6	10	14	24
50-64	69	5.7	36	1	1	3	8	14	17	29
65+	64	7.9	67	2	3	6	9	16	17	56
B. *Operated*										
0-19 YRS	254	7.4	106	1	1	3	8	19	29	54
20-34	545	8.2	132	1	1	4	9	19	36	60
35-49	291	6.8	108	1	1	3	7	16	27	61
50-64	205	9.9	204	1	1	5	11	24	41	72
65+	57	11.5	294	1	1	4	14	24	56	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	250	2.9	8	1	1	2	3	6	9	15
B. *Operated*	389	5.4	55	<1	1	3	6	12	19	35
2. MULTIPLE DX										
A. *Not Operated*	661	4.3	23	1	1	3	5	9	13	23
B. *Operated*	1352	8.1	141	1	1	4	9	19	34	61
1. SINGLE DX	639	4.4	38	<1	1	2	5	10	15	31
2. MULTIPLE DX	2013	6.9	105	1	1	3	7	16	25	58
A. NOT OPERATED	911	3.9	19	1	1	3	5	8	12	20
B. OPERATED	1741	7.5	123	1	1	4	8	18	30	59
TOTAL 0-19 YRS	579	5.1	59	1	1	2	5	12	19	40
20-34	1018	6.3	86	1	1	3	7	14	22	52
35-49	552	5.7	68	1	1	3	6	13	19	42
50-64	353	8.3	152	1	1	4	9	19	33	59
65+	150	8.5	150	1	1	5	9	17	23	71
GRAND TOTAL	**2652**	**6.3**	**90**	**1**	**1**	**3**	**7**	**14**	**23**	**54**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.2	1	<1	<1	1	1	1	2	5
20-34	8	1.5	1	<1	<1	1	2	3	4	4
35-49	8	1.5	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	33	1.6	2	<1	<1	1	2	3	5	7
20-34	16	1.9	1	<1	1	2	2	4	4	4
35-49	5	3.0	3	2	2	2	4	6	6	6
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.4	1	<1	<1	1	1	3	4	4
20-34	138	1.2	1	<1	<1	<1	<1	2	3	5
35-49	58	1.1		<1	<1	<1	<1	1	2	5
50-64	17	1.8	2	<1	<1	<1	2	4	5	5
65+	4	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	33	2.4	7	<1	<1	1	3	6	7	14
20-34	33	2.5	3	1	1	2	4	5	6	6
35-49	10	4.8	48	1	1	3	4	15	24	24
50-64	10	3.7	1	2	2	4	4	5	6	6
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.3	1	<1	<1	1	1	2	4	5
B. *Operated*	59	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	253	1.3	1	<1	<1	<1	<1	2	3	5
B. *Operated*	87	2.8	9	<1	1	2	4	6	6	20
1. SINGLE DX	109	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	340	1.7	3	<1	<1	<1	1	4	4	6
A. NOT OPERATED	303	1.3	1	<1	<1	<1	1	2	3	5
B. OPERATED	146	2.4	7	<1	<1	2	3	5	6	14
TOTAL 0-19 YRS	136	1.6	3	<1	<1	1	1	3	5	8
20-34	195	1.5	1	<1	<1	<1	1	3	4	6
35-49	81	1.7	7	<1	<1	<1	1	3	5	18
50-64	31	2.4	2	<1	<1	2	4	4	5	6
65+	6	1.7	1	<1	<1	<1	2	4	4	4
GRAND TOTAL	**449**	**1.7**	**3**	**<1**	**<1**	**<1**	**2**	**4**	**4**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1415	1.4	1	<1	<1	1	1	2	3	6
20-34	320	1.7	4	<1	<1	1	2	3	5	9
35-49	316	1.6	2	<1	<1	1	2	3	4	8
50-64	363	1.7	2	<1	<1	1	2	3	4	8
65+	322	2.1	9	<1	1	1	2	4	5	12
B. *Operated*										
0-19 YRS	336	2.3	6	<1	<1	1	2	5	7	15
20-34	105	3.6	14	<1	<1	2	4	10	11	17
35-49	62	2.8	10	<1	<1	2	3	6	9	18
50-64	69	3.6	38	1	1	2	3	9	12	40
65+	73	3.6	38	<1	1	2	4	8	10	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1109	1.9	3	<1	<1	1	2	3	5	10
20-34	382	2.7	13	<1	<1	1	3	6	10	18
35-49	379	3.1	19	<1	<1	1	3	7	12	17
50-64	503	2.9	10	<1	1	2	3	7	10	17
65+	880	4.1	23	1	1	2	5	10	14	23
B. *Operated*										
0-19 YRS	367	3.1	15	<1	1	2	3	7	10	20
20-34	152	6.8	57	1	1	4	9	16	27	38
35-49	175	6.5	76	<1	1	4	8	15	21	73
50-64	266	5.7	54	1	1	3	7	13	18	40
65+	489	7.7	84	1	1	4	10	18	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2736	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	645	2.9	15	<1	<1	1	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	3253	2.9	14	<1	<1	1	3	7	10	19
B. *Operated*	1449	5.9	60	1	1	3	7	15	20	39
1. SINGLE DX	3381	1.8	5	<1	<1	1	2	3	5	10
2. MULTIPLE DX	4702	3.8	30	<1	1	2	4	9	14	26
A. NOT OPERATED	5989	2.3	9	<1	<1	1	2	5	7	15
B. OPERATED	2094	5.0	48	<1	1	2	6	12	18	36
TOTAL 0-19 YRS	3227	1.8	4	<1	<1	1	2	3	5	10
20-34	959	3.1	20	<1	<1	1	3	8	11	26
35-49	932	3.2	26	<1	<1	1	3	8	12	24
50-64	1201	3.2	21	<1	1	2	3	7	11	20
65+	1764	4.7	42	1	1	2	5	11	17	30
GRAND TOTAL	**8083**	**3.0**	**20**	**<1**	**<1**	**1**	**3**	**7**	**11**	**22**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	6.6	39	1	1	4	10	14	20	31
20-34	70	6.9	36	<1	1	5	10	13	15	35
35-49	28	8.0	49	<1	<1	6	13	18	21	27
50-64	27	9.4	56	2	3	9	13	16	29	33
65+	12	16.1	127	5	5	14	18	36	41	42
B. *Operated*										
0-19 YRS	176	11.7	115	1	2	8	14	27	38	46
20-34	190	9.2	71	2	2	7	12	20	27	51
35-49	105	11.7	108	1	2	9	16	27	36	45
50-64	66	15.4	274	2	3	9	19	40	55	79
65+	64	17.9	170	2	3	14	26	36	39	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	8.4	79	1	1	6	11	18	25	39
20-34	233	9.1	88	1	2	7	12	19	23	50
35-49	165	11.0	129	1	2	8	15	22	27	57
50-64	141	12.8	120	1	2	10	18	27	34	60
65+	134	17.7	199	3	5	14	25	35	45	67
B. *Operated*										
0-19 YRS	517	18.1	270	2	3	14	25	40	51	84
20-34	685	18.6	281	2	3	13	26	43	57	99+
35-49	408	22.0	318	3	4	17	32	50	62	99+
50-64	351	24.9	378	2	5	22	36	52	72	99+
65+	344	31.9	488	5	7	28	46	68	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	7.7	49	1	1	6	11	15	20	35
B. *Operated*	601	12.0	130	2	2	9	15	28	37	55
2. MULTIPLE DX										
A. *Not Operated*	976	10.9	121	1	2	8	15	23	31	58
B. *Operated*	2305	22.0	353	2	4	17	32	49	65	99+
1. SINGLE DX	829	10.8	111	1	2	8	14	25	34	50
2. MULTIPLE DX	3281	18.7	310	2	3	13	26	44	60	95
A. NOT OPERATED	1204	10.3	109	1	2	7	14	22	29	53
B. OPERATED	2906	20.0	324	2	3	14	29	45	62	99
TOTAL 0-19 YRS	1087	13.4	194	1	2	9	17	32	41	68
20-34	1178	14.5	218	2	2	10	19	36	47	94
35-49	706	17.3	262	2	3	12	24	42	53	94
50-64	585	20.2	323	2	3	15	28	45	61	99
65+	554	26.5	421	3	5	21	37	61	72	99
GRAND TOTAL	**4110**	**17.1**	**280**	**2**	**2**	**12**	**24**	**41**	**55**	**92**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	911	5.0	21	1	1	3	7	10	13	23
20-34	517	5.0	26	1	1	3	7	11	14	26
35-49	223	5.8	39	1	1	4	7	13	18	33
50-64	121	7.1	60	1	1	5	9	17	20	40
65+	80	9.1	68	1	1	7	12	19	23	41
B. *Operated*										
0-19 YRS	161	8.9	85	1	1	6	11	21	28	37
20-34	128	8.9	70	1	2	6	11	19	27	40
35-49	80	10.7	97	1	1	8	15	23	29	49
50-64	48	11.0	108	1	1	8	16	22	33	49
65+	26	11.8	76	2	3	9	19	28	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3103	5.8	31	1	1	4	8	12	16	26
20-34	2212	5.4	33	<1	1	3	7	12	16	30
35-49	1098	6.4	43	<1	1	4	9	14	19	30
50-64	725	8.6	76	1	1	6	12	19	24	44
65+	613	12.6	154	2	2	9	16	26	40	64
B. *Operated*										
0-19 YRS	587	11.7	133	1	2	8	15	26	36	59
20-34	638	12.6	157	1	2	9	17	26	37	76
35-49	388	15.6	194	1	2	11	23	37	43	75
50-64	259	19.5	317	2	3	14	26	44	59	92
65+	244	25.4	342	4	5	23	35	57	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1852	5.4	30	1	1	4	7	12	15	27
B. *Operated*	443	9.6	85	1	1	7	13	22	29	39
2. MULTIPLE DX										
A. *Not Operated*	7751	6.6	51	1	1	4	9	15	19	34
B. *Operated*	2116	15.2	217	1	2	11	21	35	45	81
1. SINGLE DX	2295	6.2	43	1	1	4	8	14	19	32
2. MULTIPLE DX	9867	8.4	99	1	1	5	11	19	27	53
A. NOT OPERATED	9603	6.3	47	1	1	4	8	14	19	33
B. OPERATED	2559	14.3	199	1	2	10	20	33	43	77
TOTAL 0-19 YRS	4762	6.5	48	1	1	4	8	14	19	34
20-34	3495	6.8	64	<1	1	4	9	15	22	40
35-49	1789	8.5	92	1	1	5	11	20	27	46
50-64	1153	11.0	151	1	1	7	14	24	35	66
65+	963	15.5	226	2	3	11	21	36	49	80
GRAND TOTAL	**12162**	**8.0**	**90**	**1**	**1**	**5**	**10**	**18**	**26**	**48**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	3.1	11	<1	1	2	4	6	8	21
20-34	108	4.5	18	<1	1	3	5	9	14	22
35-49	55	6.0	49	<1	1	4	7	14	19	41
50-64	39	8.5	252	1	2	4	6	13	45	80
65+	16	9.0	57	<1	2	7	13	23	24	24
B. *Operated*										
0-19 YRS	175	2.5	8	<1	1	2	3	4	5	16
20-34	385	2.8	15	<1	<1	2	3	5	7	20
35-49	205	4.0	63	<1	1	2	3	5	12	51
50-64	84	3.5	15	<1	1	2	3	6	13	21
65+	19	3.3	10	<1	1	2	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	3.8	32	1	1	2	4	7	11	27
20-34	339	7.3	103	1	1	4	8	16	25	65
35-49	200	6.1	35	1	1	5	8	12	17	32
50-64	160	9.7	126	1	2	6	12	22	32	54
65+	221	12.1	165	2	3	8	15	24	40	87
B. *Operated*										
0-19 YRS	404	3.6	41	1	1	2	3	6	11	45
20-34	835	5.1	96	1	1	2	4	11	20	83
35-49	333	6.3	106	<1	1	2	6	19	31	99+
50-64	217	7.6	167	1	1	3	8	17	40	99
65+	87	14.1	339	1	1	6	20	45	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	5.1	56	<1	1	3	6	11	15	32
B. *Operated*	868	3.1	25	<1	1	2	3	5	8	29
2. MULTIPLE DX										
A. *Not Operated*	1110	7.8	102	1	1	5	9	17	26	62
B. *Operated*	1876	5.7	110	1	1	2	5	13	25	84
1. SINGLE DX	1173	3.6	34	<1	1	2	3	6	11	29
2. MULTIPLE DX	2986	6.5	108	1	1	3	7	15	25	78
A. NOT OPERATED	1415	7.2	93	1	1	4	8	16	23	60
B. OPERATED	2744	4.9	85	<1	1	2	4	10	21	66
TOTAL 0-19 YRS	856	3.4	29	<1	1	2	3	6	10	34
20-34	1667	5.0	76	<1	1	2	5	11	18	56
35-49	793	5.6	74	1	1	3	6	13	24	55
50-64	500	7.7	138	1	1	4	9	17	32	81
65+	343	12.0	200	1	2	7	16	29	48	99+
GRAND TOTAL	**4159**	**5.7**	**89**	**1**	**1**	**3**	**5**	**13**	**22**	**63**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	744	2.6	10	<1	1	2	3	5	6	12
20-34	654	3.1	9	<1	1	2	4	6	9	17
35-49	263	4.1	11	1	1	3	6	8	12	15
50-64	133	4.5	15	1	1	3	6	9	14	19
65+	138	5.6	31	<1	1	4	7	12	15	31
B. *Operated*										
0-19 YRS	208	4.0	19	<1	1	2	5	10	12	21
20-34	350	5.2	39	<1	1	3	6	11	14	34
35-49	152	6.2	33	1	2	4	8	13	19	29
50-64	112	5.5	26	1	1	4	8	14	15	23
65+	56	7.2	71	<1	1	5	9	15	20	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1497	2.9	8	<1	1	2	3	6	8	14
20-34	2002	3.7	15	<1	<1	3	5	8	10	18
35-49	1048	4.7	20	<1	1	4	6	9	13	20
50-64	745	5.7	31	<1	1	4	7	12	16	28
65+	1319	8.3	56	1	2	6	11	17	22	38
B. *Operated*										
0-19 YRS	549	6.7	91	1	1	4	8	14	22	59
20-34	966	9.0	145	1	1	5	10	22	32	69
35-49	441	9.1	119	1	1	6	12	21	31	82
50-64	347	12.3	210	1	1	7	15	32	50	79
65+	287	17.1	274	2	3	13	23	40	56	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1932	3.3	12	<1	1	2	4	7	10	17
B. *Operated*	878	5.3	34	1	1	3	7	12	15	31
2. MULTIPLE DX										
A. *Not Operated*	6611	4.8	28	<1	1	3	6	10	14	26
B. *Operated*	2590	9.9	161	1	1	5	12	23	35	77
1. SINGLE DX	2810	3.9	20	1	1	2	5	8	12	22
2. MULTIPLE DX	9201	6.2	71	<1	1	4	7	14	21	47
A. NOT OPERATED	8543	4.5	25	<1	1	3	6	10	13	25
B. OPERATED	3468	8.7	133	1	1	5	10	21	32	70
TOTAL 0-19 YRS	2998	3.6	27	<1	1	2	4	7	11	25
20-34	3972	5.0	53	<1	1	3	6	10	16	39
35-49	1904	5.8	46	<1	1	4	7	12	16	34
50-64	1337	7.3	85	1	1	4	8	15	23	52
65+	1800	9.5	101	1	2	7	12	20	27	56
GRAND TOTAL	**12011**	**5.7**	**60**	**<1**	**1**	**3**	**7**	**12**	**18**	**41**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2601	1.9	4	<1	1	1	2	4	5	9
20-34	1410	2.3	6	<1	<1	2	3	4	6	12
35-49	533	2.7	13	<1	1	2	3	5	7	19
50-64	208	3.0	9	<1	1	2	4	7	8	16
65+	202	5.9	30	1	1	4	8	11	16	28
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	13.2	739	1	1	3	7	57	85	85
35-49	5	8.6	34	3	3	7	13	17	17	17
50-64	3	14.0	247	3	3	7	26	32	32	32
65+	8	5.1	11	1	1	5	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10480	3.0	23	<1	1	2	3	5	8	26
20-34	12361	4.0	33	<1	1	2	4	8	13	30
35-49	6459	4.9	45	1	1	3	5	10	16	34
50-64	3762	6.2	50	1	1	4	8	13	19	37
65+	5618	7.8	48	1	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	100	7.7	91	1	1	5	9	18	28	82
20-34	464	9.4	167	1	1	5	12	25	38	96
35-49	278	11.6	215	1	1	7	14	29	48	99+
50-64	264	14.5	199	2	4	11	18	26	38	93
65+	428	15.6	144	3	5	12	20	31	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4954	2.3	8	<1	1	1	3	4	6	13
B. *Operated*	26	9.6	279	1	2	5	8	17	43	85
2. MULTIPLE DX										
A. *Not Operated*	38680	4.6	39	<1	1	3	5	10	15	32
B. *Operated*	1534	12.3	177	1	1	9	16	27	40	94
1. SINGLE DX	4980	2.4	9	<1	1	1	3	4	6	14
2. MULTIPLE DX	40214	4.9	46	<1	1	3	6	11	16	34
A. NOT OPERATED	43634	4.4	36	<1	1	2	5	10	14	30
B. OPERATED	1560	12.3	179	1	1	9	16	27	40	92
TOTAL 0-19 YRS	13182	2.8	20	<1	1	2	3	5	8	23
20-34	14244	4.0	36	<1	1	2	4	8	13	31
35-49	7275	5.0	51	<1	1	3	5	11	17	37
50-64	4237	6.6	62	1	1	4	8	14	20	39
65+	6256	8.3	58	1	2	6	10	16	22	40
GRAND TOTAL	**45194**	**4.7**	**43**	**<1**	**1**	**3**	**5**	**10**	**16**	**33**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1535	2.1	6	<1	1	1	2	5	6	10
20-34	811	1.9	3	<1	1	1	2	3	5	10
35-49	414	1.9	4	<1	1	1	2	4	5	8
50-64	234	2.0	6	1	1	1	2	4	6	15
65+	125	2.4	7	1	1	2	3	4	8	14
B. *Operated*										
0-19 YRS	17	5.5	17	1	1	3	8	11	14	16
20-34	37	3.2	8	<1	1	2	5	7	9	13
35-49	18	5.8	16	2	2	4	8	11	14	16
50-64	11	4.4	12	1	1	4	5	9	13	13
65+	2	13.5	113	6	6	13	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3281	2.2	7	<1	1	1	2	5	6	13
20-34	2235	2.7	16	<1	<1	2	3	5	8	20
35-49	1266	3.0	18	<1	<1	2	3	6	8	20
50-64	996	4.0	35	<1	1	2	5	9	13	27
65+	737	5.7	84	<1	1	3	7	12	18	49
B. *Operated*										
0-19 YRS	54	10.5	242	1	1	6	11	26	49	78
20-34	106	10.1	268	1	1	5	10	25	49	98
35-49	68	12.1	273	1	2	7	13	33	56	97
50-64	60	14.8	280	1	3	9	20	33	54	83
65+	61	14.9	186	2	3	9	19	36	48	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3119	2.0	5	<1	1	1	2	4	6	10
B. *Operated*	85	4.6	16	1	1	3	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	8515	3.0	22	<1	1	2	3	6	9	22
B. *Operated*	349	12.2	254	1	1	7	14	32	51	96
1. SINGLE DX	3204	2.1	5	<1	1	1	2	4	6	11
2. MULTIPLE DX	8864	3.4	34	<1	1	2	3	7	10	29
A. NOT OPERATED	11634	2.7	18	<1	1	1	3	6	8	19
B. OPERATED	434	10.7	216	1	1	6	12	28	46	87
TOTAL 0-19 YRS	4887	2.3	10	<1	1	1	2	5	6	13
20-34	3189	2.8	23	<1	<1	1	3	5	8	22
35-49	1766	3.1	28	<1	1	2	3	6	9	25
50-64	1301	4.2	47	<1	1	2	4	9	13	33
65+	925	5.9	87	<1	1	3	7	13	21	49
GRAND TOTAL	**12068**	**3.0**	**27**	**<1**	**1**	**2**	**3**	**6**	**9**	**24**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1283	2.7	9	<1	1	2	3	6	8	13
20-34	811	2.7	10	<1	1	2	3	5	8	16
35-49	536	2.9	9	<1	1	2	4	6	9	15
50-64	417	3.1	10	<1	1	2	4	7	9	17
65+	337	3.8	12	1	1	3	5	8	10	19
B. *Operated*										
0-19 YRS	17	6.1	10	1	2	5	8	11	12	12
20-34	35	10.9	140	1	2	6	11	28	41	45
35-49	27	12.1	155	2	2	7	15	33	41	49
50-64	30	8.2	72	<1	1	6	9	20	24	40
65+	17	7.9	56	1	2	6	11	20	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2060	3.5	20	1	1	2	4	7	10	20
20-34	1834	3.5	16	<1	1	2	4	7	10	20
35-49	1618	4.2	22	1	1	3	5	9	12	25
50-64	2310	5.7	35	1	1	4	7	12	16	32
65+	4098	7.4	42	1	2	6	9	15	19	32
B. *Operated*										
0-19 YRS	87	10.3	212	1	1	5	11	25	42	79
20-34	190	11.2	271	1	1	5	12	33	54	99+
35-49	210	13.8	308	1	1	8	18	40	67	99+
50-64	346	14.5	226	2	2	10	19	34	52	99+
65+	503	16.2	217	3	4	11	21	35	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3384	2.9	10	<1	1	2	3	6	8	15
B. *Operated*	126	9.5	100	1	2	6	11	24	33	46
2. MULTIPLE DX										
A. *Not Operated*	11920	5.4	33	1	1	4	7	11	15	28
B. *Operated*	1336	14.3	244	1	2	9	19	35	53	99+
1. SINGLE DX	3510	3.1	14	<1	1	2	4	7	9	19
2. MULTIPLE DX	13256	6.3	61	1	1	4	8	13	20	43
A. NOT OPERATED	15304	4.8	29	1	1	3	6	10	14	26
B. OPERATED	1462	13.9	234	1	2	9	18	33	52	99+
TOTAL 0-19 YRS	3447	3.4	22	1	1	2	4	7	10	20
20-34	2870	3.8	37	<1	1	2	4	7	12	33
35-49	2391	4.8	54	<1	1	3	5	10	16	43
50-64	3103	6.4	63	1	1	4	8	14	20	46
65+	4955	8.0	66	1	2	6	10	16	23	44
GRAND TOTAL	**16766**	**5.6**	**53**	**1**	**1**	**3**	**7**	**12**	**18**	**38**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	4.1	26	<1	<1	2	5	11	13	27
20-34	178	3.9	14	<1	<1	3	5	10	12	18
35-49	139	4.6	15	<1	1	4	7	9	13	18
50-64	150	5.9	28	1	1	4	8	12	14	24
65+	337	7.1	53	1	1	5	8	16	23	34
B. *Operated*										
0-19 YRS	831	5.0	29	<1	<1	3	6	10	14	27
20-34	1468	4.5	36	<1	1	3	5	10	15	33
35-49	1282	5.8	54	<1	1	3	7	13	18	37
50-64	1983	8.4	82	1	2	5	11	19	25	45
65+	3390	9.4	96	1	2	6	13	21	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	317	5.1	45	<1	1	3	6	11	18	34
20-34	466	5.8	43	<1	1	4	7	12	17	39
35-49	455	6.7	63	1	1	4	8	15	20	47
50-64	657	7.3	63	1	1	5	9	15	22	42
65+	1364	9.0	96	1	2	6	11	19	28	49
B. *Operated*										
0-19 YRS	1774	8.4	101	1	2	5	10	19	29	52
20-34	2820	7.5	96	1	1	4	9	17	27	50
35-49	3360	8.8	112	1	1	5	11	19	29	63
50-64	6437	10.8	142	1	2	7	14	24	35	68
65+	10080	12.7	169	2	2	9	17	29	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	941	5.5	34	<1	1	4	7	12	16	31
B. *Operated*	8954	7.5	75	1	1	4	10	17	24	42
2. MULTIPLE DX										
A. *Not Operated*	3259	7.5	74	1	1	5	9	16	23	42
B. *Operated*	24471	10.7	144	1	2	7	14	25	35	68
1. SINGLE DX	9895	7.3	71	1	1	4	10	17	23	41
2. MULTIPLE DX	27730	10.4	137	1	2	6	14	24	34	65
A. NOT OPERATED	4200	7.1	66	1	1	5	9	15	22	41
B. OPERATED	33425	9.9	128	1	2	6	13	23	32	61
TOTAL 0-19 YRS	3059	7.0	76	<1	1	4	8	15	23	47
20-34	4932	6.3	72	<1	1	3	7	14	22	45
35-49	5236	7.8	93	1	1	4	10	18	26	49
50-64	9227	10.0	123	1	2	6	13	22	31	61
65+	15171	11.5	146	1	2	8	15	26	36	66
GRAND TOTAL	**37625**	**9.6**	**121**	**1**	**2**	**6**	**12**	**22**	**31**	**59**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	680	1.8	2	<1	1	1	2	3	4	6
20-34	791	2.5	3	<1	1	2	3	5	6	9
35-49	408	3.0	4	1	1	3	4	5	7	10
50-64	448	3.8	6	1	1	3	5	7	8	11
65+	717	4.1	8	1	1	4	5	7	8	15
B. *Operated*										
0-19 YRS	570	2.0	4	<1	<1	1	2	3	5	12
20-34	839	2.8	6	<1	1	2	4	5	7	11
35-49	396	3.4	8	1	1	3	4	7	9	14
50-64	250	4.3	29	1	1	3	5	9	11	19
65+	255	5.4	22	1	1	4	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	330	2.3	5	<1	1	2	3	5	6	10
20-34	621	3.3	12	1	1	2	4	6	8	14
35-49	399	4.1	12	1	1	3	5	9	11	15
50-64	632	4.2	10	1	1	3	5	8	9	18
65+	1103	5.0	16	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	284	2.7	10	<1	1	2	3	6	8	18
20-34	658	4.5	28	1	1	3	6	9	13	23
35-49	365	5.2	39	1	1	4	7	11	14	21
50-64	421	7.0	48	1	1	5	9	15	21	31
65+	598	8.1	57	1	2	6	10	17	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3044	3.0	5	1	1	2	4	6	7	11
B. *Operated*	2310	3.1	11	<1	1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	3085	4.1	13	1	1	3	5	8	10	18
B. *Operated*	2326	5.8	42	1	1	4	7	13	17	30
1. SINGLE DX	5354	3.0	8	1	1	2	4	6	8	13
2. MULTIPLE DX	5411	4.8	26	1	1	3	6	10	14	24
A. NOT OPERATED	6129	3.5	9	1	1	3	5	7	9	15
B. OPERATED	4636	4.4	28	1	1	3	5	10	14	25
TOTAL 0-19 YRS	1864	2.1	4	<1	1	1	2	4	5	11
20-34	2909	3.2	12	1	1	2	4	6	9	15
35-49	1568	3.9	16	1	1	3	5	8	10	17
50-64	1751	4.8	22	1	1	4	6	9	13	24
65+	2673	5.5	26	1	2	4	7	10	15	25
GRAND TOTAL	**10765**	**3.9**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	5.5	10	2	2	5	7	10	11	17
20-34	537	5.7	15	2	2	5	7	11	13	19
35-49	434	6.8	24	2	3	5	8	12	16	26
50-64	354	8.0	40	2	2	7	10	14	18	30
65+	295	9.3	52	2	3	8	11	18	23	37
B. *Operated*										
0-19 YRS	250	7.0	54	1	2	6	9	13	15	21
20-34	475	8.2	57	1	2	6	10	17	23	41
35-49	354	8.8	66	1	2	6	11	20	26	37
50-64	327	10.8	105	2	2	7	14	23	30	55
65+	254	11.6	110	2	2	9	15	25	36	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	283	6.5	22	2	2	5	8	12	15	25
20-34	680	6.7	32	2	2	5	8	13	15	31
35-49	630	7.8	37	2	3	6	10	15	20	32
50-64	806	9.7	65	2	3	7	12	18	25	44
65+	901	11.5	87	3	4	9	14	22	28	49
B. *Operated*										
0-19 YRS	285	10.9	114	2	2	8	13	24	32	62
20-34	688	11.8	127	2	2	8	15	26	33	58
35-49	650	13.9	195	2	3	9	17	30	44	84
50-64	918	16.4	247	2	3	12	21	38	51	94
65+	964	17.2	217	3	4	13	23	37	51	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1904	6.9	29	2	2	6	8	13	16	29
B. *Operated*	1660	9.2	78	1	2	7	11	20	27	46
2. MULTIPLE DX										
A. *Not Operated*	3300	8.9	59	2	3	7	11	17	23	42
B. *Operated*	3505	14.8	200	2	3	10	19	33	46	85
1. SINGLE DX	3564	8.0	53	2	2	6	10	16	22	37
2. MULTIPLE DX	6805	12.0	140	2	3	8	15	26	36	70
A. NOT OPERATED	5204	8.2	49	2	3	6	10	15	21	36
B. OPERATED	5165	13.0	168	2	3	9	16	29	40	76
TOTAL 0-19 YRS	1102	7.5	54	2	2	6	9	14	20	37
20-34	2380	8.2	66	2	2	6	10	17	24	43
35-49	2068	9.7	97	2	3	7	11	21	28	59
50-64	2405	12.2	148	2	3	8	15	25	37	72
65+	2414	13.5	146	2	4	10	17	29	38	70
GRAND TOTAL	**10369**	**10.6**	**114**	**2**	**3**	**7**	**13**	**22**	**31**	**60**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	3.3	13	1	1	2	4	6	10	19
20-34	353	4.1	19	1	1	3	5	9	11	21
35-49	302	5.2	17	1	1	4	7	11	13	20
50-64	300	6.3	30	1	2	5	8	13	18	28
65+	260	5.9	25	1	1	5	8	12	15	24
B. *Operated*										
0-19 YRS	224	4.6	32	<1	1	3	6	9	13	31
20-34	588	5.6	33	<1	1	4	7	12	15	31
35-49	552	6.2	42	1	1	4	8	13	16	43
50-64	562	7.6	71	1	2	5	10	16	22	48
65+	582	7.3	71	<1	1	4	10	17	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	335	3.9	22	1	1	2	5	8	11	25
20-34	781	4.7	30	1	1	3	6	9	12	23
35-49	770	6.3	45	1	1	5	8	13	18	29
50-64	955	7.5	59	1	2	5	9	14	21	38
65+	1261	9.0	76	1	2	7	11	18	25	50
B. *Operated*										
0-19 YRS	336	7.8	113	1	1	4	9	18	29	60
20-34	1171	8.3	80	1	1	6	10	17	26	53
35-49	1252	10.4	126	1	2	7	12	23	35	66
50-64	1716	12.3	176	1	2	8	16	28	41	82
65+	2218	13.3	193	1	2	9	18	31	43	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1358	5.1	22	1	1	4	7	11	14	24
B. *Operated*	2508	6.5	53	1	1	4	8	14	19	41
2. MULTIPLE DX										
A. *Not Operated*	4102	6.9	56	1	1	5	9	14	20	38
B. *Operated*	6693	11.3	156	1	2	7	14	26	39	75
1. SINGLE DX	3866	6.0	43	1	1	4	7	13	18	33
2. MULTIPLE DX	10795	9.7	123	1	2	6	12	22	32	63
A. NOT OPERATED	5460	6.4	48	1	1	4	8	13	18	34
B. OPERATED	9201	10.0	133	1	2	6	12	23	34	65
TOTAL 0-19 YRS	1038	5.2	55	1	1	3	6	11	18	39
20-34	2893	6.3	52	1	1	4	8	13	19	42
35-49	2876	7.9	81	1	1	5	10	16	24	55
50-64	3533	9.7	121	1	2	6	12	22	31	63
65+	4321	10.8	140	1	2	7	14	24	35	66
GRAND TOTAL	**14661**	**8.7**	**104**	**1**	**1**	**5**	**11**	**19**	**28**	**57**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.6	3	1	1	2	3	5	6	9
20-34	35	3.4	7	1	1	2	5	7	9	10
35-49	31	4.5	14	1	1	4	6	9	12	17
50-64	20	6.4	101	<1	1	3	7	14	30	45
65+	21	4.9	18	1	1	3	7	9	15	19
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	5.4	21	1	1	4	7	13	15	15
35-49	10	5.9	10	1	1	7	8	10	11	11
50-64	8	18.3	609	2	2	9	21	62	75	75
65+	7	6.4	45	1	1	3	10	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	3.2	6	1	1	3	4	6	8	13
20-34	99	4.8	15	<1	1	4	6	11	14	17
35-49	71	5.4	17	1	1	4	8	10	14	20
50-64	139	5.5	41	1	1	3	8	13	17	37
65+	158	5.4	39	1	1	3	6	13	18	31
B. *Operated*										
0-19 YRS	9	11.3	115	2	2	8	18	29	29	29
20-34	30	5.7	16	1	1	4	9	12	14	14
35-49	51	7.7	34	2	2	6	10	18	21	22
50-64	49	13.9	153	1	2	10	19	32	39	56
65+	49	14.8	243	1	2	11	18	28	64	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.6	18	1	1	3	5	7	9	18
B. *Operated*	34	8.6	175	1	1	6	9	15	29	75
2. MULTIPLE DX										
A. *Not Operated*	637	4.7	25	1	1	3	6	10	15	27
B. *Operated*	188	11.0	132	1	2	8	15	22	30	65
1. SINGLE DX	236	4.4	43	1	1	3	5	8	11	33
2. MULTIPLE DX	825	6.2	56	1	1	4	8	14	19	37
A. NOT OPERATED	839	4.5	23	1	1	3	5	10	14	25
B. OPERATED	222	10.7	138	1	2	7	14	21	30	67
TOTAL 0-19 YRS	275	3.3	10	1	1	2	4	6	8	15
20-34	172	4.7	14	1	1	4	6	10	14	16
35-49	163	6.0	23	1	1	5	8	11	17	22
50-64	216	8.0	105	1	1	4	10	19	28	50
65+	235	7.3	93	1	1	4	9	18	24	64
GRAND TOTAL	**1061**	**5.8**	**54**	**1**	**1**	**3**	**7**	**13**	**18**	**37**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	56	1.4	1	<1	<1	1	2	3	3	5
35-49	29	1.4		<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	168	1.8	1	<1	<1	2	2	3	4	5
20-34	19232	1.8	1	<1	<1	1	2	3	4	5
35-49	7761	1.7	1	<1	<1	1	2	3	4	5
50-64	59	1.6	2	<1	<1	1	2	3	4	8
65+	16	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
20-34	286	1.2		<1	<1	1	1	2	2	4
35-49	106	1.4	1	<1	<1	<1	1	3	3	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	102	3.0	4	<1	<1	2	4	6	8	9
20-34	10910	2.3	3	<1	<1	2	3	4	5	8
35-49	5279	2.2	3	<1	<1	2	3	4	5	8
50-64	48	1.9	1	<1	<1	2	2	3	3	4
65+	9	2.2	4	<1	<1	2	2	5	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	1.4	1	<1	<1	1	2	3	3	5
B. *Operated*	27236	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	403	1.2	1	<1	<1	1	1	2	3	5
B. *Operated*	16348	2.3	3	<1	<1	2	3	4	5	8
1. SINGLE DX	27322	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	16751	2.3	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	489	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	43584	1.9	2	<1	<1	2	2	4	4	7
TOTAL 0-19 YRS	280	2.2	3	<1	<1	2	3	5	6	8
20-34	30484	1.9	2	<1	<1	2	2	4	4	7
35-49	13175	1.9	2	<1	<1	2	2	4	4	7
50-64	109	1.8	1	<1	<1	2	2	3	3	7
65+	25	2.3	3	<1	<1	2	3	5	6	7
GRAND TOTAL	**44073**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**4**	**4**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	6	25.5	162	12	12	23	30	46	48	48
1500-1749	29	17.9	42	8	9	18	22	25	27	37
1750-2499	8797	3.5	5	1	2	3	4	6	7	12
2500+	531348	3.1	2	1	2	3	4	5	6	7
B. *Operated*										
1-999 G	1	99.0		99	99	99	99	99	99+	99+
1000-1499	1	56.0		56	56	56	56	56	56	56
1500-1749	2	26.0	50	21	21	26	31	31	31	31
1750-2499	12	9.8	102	<1	1	7	11	29	32	33
2500+	306	4.4	8	2	2	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	132	65.2	485	16	37	72	88	99+	99+	99+
1000-1499	983	42.0	260	18	24	41	52	64	71	93
1500-1749	1415	25.4	100	12	14	24	30	38	44	59
1750-2499	21582	7.8	45	2	2	5	10	16	21	32
2500+	224338	4.0	5	2	2	4	5	6	7	11
B. *Operated*										
1-999 G	220	68.9	469	35	46	87	99+	99+	99+	99+
1000-1499	813	52.4	335	26	32	52	68	85	99+	99+
1500-1749	556	35.2	208	18	21	33	43	55	75	99+
1750-2499	1945	17.3	158	3	6	15	22	31	42	84
2500+	5099	8.4	85	2	3	6	9	16	23	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540180	3.1	2	1	2	3	4	5	6	7
B. *Operated*	322	5.2	51	2	2	4	6	8	11	32
2. MULTIPLE DX										
A. *Not Operated*	248450	4.6	21	2	2	4	5	7	9	24
B. *Operated*	8633	17.8	395	2	3	10	25	52	75	99+
1. SINGLE DX	540502	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX	257083	5.0	40	2	2	4	5	7	11	37
A. NOT OPERATED	788630	3.5	9	1	2	3	4	5	7	13
B. OPERATED	8955	17.3	388	2	3	9	24	52	74	99+
TOTAL 1-999 G	353	67.6	478	28	45	80	99+	99+	99+	99+
1000-1499	1803	46.7	322	21	26	46	59	75	88	99+
1500-1749	2002	28.0	150	12	15	26	34	44	52	87
1750-2499	32336	7.2	51	2	2	5	9	16	21	34
2500+	761091	3.4	4	1	2	3	4	5	6	9
GRAND TOTAL	**797585**	**3.7**	**15**	**1**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	27.0	162	18	18	27	36	36	36	36
1500-1749	11	19.6	63	8	9	20	24	30	36	37
1750-2499	1240	5.0	10	2	2	4	6	8	11	17
2500+	4834	4.5	4	2	2	4	6	7	7	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	2	29.5	41	25	25	29	34	34	34	34
1750-2499	3	8.0	63	2	2	5	14	17	17	17
2500+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	20	69.3	314	32	53	76	88	99+	99+	99+
1000-1499	232	38.9	238	17	20	37	47	59	67	93
1500-1749	375	25.3	93	12	14	24	31	37	44	53
1750-2499	3415	9.4	43	3	3	7	13	18	22	30
2500+	2958	5.5	8	2	3	5	6	8	10	16
B. *Operated*										
1-999 G	37	67.9	358	27	52	80	99+	99+	99+	99+
1000-1499	174	52.4	278	25	30	52	63	81	88	99+
1500-1749	104	34.1	132	19	21	31	40	52	56	65
1750-2499	307	17.0	91	5	7	16	22	29	32	70
2500+	103	9.2	52	3	4	7	10	19	27	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6087	4.6	6	2	2	4	6	7	8	13
B. *Operated*	7	13.6	148	2	2	8	23	32	34	34
2. MULTIPLE DX										
A. *Not Operated*	7000	9.8	97	3	3	6	11	21	29	52
B. *Operated*	725	29.4	478	5	7	25	45	68	87	99+
1. SINGLE DX	6094	4.6	6	2	2	4	6	7	8	13
2. MULTIPLE DX	7725	11.6	166	3	3	7	14	26	40	77
A. NOT OPERATED	13087	7.4	61	2	3	5	7	15	22	43
B. OPERATED	732	29.3	477	5	6	24	45	68	87	99+
TOTAL 1-999 G	57	68.4	337	29	53	79	99+	99+	99+	99+
1000-1499	408	44.6	299	19	24	43	57	72	83	99+
1500-1749	492	27.0	114	12	15	25	33	41	47	57
1750-2499	4965	8.8	46	2	3	6	12	18	22	31
2500+	7897	4.9	7	2	3	5	6	7	8	14
GRAND TOTAL	**13819**	**8.5**	**107**	**2**	**3**	**5**	**8**	**18**	**29**	**62**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	76	4.3	16	1	1	3	5	8	13	22
2500+	1315	2.5	2	1	1	2	3	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	2	45.5	1861	15	15	76	94	99+	99+	99+
1000-1499	17	42.7	252	18	22	43	55	67	68	68
1500-1749	26	23.6	88	8	10	25	32	35	38	45
1750-2499	231	8.9	63	2	2	6	12	19	24	35
2500+	620	4.1	18	1	2	3	5	7	9	15
B. *Operated*										
1-999 G	6	66.2	640	23	39	87	99+	99+	99+	99+
1000-1499	15	66.0	209	40	54	65	71	90	94	96
1500-1749	8	41.1	326	15	18	40	53	67	70	70
1750-2499	25	16.7	154	1	2	15	20	40	45	50
2500+	26	9.0	63	2	3	5	14	25	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1391	2.6	3	1	1	2	3	4	5	9
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	896	6.7	80	1	2	4	7	15	24	51
B. *Operated*	80	29.6	731	2	3	20	60	76	99+	99+
1. SINGLE DX	1392	2.6	3	1	1	2	3	4	5	9
2. MULTIPLE DX	976	8.6	172	1	2	4	8	21	39	80
A. NOT OPERATED	2287	4.2	37	1	1	3	4	7	13	32
B. OPERATED	81	29.3	732	2	3	19	60	76	99+	99+
TOTAL 1-999 G	8	61.0	814	16	21	76	99+	99+	99+	99+
1000-1499	32	53.6	364	21	26	56	67	72	89	96
1500-1749	34	27.7	193	8	14	26	32	45	58	70
1750-2499	332	8.4	68	1	2	5	12	19	24	42
2500+	1962	3.1	9	1	1	3	3	5	7	13
GRAND TOTAL	**2368**	**5.1**	**81**	**1**	**1**	**3**	**4**	**9**	**17**	**64**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.5	7	<1	<1	1	3	5	9	15
20-34	73	2.5	10	<1	<1	2	2	4	11	18
35-49	29	3.3	11	<1	<1	2	4	7	9	17
50-64	35	3.1	6	<1	<1	3	4	6	7	13
65+	14	3.0	5	<1	<1	3	4	5	8	9
B. *Operated*										
0-19 YRS	2777	2.4	3	<1	<1	2	3	4	5	8
20-34	4382	2.6	4	<1	1	2	3	4	6	10
35-49	2013	2.7	5	<1	1	2	3	5	6	12
50-64	1640	3.1	9	<1	1	2	4	5	7	13
65+	1123	4.6	26	1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	1.6	3	<1	<1	1	2	3	5	11
20-34	46	2.2	22	<1	<1	1	2	3	3	33
35-49	26	2.3	4	<1	1	1	3	5	8	8
50-64	21	5.4	87	<1	<1	2	4	19	32	35
65+	30	8.2	111	1	1	4	14	27	40	99+
B. *Operated*										
0-19 YRS	638	3.8	22	1	1	3	4	7	10	29
20-34	899	4.1	30	1	1	3	4	7	11	29
35-49	510	4.8	33	1	1	3	5	9	14	35
50-64	629	5.7	51	1	1	4	6	11	16	38
65+	720	9.3	88	2	2	6	12	20	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	2.7	8	<1	<1	2	3	5	9	16
B. *Operated*	11935	2.8	7	<1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	165	3.6	44	<1	<1	1	3	8	24	40
B. *Operated*	3396	5.5	49	1	1	3	6	12	17	38
1. SINGLE DX	12159	2.8	7	<1	1	2	3	5	6	13
2. MULTIPLE DX	3561	5.4	49	1	1	3	6	12	17	38
A. NOT OPERATED	389	3.1	24	<1	<1	2	3	6	11	32
B. OPERATED	15331	3.4	18	<1	1	2	4	6	9	22
TOTAL 0-19 YRS	3530	2.6	7	<1	1	2	3	4	6	12
20-34	5400	2.8	9	<1	1	2	3	5	6	13
35-49	2578	3.1	11	<1	1	2	3	5	8	17
50-64	2325	3.8	22	<1	1	3	4	7	10	23
65+	1887	6.4	56	1	2	4	7	14	20	41
GRAND TOTAL	**15720**	**3.4**	**18**	**<1**	**1**	**2**	**4**	**6**	**9**	**22**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (?)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	5	1.4	1	1	1	1	2	3	3	3
65+	8	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	17	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	24	1.2	1	<1	<1	<1	<1	1	2	5
65+	18	1.6	6	<1	<1	<1	<1	2	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	1.5	2	<1	1	1	1	2	3	11
20-34	87	2.1	9	<1	<1	2	2	3	4	21
35-49	141	1.8	6	1	1	1	2	3	4	12
50-64	623	1.7	1	1	1	2	2	2	3	8
65+	613	1.9	2	1	1	2	2	3	3	9
B. *Operated*										
0-19 YRS	5	11.2	81	4	4	11	15	26	26	26
20-34	118	2.1	13	<1	<1	<1	<1	4	9	21
35-49	111	1.9	4	<1	<1	<1	2	4	8	10
50-64	221	3.5	29	<1	<1	<1	4	9	15	31
65+	96	4.3	32	<1	<1	2	5	9	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.8	2	<1	<1	1	2	3	5	6
B. *Operated*	61	1.2	2	<1	<1	<1	<1	1	2	10
2. MULTIPLE DX										
A. *Not Operated*	1545	1.8	2	1	1	2	2	2	3	9
B. *Operated*	551	3.1	23	<1	<1	<1	3	8	12	30
1. SINGLE DX	79	1.4	2	<1	<1	<1	1	2	3	10
2. MULTIPLE DX	2096	2.1	8	<1	<1	1	2	3	6	16
A. NOT OPERATED	1563	1.8	2	1	1	2	2	2	3	9
B. OPERATED	612	2.9	21	<1	<1	<1	3	7	11	27
TOTAL 0-19 YRS	87	2.0	11	<1	1	1	2	4	7	21
20-34	208	2.1	11	<1	<1	1	2	3	5	21
35-49	272	1.8	5	<1	<1	1	2	3	5	10
50-64	873	2.1	9	<1	<1	1	2	3	6	17
65+	735	2.2	7	<1	1	2	2	3	5	12
GRAND TOTAL	**2175**	**2.1**	**8**	**<1**	**<1**	**1**	**2**	**3**	**5**	**16**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6267	2.0	11	<1	<1	1	2	4	6	14
20-34	9059	2.0	12	<1	<1	<1	2	4	5	13
35-49	2710	2.6	16	<1	<1	1	3	5	7	20
50-64	3638	2.9	16	<1	<1	2	3	6	8	21
65+	3149	4.4	68	<1	<1	2	4	9	16	68
B. *Operated*										
0-19 YRS	2090	3.1	18	<1	<1	2	3	7	10	18
20-34	6955	3.0	11	<1	<1	2	4	7	9	14
35-49	3954	3.6	13	<1	1	2	5	8	11	16
50-64	3549	4.3	20	1	1	2	6	10	12	20
65+	3326	4.4	26	1	1	2	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5420	3.7	29	<1	<1	2	4	7	12	28
20-34	8177	4.0	43	<1	<1	2	4	7	14	33
35-49	9613	4.4	45	1	1	2	5	8	16	33
50-64	24358	4.2	37	1	1	2	5	8	12	32
65+	22216	5.9	73	1	1	3	6	13	21	49
B. *Operated*										
0-19 YRS	1848	5.0	67	<1	1	2	5	10	17	40
20-34	6061	4.6	51	<1	<1	3	5	9	14	43
35-49	6458	5.1	50	<1	1	3	6	11	15	41
50-64	9924	6.0	64	1	1	3	8	13	19	45
65+	10646	7.4	100	1	1	4	9	17	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24823	2.5	20	<1	<1	1	2	5	7	21
B. *Operated*	19874	3.6	16	<1	<1	2	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	69784	4.7	50	1	1	3	5	9	17	38
B. *Operated*	34937	6.0	71	<1	1	3	7	13	19	49
1. SINGLE DX	44697	3.0	19	<1	<1	2	3	7	10	19
2. MULTIPLE DX	104721	5.1	58	1	1	3	5	11	18	42
A. NOT OPERATED	94607	4.1	43	<1	<1	2	4	8	14	35
B. OPERATED	54811	5.1	53	<1	1	3	6	11	16	40
TOTAL 0-19 YRS	15625	3.1	26	<1	<1	2	3	6	10	28
20-34	30252	3.3	29	<1	<1	2	3	7	10	28
35-49	22735	4.3	38	<1	1	2	5	9	13	31
50-64	41469	4.5	41	1	1	2	5	9	14	34
65+	39337	6.1	77	1	1	3	7	14	21	51
GRAND TOTAL	**149418**	**4.5**	**47**	**<1**	**<1**	**2**	**5**	**10**	**15**	**37**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD 9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema.
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever